

WOOD

Poetry Wood

GRES PORCELLANATO A MASSA COLORATA
FULL BODY COLORED PORCELAIN

GOLD



ECRU



OAK



MUD



8,5 mm

26,5x180 nat.
30x120 nat.
20x120 nat. / R11

20 mm

30x180 R11
30x120 R11

P. tech
3D tech

by  **paola navone**



Index

Projects

Stone	POETRY STONE ATLANTIS NATIVE ALPES ALPES RAW MONOLITH
Marble	SENSI ROMA SENSI 900 SENSI SIGNORIA SENSI GEMS SENSI UP
Concrete	BLEND GHOST LAB325 CROSSROAD CHALK
Metal	INTERNO 9 ^{WIDE} INTERNO 9
Wood	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
Traditional	UNIKA RE-WORK FOSSIL SENSI CLASSIC DOWNTOWN DOCKS PETRAIA
Decor & Wall	POETRY COLORS POETRY DECOR WIDE&STYLE MINI WIDE&STYLE MINI VOL.2 PLAY CROSSROAD BRICK DO UP CHROME
Out.20 20 mm	POETRY STONE - SENSI ROMA - NATIVE ATLANTIS - BLEND - GHOST - LAB325 POETRY WOOD - ECO CHIC - DOLPHIN SOLERAS
Out.30 30 mm	LAB325 TRENTO
Hardkoll	COLLANTI E SIGILLANTI ADHESIVES AND SEALANTS
Technical info	INFORMAZIONI TECNICHE

Poetry Wood



floor
POETRY WOOD OAK 20x120 - OAK DEC. METAL 20x120



floor
POETRY WOOD MUD NAT. RETT. 26,5x180

Index

Projects

Stone	POETRY STONE ATLANTIS NATIVE ALPES ALPES RAW MONOLITH
Marble	SENSI ROMA SENSI 900 SENSI SIGNORIA SENSI GEMS SENSI UP
Concrete	BLEND GHOST LAB325 CROSSROAD CHALK
Metal	INTERNO 9 WIDE INTERNO 9
Wood	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
Traditional	UNIKA RE-WORK FOSSIL SENSI CLASSIC DOWNTOWN DOCKS PETRAIA
Decor & Wall	POETRY COLORS POETRY DECOR WIDE&STYLE MINI WIDE&STYLE MINI VOL.2 PLAY CROSSROAD BRICK DO UP CHROME
Out.20 20 mm	POETRY STONE - SENSI ROMA - NATIVE ATLANTIS - BLEND - GHOST - LAB325 POETRY WOOD - ECO CHIC - DOLPHIN SOLERAS
Out.30 30 mm	LAB325 TRENTO
Hardkoll	COLLANTI E SIGILLANTI ADHESIVES AND SEALANTS
Technical info	INFORMAZIONI TECNICHE

Poetry Wood

POETRY GOLD

8,5 mm		
26,5x180	nat rett.	0010054
30x120	nat rett.	0010336
20x120	nat rett.	0010058



POETRY ECRU

8,5 mm		
26,5x180	nat rett.	0010055
30x120	nat rett.	0010337
20x120	nat rett.	0010059



Poetry Wood

POETRY OAK

8,5 mm		
26,5x180	nat rett.	0010056
30x120	nat rett.	0010338
20x120	nat rett.	0010060



POETRY MUD

8,5 mm		
26,5x180	nat rett.	0010057
30x120	nat rett.	0010339
20x120	nat rett.	0010061



Index

Projects

Stone	POETRY STONE ATLANTIS NATIVE ALPES ALPES RAW MONOLITH
Marble	SENSI ROMA SENSI 900 SENSI SIGNORIA SENSI GEMS SENSI UP
Concrete	BLEND GHOST LAB325 CROSSROAD CHALK
Metal	INTERNO 9 WIDE INTERNO 9
Wood	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
Traditional	UNIKA RE-WORK FOSSIL SENSI CLASSIC DOWNTOWN DOCKS PETRAIA
Decor & Wall	POETRY COLORS POETRY DECOR WIDE&STYLE MINI WIDE&STYLE MINI VOL.2 PLAY CROSSROAD BRICK DO UP CHROME
Out.20 20 mm	POETRY STONE - SENSI ROMA - NATIVE ATLANTIS - BLEND - GHOST - LAB325 POETRY WOOD - ECO CHIC - DOLPHIN SOLERAS
Out.30 30 mm	LAB325 TRENTO
Hardkoll	COLLANTI E SIGILLANTI ADHESIVES AND SEALANTS
Technical info	INFORMAZIONI TECNICHE

Poetry Wood



20x120 6

3D tech

PEI V

* 0010066

PAINT nat. rett.

DECORI DA RIVESTIMENTO E PAVIMENTO - WALL AND FLOOR DECORS



20x120 3

DEC. METAL OAK MIX 3 nat. rett. PZ

** 0010072

(prezzo al pz / price for piece)



20x120 3

DEC.METAL MUD MIX 3 nat. rett. PZ

** 0010073

(prezzo al pz / price for piece)

3D tech

La nuova tecnologia 3D Tech consente di applicare differenti materie ceramiche, anche a spessore, in perfetta corrispondenza con la grafica sottostante, realizzata in digitale ad altissima definizione. Un processo produttivo rivoluzionario, che combina la matericit  con l'estetica del prodotto, fino ad ottenere superfici dallo straordinario valore sensoriale. The new technology 3D Tech si able to apply different ceramic materials, even within thickness, integrating them perfectly with the underlying graphics, made using highdefinition digital technology. A revolutionary production process that combines the textures with the aesthetics of the product, resulting in surfaces of outstanding sensory value.

* Articolo composto da pattern grafici diversi che non prevedono agganci tra loro e miscelati in modo casuale in fase di inscatolamento. Non si garantisce pertanto la presenza costante di tutti i soggetti all'interno delle confezioni. This article comes in several different versions with unconnected patterns that are mixed randomly at the time of packaging. There is therefore no guarantee that all patterns will be present in any individual box.



** Metalli. Si consiglia di pulire la superficie senza utilizzare prodotti contenenti sostanze abrasive per non alterare la brillantezza del metallo. Metal. Do not use products containing abrasive substances to clean the decorative element so as not to affect the shine of the metal.

Poetry Wood


MATITE ALLUMINIO - ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 330 Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 330



MATITA ALLUMINIO 0,5x120 4

Parte superiore arrotondata / Rounded top.



MATITA ALLUMINIO 0000086

PZ 24,50



MATITA ALLUM. WHITE 0000087

PZ 32,50

MATITA ALLUM. TERRACOTTA 0008530

PZ 32,50

MATITA ALLUM. BLU 0008532

PZ 32,50

MATITA ALLUM. VERDE 0008531

PZ 32,50

MATITA ALLUM. ARDESIA 0008533

PZ 32,50

MATITA ALLUM. RAME SCURO 0008534

PZ 32,50


MATITA ALLUM. BRONZO 0000557

PZ 40,50

MATITA ALLUM. RAME 0000556

PZ 40,50


OUTDOOR R11 8,5 mm P. tech



20x120 6

POETRY WOOD GOLD R11 rett. 0010062 P.TECH






20x120 6

POETRY WOOD ECRU R11 rett. 0010063 P.TECH






20x120 6

POETRY WOOD OAK R11 rett. 0010064 P.TECH





20x120 6

POETRY WOOD MUD R11 rett. 0010065 P.TECH



OUT.20 R11 20 mm P. tech



30x180 1

POETRY WOOD GOLD 20 R11 rett. 0010078 P.TECH





30x180 1

POETRY WOOD OAK 20 R11 rett. 0010079 P.TECH





30x120 1

POETRY WOOD GOLD 20 R11 rett. 0010081 P.TECH





30x120 1

POETRY WOOD OAK 20 R11 rett. 0010082 P.TECH



Per la serie completa vedi pag. 314 For the complete collection see page 314

WOOD

Index


Projects

Stone	POETRY STONE
	ATLANTIS
	NATIVE
	ALPES
	ALPES RAW
Marble	MONOLITH
	SENSI ROMA
	SENSI 900
	SENSI SIGNORIA
	SENSI GEMS
Concrete	SENSI UP
	BLEND
	GHOST
	LAB325
	CROSSROAD CHALK

Metal	INTERNO 9 WIDE
	INTERNO 9
Wood	POETRY WOOD
	ECO CHIC
	NEST
	CROSSROAD WOOD
	DOLPHIN
Traditional	SOLERAS
	UNIKA
	RE-WORK
	FOSSIL
	SENSI CLASSIC
Decor & Wall	DOWNTOWN
	DOCKS
	PETRAIA
	POETRY COLORS
	POETRY DECOR
Out.20 20 mm	WIDE&STYLE MINI
	WIDE&STYLE MINI VOL.2
	PLAY
	CROSSROAD BRICK
	DO UP
Out.30 30 mm	CHROME
	POETRY STONE - SENSI ROMA - NATIVE
	ATLANTIS - BLEND - GHOST - LAB325
	POETRY WOOD - ECO CHIC - DOLPHIN
	SOLERAS

Hardkoll	LAB325
	TRENTO
Technical info	COLLANTI E SIGILLANTI
	ADHESIVES AND SEALANTS
Informazioni	INFORMAZIONI TECNICHE

Poetry Wood

PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm					
	BATTISCOPA rett. 6,5x120 PZ 12,90 	0010344	0010345	0010346	0010347
	GRADONE TOP rett. 32x120x4,5x2 PZ 198,90 	0010348	0010349	0010350	0010351
	ANGOLARE TOP SX 32x120x4,5x2 PZ 228,50 	0010352	0010353	0010354	0010355
	ANGOLARE TOP DX 32x120x4,5x2 PZ 228,50 		0010357	0010358	0010359

GRES PORCELLANATO A MASSA COLORATA FULL BODY COLORED PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	*VAL. / VALUE POETRY WOOD NAT.	* VAL. / VALUE POETRY WOOD OUTDOOR / OUT.20 P.TECH
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY $0,20 < \mu < 0,39$ SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY $0,40 < \mu < 0,74$ ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40	> 0,40
	B.C.R.A. G.B.		> 0,40	> 0,40
	ASTM C 1028 [S.C.O.F.]	SLIP RESISTANT (> 0,60)	> 0,60 DRY > 0,60 WET	> 0,60 DRY > 0,60 WET
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10	R11
	DIN 51097	-	A+B	A+B+C
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	> 0,42	> 0,42


* Valori medi di produzione / Average production values

Poetry Wood

THE PERFECT COMBO

DALLA CONSULTAZIONE DELLA MATERIOTECA ABK, NASCE LA NUOVA SEZIONE DEDICATA AGLI ABBINAMENTI CHE VALORIZZANO LE SUPERFICI DELLE PRINCIPALI COLLEZIONI.

THE NEW SECTION EXPLORES THE DIFFERENT WAYS IN WHICH ABK MATERIALS CAN BE COORDINATED TO ENHANCE THE SURFACES OF THE MAIN COLLECTIONS.



WOOD

Index

Projects

Stone	POETRY STONE ATLANTIS NATIVE ALPES ALPES RAW MONOLITH
Marble	SENSI ROMA SENSI 900 SENSI SIGNORIA SENSI GEMS SENSI UP
Concrete	BLEND GHOST LAB325 CROSSROAD CHALK
Metal	INTERNO 9 ^{WIDE} INTERNO 9
Wood	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
Traditional	UNIKA RE-WORK FOSSIL SENSI CLASSIC DOWNTOWN DOCKS PETRAIA

Decor & Wall

POETRY COLORS POETRY DECOR WIDE&STYLE MINI WIDE&STYLE MINI VOL.2 PLAY CROSSROAD BRICK DO UP CHROME	POETRY STONE - SENSI ROMA - NATIVE ATLANTIS - BLEND - GHOST - LAB325 POETRY WOOD - ECO CHIC - DOLPHIN SOLERAS
---	--

Out.20
20 mm

Out.30
30 mm

Hardkoll

Technical info

COLLANTI E SIGILLANTI
ADHESIVES AND SEALANTS

INFORMAZIONI TECNICHE