

GRES PORCELLANATO

PORCELAIN TILES

GRÈS CÉRAME

FEINSTEINZEUG

1

FORMATO

SIZE • FORMAT • FORMAT

4

COLORI

COLORS • COULEURS • FARBEN

12

GRAFICHE DIFFERENTI

DIFFERENT PATTERNS

DIFFERENTS GRAPHIQUES

VERSCHIEDENE GRAFIKEN

- INDOOR ARPA SOFT GRIP



alpine

pavimento / floor
alpine fumo 20,3x90,6

wood

rivestimento / wall
cement white 30x60
cement decoro geometrico 30x60
pavimento / floor
alpine fumo 20,3x90,6

alpine

wood

pavimento / floor
alpine bruma 20,3x90,6

pavimento / floor
alpine neve 20,3x90,6
rivestimento / wall
star cream 30x60



alpine

wood


rivestimento / wall
star cream 30x60
pavimento / floor
alpine tundra 20,3x90,6



GRES PORCELLANATO
Porcelain tiles / Grès cérame / Feinsteinzeug



alpine neve



9 mm

140

Alpine Neve
20,3x90,6 | 8"x35"

alpine fumo

superficie
MATT

Bla

GL

Nat.

9 mm

R10
A+B

SOFT GRIP




9 mm

140

Alpine Fumo
20,3x90,6 | 8"x35"

alpine

wood



alpine bruma




Alpine Bruma
20,3x90,6 | 8"x35"



SOFT GRIP

alpine tundra





Alpine Tundra
20,3x90,6 | 8"x35"




alpine schemi di posa suggeriti



Suggested laying schemes / Suggestions de calepinage / Vorgeschlagene Verlegelösungen



20,3x90,6 | 8"x35" 100%



20,3x90,6 | 8"x35" 100%



Si consiglia di sfalsare il lato più lungo per un massimo di 20 cm nella posa a correre. | The longest side should be staggered no more than 20 cm when laid in running bond. | Il est recommandé de décaler le côté long d'un maximum de 20 cm dans le cas de la pose parallèle. | Die laengere Seite darf maximal um 20 cm versetzt werden, sollte im wilden Verband verlegt werden.


AVVERTENZA PER I SIGNORI POSATORI Controllare attentamente il materiale prima della posa, in particolare tono, calibro e scelta. Non si accettano reclami sul materiale posato. Si declina ogni responsabilità per la posa senza fuga; si considera posa a "giunto minimo" quella con fuga a 2 mm. | NOTICE TO TILE FIXERS The material should be carefully checked before fixing, especially tonality, caliber and choice. Claims cannot be accepted once the material is installed. The company declines all responsibility for laying without joints; minimum joint laying has a gap of 2 mm. | AVIS AUX CARRELEURS Contrôler attentivement les carreaux avant la pose particulièrement tonalité, calibre, choix. Aucune réclamation ne sera acceptée une fois que le matériel est posé. La responsabilité du fabricant ne pourra pas être mise en cause en cas de pose sans joints. On appelle "pose à joint minimum" une pose avec un joint de 2 mm. | HINWEIS FUER DIE VERLEGUNG Das Material ist vor der Verlegung genau zu überprüfen auf Tonalität, Kaliber, und Sorte. Reklamationen nach der Verlegung werden nicht akzeptiert. Wir übernehmen keine Haftung für eine fugenlose Verlegung; unter einer Verlegung mit sehr schmalen Fugen versteht man die Verlegung von 2 mm breiten Fugen.

alpine pezzi speciali


Trims / Pièces spéciales / Formteile



Alpine Battiscopa
6,5x90,6 | 2,5"x35"



Alpine Gradone
20,3x90,6 | 8"x35"



Alpine Angolare DX/SX
20,3x90,6 | 8"x35"



TUTTI I PEZZI SPECIALI (decori, gradini, battiscopa, ecc.) SONO VENDUTI SOLO A SCATOLE COMPLETE.

All the trims, special pieces (decoration pieces, steps, skirting tiles, etc.) are sold at full boxes only.
Toutes les pièces spéciales (décor, marches, plinthes, etc.) ne sont vendues que par boîtes complètes.
Alle Sonderteile (Dekore, Stufen, Fußleisten, usw.) werden nur im ganzen Karton verkauft.

alpine imballi

Packaging / Emballages / Verpackungen

Formato Size Format Format	Spessore Thickness Epaisseur Stärke	Pz./Sc. Pcs./Box Pc./Boîte Stk./Krt.	Mq/Sc. Sqm/Box Mq/Boîte Qm/Krt.	Mq/Pal. Sqm/Pal. Mq/Pal. Qm/Pal.	Sc./Pal. Box/Pal. Boîte/Pal. Krt./Pal.	Kg/Sc. Kg/Box Kg/Boîte Kg/Krt.	Kg/Mq. Kg/Sqm Kg/Mq Kg/Qm	Kg/Pal. Kg/Pal. Kg/Pal. Kg/Pal.
20,3x90,6 8"x35"	9 mm	6	1,1	66,00	60	20,09	18,26	1.220,16

alpine

wood