IMTS2026

HAIMER®
Quality Wins.



PROMOTION
IMTS 2026
West Building
Booth #431510

PROMOTION VAILD FROM SEPTEMBER 15TH, 2026 – NOVEMBER 30TH, 2026 IN USA & CANADA

100%
MADE IN GERMANY
MADE BY HAIMER

20 % DISCOUNT ON SHORT STANDARD ER COLLET CHUCKS

20% DISCOUNT



CAT40



BT40




HSK-A63

Get 20% discount on short Standard ER collet chucks from the program below.
Offer is valid for following interfaces: CAT40, BT40, HSK-A63


CAT40

	ER		16	25	32
	Ø D [mm]		28	42	50
Clamping range [mm]			0.5 – 10.0	1.0 – 16.0	1.0 – 20.0
	L [mm]		[1]	62	64
Length A [mm]	short		70	70	70
Order No.	**40.720...**		**.16**	**.25**	**.32**
List price	**USD**		**261.00**	**261.00**	**261.00**
Special price	**USD**		**208.80**	**208.80**	**208.80**




BT40

	ER		16	25	32
	Ø D [mm]		28	42	50
Clamping range [mm]			0.5 – 10.0	1.0 – 16.0	1.5 – 20.0
	L [mm]		[1]	57	64
Length A [mm]	short		70	70	70
Order No.	**40.520...**		**.16**	**.25**	**.32**
List price	**USD**		**261.00**	**261.00**	**261.00**
Special price	**USD**		**208.80**	**208.80**	**208.80**



HSK-A63

	ER		16	25	32
	Ø D [mm]		28	42	50
Clamping range [mm]			0.5 – 10.0	1.0 – 16.0	1.5 – 20.0
	L [mm]		46.5	48	47
Length A [mm]	ultra short		75	75	75
Order No.	**A63.025...**		**.16**	**.25**	**.32**
List price	**USD**		**458.00**	**458.00**	**487.00**
Special price	**USD**		**366.40**	**366.40**	**389.60**



1) Drilled through

20 % DISCOUNT ON SHORT STANDARD SHRINK FIT CHUCKS

20% DISCOUNT



SK40



BT40




HSK-A63

Get 20% discount on short Standard Shrink Fit Chucks from the program below.
Offer is valid for following interfaces: CAT40, BT40, HSK-A63


CAT40

Clamping	Ø D1 [inch]	1/4	5/16	3/8	7/16	1/2	5/8	3/4	1
	Ø D2 [inch]	0.83	0.83	0.94	0.94	0.94	1.06	1.30	1.73
	Ø D3 [inch]	1.06	1.06	1.26	1.26	1.26	1.34	1.65	2.09
	L [inch]	1.42	1.42	1.65	1.65	1.85	1.97	2.05	2.28
Length A [inch]	short 	3.15	3.15	3.15	3.15	3.15	3.15	3.15	3.94
Order No.	**40.840...**	**.1/4Z.4**	**.5/16Z.4**	**.3/8Z.4**	**.7/16Z.4**	**.1/2Z.4**	**.5/8Z.4**	**.3/4Z.4**	**.1Z.4**
List price	**USD**	**393.00**	**393.00**	**393.00**	**393.00**	**393.00**	**393.00**	**393.00**	**393.00**
Special price	**USD**	**314.40**	**314.40**	**314.40**	**314.40**	**314.40**	**314.40**	**314.40**	**320.00**




BT40

Clamping	Ø D1 [inch]	1/4	5/16	3/8	7/16	1/2	5/8	3/4	1
	Ø D2 [inch]	0.83	0.83	0.94	0.94	0.94	1.06	1.30	1.73
	Ø D3 [inch]	1.06	1.06	1.26	1.26	1.26	1.34	1.65	2.09
	L [inch]	1.42	1.42	1.65	1.65	1.85	1.97	2.05	2.28
Length A [inch]	short 	3.54	3.54	3.54	3.54	3.54	3.54	3.54	3.94
Order No.	**40.640...**	**.1/4Z.4**	**.5/16Z.4**	**.3/8Z.4**	**.7/16Z.4**	**.1/2Z.4**	**.5/8Z.4**	**.3/4Z.4**	**.1Z.4**
List price	**USD**	**400.00**	**400.00**	**400.00**	**400.00**	**400.00**	**400.00**	**400.00**	**406.00**
Special price	**USD**	**320.00**	**320.00**	**320.00**	**320.00**	**320.00**	**320.00**	**320.00**	**324.80**



HSK-A63

Clamping	Ø D1 [inch]	1/4	5/16	3/8	7/16	1/2	5/8	3/4	1
	Ø D2 [inch]	0.83	0.83	0.94	0.94	0.94	1.06	1.30	1.73
	Ø D3 [inch]	1.06	1.06	1.26	1.26	1.26	1.34	1.65	2.09
	L [inch]	1.42	1.42	1.65	1.65	1.85	1.97	2.05	2.28
Length A [inch]	short 	3.15	3.15	3.35	3.35	3.54	3.74	3.94	4.53
Order No.	**A63.140...**	**.1/4Z.4**	**.5/16Z.4**	**.3/8Z.4**	**.7/16Z.4**	**.1/2Z.4**	**.5/8Z.4**	**.3/4Z.4**	**.1Z.4**
List price	**USD**	**443.00**	**443.00**	**443.00**	**443.00**	**443.00**	**443.00**	**443.00**	**443.00**
Special price	**USD**	**354.40**	**354.40**	**354.40**	**354.40**	**354.40**	**354.40**	**354.40**	**354.40**



POWER CLAMP BASIC WITH EASY COOLER

The Power Clamp Basic is the economical entrance into inductive shrink fit technology. The power electronics enables problem free shrinking. The mechanical construction of the equipment has, on the other hand, been kept deliberately simple and functional.

The new **Easy Cooler cooling unit** included in the promotional package is the perfect complement to the Power Clamp Basic so that tool holders and shrink collets can be cooled quickly and easily. The Basic Line is ideal for the price-conscious user, who only wants to shrink a few tools on a daily basis.

Package includes

- **Power Clamp Basic**
- Power: 10 kW
- Main voltage: 3×400–480 V, 16 A
- Tools: solid carbide and HSS from Ø 1/4–1 1/4" (3–32 mm)
- With 1 base holder
- With 1 chuck support
- **Easy Cooler Cooling unit**
- **$5,000 HAIMER Tooling Certificate**

Technical details Power Clamp Basic

Main voltage	3×400–480 V, 16 A, 10 kW
Tools	solid carbide and HSS
Tool diameter	1/8–1 1/4" (3–32 mm)
Max. total length	13.78" (350 mm)
Dimensions W×D×H	25.6×35.4×23.6" (650×900×600 mm)
Weight	99 lbs (45 kg)
Order No.	**PC105-I01-C00-US**

Technical details Easy Cooler

Air pressure	87 PSI
Max. total length	13.78" (350 mm)
Dimensions W×D×H	13.7×22.4×41.5" (650×900×600 mm)
Order No.	**PC900-C22**



$5,000 HAIMER tooling certificate



Special offer

$ 19,835.10

Order No. PC105-I01-C00-US + PC900-C22
+ $5,000 Tooling certificate

Plus shipping & installation

Tooling Certificate based on $5,000 of list price HAIMER Holders

POWER CLAMP SPECIAL EDITION

The Power Clamp Special Edition is a high performance shrink fit machine with integrated contact cooling for all tools (solid carbide and HSS).

Equipment

- With standard coil
- Single chuck version
- With integrated contact cooling
- With 1 base holder
- With 1 chuck support
- Incl. Cooling Manager
- **$5,000 HAIMER Tooling Certificate**

Technical details

Main voltage	3 × 400 – 480 V, 16 A, 13 kW
Tools	Solid carbide and HSS
Tool diameter	1/8 – 1 1/4" (3 – 32 mm)
Maximum length of shrink fit chuck (shrinking)	20" (510 mm)
Dimensions W × D × H	33 × 24 × 28" (840 × 600 × 970 mm)
Weight	291 lbs (132 kg)



$5,000 HAIMER tooling certificate



Special offer

$ 24,812.50

Order No. PC102-I01-C10-EU-SE

Plus shipping & installation

Tooling Certificate based on $5,000 of list price HAIMER Holders

POWER CLAMP COMFORT i4.0

With the innovative shrink fit machine Power Clamp Comfort i4.0 HAIMER is setting new standards in digital connectivity and communication in the world of shrink technology.

A 7"-Touch-Display and an intuitive new software provide simplified usability. Upgrade possible with HD coil for shrinking of Heavy Duty Shrink Chucks up to Ø 2" (50 mm) (optional).

Equipment

- Industry 4.0-ready with scanner connectivity
- With 7"-Touch-Display and new intuitive software
- With intelligent NG coil
- Rotary table with 3 stations
- With integrated contact cooling
- Incl. Cooling Manager
- With 1 chuck support for rotary table
- With craning boxes
- TME Cooling System (optional)
- **Scanner to read shrinking parameters from tool holders (Data-Matrix code) included**

Technical details

Main voltage	3×400–480 V, 16 A, 13 kW	Maximum length of shrink fit chuck (shrinking)	22.4" (570 mm)
Tools	Solid carbide and HSS	Dimensions W×D×H	33.4×26×38.2" (850×660×970 mm)
Tool diameter	1/8–1 1/4" (3–32 mm)	Weight	254 lbs (115 kg)



SCANNER INCLUDED



Scanner to read shrinking parameters from tool holders included!

Special offer

$41,737

Order No. PC400-I21-C10-US + 80.185.01

Plus shipping & installation

TOOL DYNAMIC TD COMFORT

If you want to use the Tool Dynamic frequently and keep the balancing time as short as possible, the **TD Comfort** is the right choice. It is equipped with a PC, keyboard, mouse and monitor. The big screen enables you to input tool data faster with all the comfort of a graphical user interface – you just balance faster! In addition, the software in this machine offers unbalance correction through milling, which is a very common method to correct the imbalance.

Standard Equipment

- Rack for accessories
- Fixed components
- Robust, long-life cast iron construction
- Thermally optimised material combination for improved repeatability
- Optical indexing help
- Balancing in 1 plane and balancing in 2 planes
- Drilling radial
- Milling program
- Balancing software TD 4.0
- Laser marking
- TFT screen
- Automatic indexing
- Software for compensation with balancing rings
- One Standard spindle adapter with max value of $6,072.00



Technical details

Dimensions	43 × 59 × 32" (1100 × 1500 × 820 mm)
Weight	1014 lbs (460 kg)
Spindle speed [rpm]	300–1100
Measuring accuracy	< 0.5 gmm
Power requirements [V/Hz]	230/50–60
Power usage [kW]	0.4
Compressed air [bar]	6
Max. tool length	16" (400 mm)
optional	28" (700 mm)
Max. tool diameter	15" (380 mm)
optional	16/17" (400/425 mm)
Max. tool weight	66 lbs (30 kg)
Order No.	**TD100-H01-US**

Special offer

$ 75,295

Order No. TD100-H01-US

Plus shipping & installation

HAIMER MICROSET UNO PREMIUM 20 | 40

UNO premium – The right solution for almost every user. The highest standard of manual tool presetting.
Operator independent measuring results, easy to use with digital data transfer capabilities.

Standard equipment

- Microvision UNO image processing system
- SK50 ultra-high precision spindle, manual
- Robust, long-life cast iron construction
- Thermally optimized material combination for improved repeatability
- Manual operation
- 22" touch screen
- Windows 10
- Sigma function
- Memory for 1,000 zero points & tools
- USB/LAN data output
- ± 2 µm repeatability

Measuring range

Maximum tool diameter on X-axis	15.75" (400 mm)
Maximum snap gauge tool diameter on X-axis	3.94" (100 mm)
Maximum tool length on Z-axis	15.75" (400 mm)
Max. tool weight	66 lbs (30 kg)
Weight	309 lbs (140 kg)

Following options included

- "Technology package": Tool inspection light, edgefinder, release-by-touch **(Order No. M-A2060)**
- Manual fine adjustment **(Order No. M-Z1810)**
- Label printer **(Order No. M-Z1005)**



Special offer

$ 27,502

Order No. TP110-A01-5H02-C11

Plus shipping & installation

☎ +1-630-883-1500 ✉ haimer@haimer-usa.com 🌐 www.haimer.com

HAIMER MICROSET UNO AUTOFOCUS 20 | 40

The right presetter for demanding measurements. Take advantage of full-automatic spindle operation at multiple tool measuring on one plane.

Standard equipment

- Microvision UNO image processing system
- SK50 ultra-high precision spindle, autofocus
- Robust, long-life cast iron construction
- Thermally optimized material combination for improved repeatability
- Motorized fine adjustment of the C-axis
- 24" touch screen
- 4 × 90° and 3 × 120° motor-driven indexing
- Pneumatic spindle brake
- Vacuum clamping
- Premium base cabinet incl. storage for six adapters
- Memory for 1,000 zero points, tools and tool lists
- Sigma function, Release-by-touch, Edgefinder, Incident light
- USB/LAN data output
- 2 µm spindle runout
- ± 2 µm repeatability
- Label printer, Windows 10

Measuring range

Maximum tool diameter on X-axis	15.75" (400 mm)
Maximum snap gauge tool diameter on X-axis	3.94" (100 mm)
Maximum tool length on Z-axis	15.75" (400 mm)
Max. tool weight	66 lbs (30 kg)
Weight	529 lbs (240 kg)

Following options included

- Manual fine adjustment **(Order No. M-Z1810)**
- Postprocessor Package Standard incl. 100 postprocessors **(order No. M-P1303**



Special offer

$41,838

Order No. TP120-A01-555H02-C11

Plus shipping & installation

HAIMER CARE

Special offer – purchase 3 year Quality Wins maintenance for the cost of 2 years!

Quality Wins maintenance

Includes Premium maintenance as well as:

- ✓ All inclusive package for your HAIMER machine. Travel expenses and spare parts included and 35% discount on wear parts
- ✓ Additionally 2 hours of training for your employees




Services	Quality Wins maintenance
Duration	3 years
Maintenance according to HAIMER checklist	✓
Wear parts	35% discount
Spare parts	✓
Warranty extension	to 24 months
Calibration	✓
Travel expenses	✓
Express rate	✓
Training	✓
Maintenance kit	✓
Calibration with certificate for ISO 9001	Optional

50 % PROMO DISCOUNT ON COOL FLASH

True to the slogan “make good things even better” HAIMER has developed the Cool Flash system out of the existing Cool Jet system. The coolant is pressed out by several slots, floats around the shank via the chip flute and cools up to the cutting edge!

- Coolant directly to the cutting edge
- Extended tool life up to 100 %
- Eliminates balls of chips on the cutting tool
- Also for high rpm
- Optimized runout accuracy, no additional unbalance
- No disturbing clearance
- For tools from Ø 1/4–2" (6 mm–50 mm)



Optimized coolant bores with coolant outlet through slots.

Cool Flash	Order No.	List price	Special price
Cool Flash Cool Jet pre-existing	91.100.40	~~$ 352.00~~	$ 176.00
Cool Flash Upgrade incl. Cool Jet	91.100.41	~~$ 508.00~~	$ 254.00

HAIMER®
Quality Wins.



THE HAIMER CONCEPT

Making your tool room seamless and revolutionizing your production.

HAIMER®
Quality Wins.



Haimer USA, LLC | 134 E. Hill Street | Villa Park IL 60181 | USA
☎ +1-630-833-1500 haimer@haimer-usa.com www.haimer.com