

All-in-one universal VPOS for unattended retail

Upgrade to cashless vending for half a cost



Aurency A250 POS

- Designed in Armenia
- Made in China
- Pre-installed VMS and TMS
- Compatible with almost every machine in the market
- 100k devices installed globally since 2021



Compatibility

















and many others

Certifications

- PCI DSS
- EMVCo Level 1
- EMVCo Level 2
- Visa
- Mastercard









Applications





Floor and tabletop machines



Car washes



Gaming/entertainment machines



Water dispensing machine



Micro markets



Tips/charity




Gas stations



Other

Used globally with all machine types













Device features

Contactless card reader and telemetry device featuring NFC and QR payments

- Dimensions: 75 x 82 x 22 mm
- Weight: 92 g
- Battery: 350 mAh
- Power supply: 5 40V, 2A
- Beeper: 3 kHz
- Screen: 2.4", 240x320 (touch-screen)



Features

Interfaces

- MDB, UART, NFC, LTE
- Optional: USB , RS232, WiFi

Antenna

- Internal GSM, internal NFC, external GSM, external NFC (opt)
- Payments transaction time: 2 5 seconds (depends on the GSM signal)

Waterproofing

- IP67 (opt)
- For car washes, street using
- Compound PCB protection



Control external mechanisms and machines

Aurency A250 can act as machine controller to manage engines, receive data from sensors etc

- Cup dispenser
- Syrup dispenser
- Simple semi-automatic vending machines
- Water dispensing machine
- Kiddie & Amusement Rides



Why Aurency?

- Affordability
- Accepting Visa, Mastercard, Ksher, BenefitPay etc
- High-speed operation: purchase in 4 seconds
- Pre-integrated telemetry
- Loyalty system
- Freedom to choose a sim-card
- VIP technical support for key customers



Pulse interface

IP67 protection

MDB control

Accepts payments from contactless bank cards on Pulse machines

Can be used on car washes, slot machines, water dispensers, massage chairs and other devices with the Pulse interface

Waterproofed terminal for accepting contactless payments for outdoor use

Full protection against dust and water according to IP67

MDB is a standard protocol for real-time data transmission

Is widespread among vending and OCS machines and allows to integrate them with telemetry & VMS systems and form EVA-DTS reports

Acquiring options











Pre-integrated with telemetry

A complete vending telemetry solution for any unattended machines. Set alerts, get instant info and manage:

- inventory (stock, route planning, prekitting)
- cash (cash collection, change)
- sales (statistics, analytics, reports)
- machine status (remote device control)








Warranty and support

- We provide high-quality tech support
- l year warranty
- Online system status and notifications via TMS portal
- Support 7 days a week
- Free replacement instead of repair within 1 year





info@aurency.com

Tel: +1 (773) 654-4306