


SOUTHPORT

38 FE




38 FE



38 FE



38 FE



38 FE



38 FE



38 FE

SWIM PLATFORM & PROPULSION

The stationary nature of the new V12 Verado from Mercury will allow for a larger surface area on the swim platform vs. Triple Yamaha 450 XTO's.

STANDARD POWER


- Twin Yamaha XTO V8 450hp with Helm Master EX, Integrated Auto Pilot, Joystick, Full Maneuverability

OPTIONAL POWER

- Triple Yamaha XTO V8 450hp with Helm Master EX, Integrated Auto Pilot, Joystick, Full Maneuverability
- Triple Mercury 5.7L V10 400hp Verado with JPO
- Twin Mercury V12 600hp XXL Verado with JPO

TWIN MERCURY 600 V12 VERADO

TRIPLE YAMAHA 450 XTO






LENGTH WITHOUT ENGINES	BEAM	DEADRISE	DRY WEIGHT (TWIN Y450)	DRAFT	FUEL CAPACITY	FRESH WATER	LIVWELL	STANDARD POWER	MAXIMUM POWER
37.6'	13'	20°	18,000	2' 1"	425 Gal.	45 Gal.	35 Gal. Second 35 Gal. Livewell Optional	900 HP	1350 HP

38 FE

DECK PLAN



38 FE

STANDARD EQUIPMENT

OPTIONAL EQUIPMENT

PROPULSION

- Twin Yamaha 450 XTO with Helm Master EX, Integrated Auto Pilot, Joystick, Full Maneuverability

OPTIONAL EQUIPMENT

- Twin 600 Mercury V12
- Triple 400 Mercury V10
- Triple Yamaha 450 XTO
- Custom Paint
- Bow Thruster Integration with Yamaha or Mercury Propulsion

STEERING & MANEUVERABILITY

- Helm Master EX with Full Maneuverability
- Zip Wake 600S Automatic Trim System

OPTIONAL EQUIPMENT

- Bow Thruster - Vetus Variable Thrust Brushless BowPro761 with 7.3" Tube
- Joystick Integration for Bow Thruster (Yamaha or Mercury)

ENTERTAINMENT SYSTEM

- Fusion Apollo MS-RA800 Stereo with XM Radio and Weather Capability
- Fusion Signature Series Amplification, JL Audio Speakers and Sub-woofer
- 32" TV Monitor in Console Forward Bulkhead with Chromecast and separate Fusion Apollo Entertainment System

ELECTRICAL SYSTEM

- Individual Starting Batteries for Engines
- 12v 660Ah Battery Bank
- 3000 Watt Victron Inverter and interface
- 30 Amp Shore Power Cord
- Blue Sea AC DC Panel
- Battery Monitor System (House)
- 6 Gallon Hot Water Heater

OPTIONAL EQUIPMENT

- Additional 30 Amp Shore Power Cord Depending on Optional Equipment
- Diesel 4.5 kW Generator and Automatic Transfer Switch
- Solar Panel Charging on Hardtop
- LiFePO4 Battery Bank

LEANING POST & MEZZANINE SEATING

- Triple Forward Facing Adjustable Helm Chairs
- Port and Starboard Aft Facing Helm Style Chairs
- Center Aft Facing Workstation with Sink and Tackle Storage
- Storage Drawers
- Waste Basket Drawer
- Side Refrigerator

NAVIGATION & ELECTRONICS

- Lumitec Contour LED Anchor Navigation Light
- Lumitec Contour Navigation Docking Combination Light
- Lumitec Razor LED Light Bar
- Lumitec Rear-facing Spreader Lights
- **(2) Garmin GPSMAP® 9222 Chart Plotter**
- **Garmin GSD 25 Sounder Module**
- **Garmin Vesper VHF/AIS with (2) 8' Antennas on SS Ratchet Mounts**
- **Airmar B175M (20° Tilt) Transducer**

OPTIONAL EQUIPMENT

- **Additional Garmin GPSMAP® 9222 Chart Plotter (3 Total)**
- **Garmin GMR Fantom™ 54**
- **Garmin GMR 24" xHD Radar Dome**
- **Garmin or Airmar Transducers**

CONSOLE

- Center Helm Location
- Edson Stainless Steel Wheel with Tilt Helm
- Space for up to (3) 22" Garmin MFD's (2) are Standard
- Glove Box
- (4) Drink Holder
- Phone Charger and USB Charge Ports

INTERIOR OF CONSOLE

- Enclosed Head Compartments with Hot and Cold Shower
- Overhead Hatch in Head
- Shower Sump to Drain to Automatic Grey Water sump
- Shower Curtain
- Counter Sink and Microwave
- Waste Basket Single Drawer Refrigerator
- Teak Wood Bulkheads and Doors
- Teak and Holly Sole with Bilge Access
- Dinette Seating with Table on Fixed Post
- Dinette Storage
- 6-foot Double Berth
- (2) Fixed Glass Window
- Overhead Skylight with Shade
- Accent Lighting and Courtesy Lighting
- Port and Starboard Reading Lamps
- Soft Headliner panels and Hull Accents

OPTIONAL EQUIPMENT

- 7,000 BTU Air Conditioner

2026 MODEL YEAR

*Specifications as well as standard and optional equipment are subject to change without notice

Revised - Jan 16, 2026

38 FE

STANDARD EQUIPMENT

OPTIONAL EQUIPMENT

HULL STRUCTURE

- Gelcoat - Snow White
- VE Resin Infused Hull and Integrated Multi Longitudinal Stringer System
- Cored Bottom for improved stiffness and impact resistance
- Engineered Composite Transom with Integrated Stringer Systems to accommodate Today's Larger Engines

OPTIONAL EQUIPMENT

- Gelcoat - Light and Dark Colors from Choice Offerings
- Paint - Awlgrip 2000 Topsides only

DECK STRUCTURE

- Gelcoat - Snow White
- Resin Infused Deck Assembly with PVC Core Walk Decks and Side Deck
- (4) In-Deck Insulated Fish Boxes
- Resin Infused 2-piece Hardtop assembly with custom "surfboard edge"

HULL FEATURES

- Proven Southport Performance and Ride
- Aggressive Bow Flare for Dry Ride
- Integrated Swim Platform with Telescoping Boarding Ladder
- SeaDek or Equivalent on Swim Platform (Choice of Color)
- Starboard Hull Boarding Door
- Molded Hull Bang Rail with Stainless Steel Insert (Color to Match Hull)
- 5/8" Bow Eye
- Stern Eye Port and Starboard
- Bronze Garboard Drain Fitting in Transom
- 12v 1500 GPH Primary Bilge Pump with Float Switch
- 12v 2000 GPH High Water Bilge Pump with Float Switch and ALARM
- Dual Zone ARID Dry Bilge System

OPTIONAL EQUIPMENT

- Teak Decking on Swim Platform
- Full SeaDek Package
- Full Flexi Teak Package
- Awlgrip Painted Boot Stripe
- Awlgrip Painted Hull Topsides (white gelcoat bottom)
- Bottom Paint
- Stainless Steel Tow Eye

DECK FEATURES

- Twin Engine or Triple Engine Swim Platform configurations
- Under Platform Stainless Steel Telescoping Ladder
- Starboard side Transom Door
- (8) 10" Stainless Steel Cleats on Deck
- Transom Live Well (45g) Port Side
- Transom Cooler (45g) Starboard Side
- Centerline Sink on Transom Bulkhead
- Generous Lazarette Access
- (2) Folding Aft Benches
- Port and Starboard Midship Lockers
- Forward Cockpit "U" Shaped Seating Area
- Stainless Steel Handrail in Gunnel
- Above Deck Anchor Locker Access
- Glenndinning 50' 4-roller Hose Reel in Anchor Locker able to reach entire boat for fresh water washdown
- (6) Gem Rod Holders

OPTIONAL EQUIPMENT

- Cold-plate Refrigeration in Port Cooler
- Additional Live Well in Stbd. Cooler
- Electric Retractable ShureShade (aft)
- Forward Sun Shade
- Aft Sun Shade
- Electric Reel Outlets
- Additional Rod Holders

ANCHORING SYSTEM

- Maxwell HRC-FF812V Windlass
- 35 lb. Stainless Steel LEWMAR Anchor
- Anchor Rode (15-foot 5/16" Chain and 300-foot 5/8" 8 Brait Line)
- Windlass Remote with 2 Outputs
- Bow Roller
- Bow Plate

2026 MODEL YEAR

*Specifications as well as standard and optional equipment are subject to change without notice

Revised - Jan 16, 2026



@southportboats



SOUTHPORT

www.southportboats.com