


S3

PERGOLA



3x3m / 10'x10'
FREESTANDING

PERGOLUX



Type Approved
Regular
Production
Surveillance

www.tuv.com
ID 1111293124

INFORMATION



INSTALLATION INSTRUCTIONS:

Ensure all parts are present and undamaged before starting the assembly.

Secure to a solid foundation with the correct fasteners for your foundation.

(If applicable) Install motors and wiring as shown. Ensure the electrical components are powered off during installation.

Use the correct lifting and installation equipment.

SAFETY WARNINGS:

Keep children and pets away during installation.

Do not operate the structure if parts are loose or improperly installed.

Ensure the structure is securely anchored to prevent accidents.

Do not insert fingers or any objects between the louvres.

MAINTENANCE:

Regularly clean the aluminum structure to maintain its appearance and prevent the accumulation of dirt.

Also, make sure to clean the gutters regularly. Inspect moving parts for wear and lubricate as necessary.

Check anchor points periodically to ensure stability.



INSTALLATIONSANLEITUNG:

Stellen Sie sicher, dass alle Teile vorhanden und unbeschädigt sind, bevor Sie mit der Montage beginnen.

Befestigen Sie sie mit den richtigen Befestigungselementen für Ihr Fundament auf einem soliden Fundament.

(Falls zutreffend) Installieren Sie Motoren und Verkabelung wie gezeigt. Stellen Sie sicher, dass die elektrischen Teile während der Installation ausgeschaltet sind.

Verwenden Sie die richtige Hebe- und Installationsausrüstung.

SICHERHEITSHINWEISE:

Halten Sie Kinder und Haustiere während der Installation fern.

Betreiben Sie die Struktur nicht, wenn Teile lose oder nicht richtig installiert sind.

Stellen Sie sicher, dass die Struktur sicher verankert ist, um Unfälle zu vermeiden.

Stecken Sie keine Finger oder andere Gegenstände zwischen die Lamellen.

WARTUNG:

Reinigen Sie die Aluminiumstruktur regelmäßig, um ihr Aussehen zu erhalten und die Ansammlung von Schmutz zu verhindern.

Reinigen Sie auch die Dachrinnen regelmäßig. Überprüfen Sie bewegliche Teile auf Verschleiß und schmieren Sie sie bei Bedarf.

Überprüfen Sie die Ankerpunkte regelmäßig, um die Stabilität sicherzustellen.



Pergolux International GmbH, 9 Goethestraße,
36043 Fulda,
Germany

25

DOP-PER-FSWM-S2S3

EN 13561:2015

Pergolux Pergola S2/S3

External use in buildings and other
construction works

Resistance to wind loads: Class 6 (EN 13561)

PERGOLUX

INFORMATION

Congratulations and thank you for choosing a PERGOLUX Product!

To enjoy this product for a long time as well as for your own and others' safety, please follow the installation instructions. Before you start assembling and using the pergola, ensure that all the parts listed in the manual are delivered and intact. If you need help with the installation, you can contact us by chat, phone, e-mail or via our website.

We wish you good luck with the assembly process!

Contact:

 pergolux.de	 pergolux.co.uk
 pergoluxshop.com	 pergolux.dk
 pergolux.se	 pergolux.no
 Australia	 pergolux.fr
 pergolux.ch	 pergolux.it
 pergolux.nl	 at.pergolux.de
 pergolux.cl	 pergolux.com.br

INFORMATION

Having some issues and need to submit a claim?

If you are facing an issue with your PERGOLUX product and needs to submit a claim please read this article:



Complaints and Technical Issues



Reklamation einreichen. Schritt für Schritt Anleitung

Submit the claim here:



Anfrage einreichen



Submit a request



Anfrage einreichen



Send oss en henvendelse



Een aanvraag indienen



Skicka oss en förfrågan



Submit a request



Send os en forespørgsel



Submit a request



Envoyer une demande



Enviar una solicitud



Invia una richiesta



Enviar una solicitud

SYMBOL EXPLANATION



Indicates the outside of the pergola structure.



This step may require extra force.



Indicates the inside of the pergola structure.



Key information to follow during installation.



Important! Be cautious when assembling or handling this part.



This item must be purchased separately.



Required tools for assembly.



Apply lubricant to make screw assembly easier.



Ensure grounding is connected before powering up.



Do not use a regular hammer to avoid damage.



Align slats according to sunlight direction for optimal shading.



AC Input



Repeat this step as many times as the number indicates




Motor




Turn around

INFORMATION



PN-200000652

Use a high-quality, waterproof, UV-resistant silicone suitable for metal surfaces, to seal the corners of the pergola and prevent leakage. Look for products that are designed for outdoor use and provide a strong, lasting bond.




ø12mm

Use on concrete x12

Use on wood x12

You need to buy anchoring hardware/ screws suitable for your installation surface.





INFORMATION

All screws from **PERGOLUX** are made of stainless steel, ensuring durability and resistance to rust. To prevent damage to screws, follow these guidelines:





- **DO NOT OVERTIGHTEN:** Apply appropriate force to avoid stripping the threads.
- **CHOOSE THE CORRECT TOOL:** Use the proper screwdriver or bit to avoid damaging the screw head.
- **ENSURE PROPER USE:** With correct installation, screws will maintain their integrity and functionality over time.
- **USE LUBRICATION:** Apply lubricant to make screw assembly easier.




TOOLS



3mm, 4mm, 5mm




5,5mm, 7mm, 8mm,
10mm, 13mm



TX15, TX20, TX25, TX30









PACKAGE OVERVIEW




ORDER	ANTHRACITE	WHITE	BLACK
①	C103	C105	C107
②	B115	B127	B139
③	B119	B131	B143
④	L113	L125	L137
⑤	L112	L124	L136
⑥	A106 MANUAL MOTOR	A108 MANUAL MOTOR	A106 MANUAL MOTOR

** Only if you ordered LED lights to your pergola	
⑦	CONTROL BOX
⑧	POWER CABLE


ITEMS IN BOX


	ANTHRACITE	WHITE	BLACK
	1 C103	C105	C107
			
			CORNER POLE PN-200000559 4x
	PN-200000546 4x		
			PN-200000518 K 4x
		PN-200000535 B 4x	
			PN-200000840 K 12x
	PN-200000560 B 20x		

ITEMS IN BOX

	ANTHRACITE	WHITE	BLACK
		B115	B127
	L2 BEAM PN-200000706 1x		
 <p>BEAM WITH PERGOLUX LOGO</p>	L1 BEAM PN-200000670 1x		
	PN-200000688 2x Pre-assembled part		
	PN-200000582 2x		
	PN-200000585 1x		


ITEMS IN BOX

	ANTHRACITE	WHITE	BLACK
	B115	B127	B139




PN-200000668

J 8x



PN-200000660

M 8x



PN-200000667

J 8x




PN-200000652

O 4x




PN-200000568

E 32x




PN-200000958

O 4x




PN-200000658

J 16x



PN-200001334

T 1x




PN-200000653

M 4x




PN-200000969

T 1x



PN-200000650


L 4x




PN-200000677

H 19x

ITEMS IN BOX


		ANTHRACITE	WHITE	BLACK
		B115	B127	B139



PN-20000573



3x



PN-20000532



19x



LUBRICANT




1x



PN-20000529




19x



PN-200001861



8x







PN-20000666




19x

ITEMS IN BOX



	ANTHRACITE	WHITE	BLACK
	3	B119	B131

		<p>PN-200000709</p> <p>2x</p> <p>Pre-assembled part</p>
		<p>W BEAM</p> <p>PN-200000707</p> <p>2x</p>
		<p>PN-200000687</p> <p>2x</p> <p>Pre-assembled part</p>

ITEMS IN BOX




	ANTHRACITE	WHITE	BLACK
4	L113	L125	L137






PN-200000718

1x



	ANTHRACITE	WHITE	BLACK
5	L112	L124	L136

PN-200000717


18x

ITEMS IN BOX



6

MANUAL MOTOR



Manual motor
PN-200001563
1x



PN-200001623

1x



PN-200001624

1x



PN-200001625

2x



Hand crank

1x

ITEMS IN BOX

! ** Only if you ordered LED lights to your pergola.




Control box

1x



PN-200002756

1x



PN-200002684

10x



PN-200002754

1x



PN-200002758

1x



PN-200002683

5x



PN-200002753

2x



QR-code

1x



PN-200002759

2x



3M tape

1x



PN-200002757

1x


ITEMS IN BOX

 ** Only if you ordered LED lights to your pergola.



8

POWER CABLE



Power cable

1x




All electric parts should be tested before installation.



LEDs + Motor (and heater) should be connected to the Control box and programmed to ensure functionality.

Matter + Smart home can be connected at anytime by simply scanning the QR code provided

3 x 3 M / 10' x 10'



3 x 3 M / 10' x 10'



1

Are you going to install LED-Lights, screens or glass walls?

It is recommended to remove these Led strip covers and clips now before installing the pergola.


Cover and clips



PN-200000512
LED STRIP COVER CLIP



LED COVER



Gutter beams

If you are using **LED-lights**, then remove strips and clips from **gutter**.




W&L beams

If you are using **glass walls or screens**, then remove strips and clips from **beams**.



Posts

If you are using **glass walls**, then remove strip cover from **posts**.






2

3

PERGOLUX

ANTHRACITE: B119
WHITE: B131
BLACK: B143



3

X2
PERGOLUX
PERGOLUX

1



ANTHRACITE: C103
WHITE: C105
BLACK: C107

PN-200000559
4x


PN-200000535
B **4x**

PN-200000560
B **20x**

5.5x60
7/32" x 2-3/8"



4




4

X2
PERGOLUX
PERGOLUX

1



ANTHRACITE: C103
WHITE: C105
BLACK: C107



PN-200000667
J 8x

5.5x38
7/32" x 1-1/2"

PN-200000668
J 8x




5



2

ANTHRACITE: B115
WHITE: B127
BLACK: B139



PN-200000706


1x

BEAM WITH
PERGOLUX
LOGO



PN-200000670

1x




PN-200000559

4x



PN-200000568

E 16x



6

3

PERGOLUX

ANTHRACITE: B119
WHITE: B131
BLACK: B143



PN-200000707

2x



PN-200000568

E 16x



7

2



PERGOLUX

ANTHRACITE: B115
WHITE: B127
BLACK: B139





6x20
1/4" x 3/4"

PN-200000658




J 16x







8




9



10




11



PN-200000650
L 4x

3.5x12
9/64" x 1/2"
PN-200000660
M 8x




INFORMATION


Have you ordered LED-Lights?

Now is the time to start the assembling. 

Follow the instruction for the LED lights in the assembly PDF and Video linked:




12



PN-200000652



4x




5.5x70
7/32" x 2-3/4"




PN-200000958







4x




13





14






15



	PN-200001623 PN-200001563 1x
	PN-200001334  1x
	PN-200000969  1x




16








INPUTS AND OUTPUTS

! ** Only if you ordered LED lights to your pergola.




! ** Only if you ordered LED lights to your pergola.

17




! ** Only if you ordered LED lights to your pergola.

18







! Connect grounding wire before connecting to power!

GROUNDING

A diagram showing a grounding symbol (a square with a vertical line and three horizontal lines) and an arrow pointing to a green and yellow striped grounding wire. The wire is shown being connected to a metal part of the pergola structure.

! ** Only if you ordered LED lights to your pergola.



19





** Only if you ordered LED lights to your pergola.

20




21

1

If you are going to install a heater, do it now.

Follow the instructions in the heater assembly manual.



2


It's time to connect the motor and LED lights to the pergola control box.


Follow the instruction in the assembly manual.





! ** Only if you ordered LED lights to your pergola.


22






S3	
	PN-200002683 5x
	PN-200002684 10x






23



ANTHRACITE: B119
WHITE: B131
BLACK: B143





PERGOLA LOUVERS




P.PERGOLA 3M FS END LOUVER
PN-200000718

1x



Standard



P.PERGOLA 3M FS LOUVER
PN-200000717

18x

24




PERGOLUX **4**

ANTHRACITE: L113
WHITE: L125
BLACK: L137

PN-200000718

1x

END LOUVER



i See next page


25




PN-200000677



1x



Important:
Place one clip
(PN-200000677)
immediately after each
installment of louver.



26

X4
PERGOLUX
PERGOLUX
PERGOLUX
PERGOLUX

5




ANTHRACITE: L112
WHITE: L124
BLACK: L136

PN-200000717

21x

PN-200000677

H **21x**







27





5



ANTHRACITE: L112
WHITE: L124
BLACK: L136




28



29



i
Adjust motor to
prepare for
assembly on step 30



30


2

PERGOLUX

ANTHRACITE: B115
WHITE: B127
BLACK: B139

PN-200000582

2x





Click!

PN-200000582


L2 BEAM

2

31



Adjust motor to
prepare for
assembly on step 32



32

2

PERGOLUX

ANTHRACITE: B115
WHITE: B127
BLACK: B139



PN-200000585

1x


PN-200000573


S 3x


6x8
1/4" x 5/16"



33



	PN-200000532  R 19x
	PN-200000529  R 19x
	PN-200000666  R 19x



34


X2
PERGOLUX
PERGOLUX


1



ANTHRACITE: C103
WHITE: C105
BLACK: C107

PN-200000546

4x





35

X2
PERGOLUX
PERGOLUX



1

ANTHRACITE: C103
WHITE: C105
BLACK: C107





PN-200000518
K 4x

PN-200000840
K 12x





4.2x16
5/32" x 5/8"



36




37



PERGOLUX | PERGOLA FREESTANDING S3

3 x 3 M / 10' x 10'



Type Approved
Regular
Production
Surveillance

www.tuv.com
ID 1111293124