


S4

PERGOLA

PRO MAX



3 × 3m/10'x10'
FREESTANDING

PERGOLUX



Type Approved
Regular
Production
Surveillance

www.tuv.com
ID 1111317678



S4 PERGOLUX | PERGOLA PRO MAX FREESTANDING INFORMATION



INSTALLATION INSTRUCTIONS:

Ensure all parts are present and undamaged before starting the assembly.

Secure to a solid foundation with the correct fasteners for your foundation.

(If applicable) Install motors and wiring as shown. Ensure the electrical components are powered off during installation.

Use the correct lifting and installation equipment.

SAFETY WARNINGS:

Keep children and pets away during installation.

Do not operate the structure if parts are loose or improperly installed.

Ensure the structure is securely anchored to prevent accidents.

Do not insert fingers or any objects between the louvres.

MAINTENANCE:

Regularly clean the aluminum structure to maintain its appearance and prevent the accumulation of dirt.

Also, make sure to clean the gutters regularly. Inspect moving parts for wear and lubricate as necessary.

Check anchor points periodically to ensure stability.



INSTALLATIONSANLEITUNG:

Stellen Sie sicher, dass alle Teile vorhanden und unbeschädigt sind, bevor Sie mit der Montage beginnen.

Befestigen Sie sie mit den richtigen Befestigungselementen für Ihr Fundament auf einem soliden Fundament.

(Falls zutreffend) Installieren Sie Motoren und Verkabelung wie gezeigt. Stellen Sie sicher, dass die elektrischen Teile während der Installation ausgeschaltet sind.

Verwenden Sie die richtige Hebe- und Installationsausrüstung.

SICHERHEITSHINWEISE:

Halten Sie Kinder und Haustiere während der Installation fern.

Betreiben Sie die Struktur nicht, wenn Teile lose oder nicht richtig installiert sind.

Stellen Sie sicher, dass die Struktur sicher verankert ist, um Unfälle zu vermeiden.

Stecken Sie keine Finger oder andere Gegenstände zwischen die Lamellen.

WARTUNG:

Reinigen Sie die Aluminiumstruktur regelmäßig, um ihr Aussehen zu erhalten und die Ansammlung von Schmutz zu verhindern.

Reinigen Sie auch die Dachrinnen regelmäßig. Überprüfen Sie bewegliche Teile auf Verschleiß und schmieren Sie sie bei Bedarf.

Überprüfen Sie die Ankerpunkte regelmäßig, um die Stabilität sicherzustellen.



Pergolux GmbH, 9 Goethestraße,
36043 Fulda,
Germany

26

DOP-MAX-FSWM-S4

EN 13561:2015

Pergolux Pergola PRO MAX S4
External use in buildings and other
construction works

Resistance to wind loads: Class6(EN13561)

SYMBOL EXPLANATION



Indicates the outside of the pergola structure.



This step may require extra force.



Indicates the inside of the pergola structure.



Key information to follow during installation.



Important! Be cautious when assembling or handling this part.



This item must be purchased separately.



Required tools for assembly.



Apply lubricant to make screw assembly easier.



Ensure grounding is connected before powering up.



Do not use a regular hammer, as it may cause damage.



Align slats according to sunlight direction for optimal shading.



AC Input



Repeat this step as many times as the number indicates




Motor



Turn around


S4 PERGOLUX | PERGOLA PRO MAX FREESTANDING

INFORMATION





All screws from **PERGOLUX** are made of stainless steel, ensuring durability and resistance to rust. To prevent damage to screws, follow these guidelines:





- **DO NOT OVERTIGHTEN:** Apply appropriate force to avoid stripping the threads.
- **CHOOSE THE CORRECT TOOL:** Use the proper screwdriver or bit to avoid damaging the screw head.
- **ENSURE PROPER USE:** With correct installation, screws will maintain their integrity and functionality over time.
- **USE LUBRICATION:** Apply lubricant to make screw assembly easier.



INFORMATION




3mm, 4mm, 5mm






TX15, TX20, TX25, TX30

PACKAGE OVERVIEW







ORDER	ANTHRACITE	WHITE	BLACK
①	C126	C127	C128
②	B283	B287	B291
③	B307	B309	B311
④	L263	L267	L265
⑤	L251	L255	L253
⑥	MANUAL MOTOR		
⑦	CONTROL BOX		
⑧	POWER CABLE		
⑨	LED BOX		




ITEMS IN BOX

	ANTHRACITE	WHITE	BLACK
	C126	C127	C128
		PN-200002467 4x	
		PN-200002301 4x	
		PN-200003584 4x	
		PN-200002299 4x	


ITEMS IN BOX

	ANTHRACITE WHITE BLACK		
	2	B283	B287 B291
		PN-200003505 1x	
		PN-200003506 1x	
		PN-200002932 2x	
		PN-200002927 1x	
		PN-200002929 1x	


ITEMS IN BOX

	ANTHRACITE WHITE BLACK			
	2	B283	B287	B291
		PN-200002934 1x		
		PN-200002935 1x		
		PN-200002933 2x		
 PN-20000 3278   PN-200003033 2x PN-200003030 1x  PN-200003031 1x  PN-200001207 2x				

ITEMS IN BOX

		ANTHRACITE WHITE BLACK		
		2	B283	B287 B291
	PN-20000 3757 	PN-200002282 4x 		PN-200002298 4x
	PN-20000 3496 	PN-200002289 4x		PN-200000958 4x
	PN-20000 3750 	PN-200003051 8x 		PN-200003050 8x
	PN-20000 3759 	PN-200002291 4x		PN-200002329 4x
		PN-200002318 12x		PN-200000852 8x

ITEMS IN BOX



ANTHRACITE

WHITE

BLACK

2

B283

B287

B291



PN-20000
3751



PN-200002355
1x



PN-200002333
1x



PN-200002328
2x



PN-200002327
1x



PN-200003500
1x



PN-200002324
1x




PN-200002321
1x



PN-200002330
1x




PN-200002325
1x



PN-200002340
1x




PN-200002341
3x



PN-200000832
4x








PN-200002326
1x




PN-200002134
2x

ITEMS IN BOX

		ANTHRACITE WHITE BLACK		
		B283	B287	B291
	PN-200003033			PN-200003031
	2x			1x
	PN-200003030			PN-200001207
	1x			2x
	PN-200000655			PN-200002284
	8x			4x
	PN-200002311			PN-200002286
	40x			8x
  	PN-200002911			PN-200001340
	4x			1x
	PN-200002303			
	4x			
	PN-200002297			
	4x			

ITEMS IN BOX



ANTHRACITE WHITE BLACK

3

B307


B309

B311




PN-200003529

2x



PN-200002932

2x



Premounted

PN-200003515

2x



PN-200002933


2x




PN-200003531


2x

ITEMS IN BOX

	ANTHRACITE	WHITE	BLACK
	L263	L267	L265

4

 	 	Standard = (S) PN-200003532 4x	End = (E) PN-200003534 1x
---	--	--	---

	ANTHRACITE	WHITE	BLACK
	L251	L255	L253

5

 	 	Standard = (S) PN-200003532 4x	LED = (LED) PN-200003536 4x
--	--	--	---

ITEMS IN BOX



6

ELECTRIC MOTOR



Electric motor
PN-200001562
1x



PN-200003773
1x



PN-200001624
1x



PN-200001625
2x

ITEMS IN BOX



7

CONTROL BOX



Control box

1x



Matter antenna clip

1x



PN-200002684

10x



PN-200002683

5x



QR-code

1x



3M tape

1x



PN-200002756

1x



PN-200002754

1x




PN-200002758

1x



PN-200002753

2x



PN-200002759

2x



PN-200002757


1x

ITEMS IN BOX




8

POWER CABLE



PN-200003781


1x



9

LED BOX

PN-20000
Zip Bag
3824



LED STRIP

4x



4 LED HARNESS

1x



All electric parts should be tested before installation.

LEDs + Motor (and heater) should be connected to the Control box and programmed to ensure functionality.

Matter + Smart home can be connected at anytime by simply scanning the QR code provided





CONTROL BOX



[View Manual](#)

S4 PERGOLUX | PERGOLA PRO MAX FREESTANDING

3 × 3 m / 10' x 10'



3 × 3 m / 10' x 10'



INFORMATION

Are you installing a
screen, slat wall or
glass wall?

It is recommended to remove
these Snapfit covers and clips
now before installing the
pergola.




Cover and clips



PN-200000512
SnapFIT cover clip



SnapFIT cover



INFORMATION

Are you installing a heater or fan ?

It is recommended to remove both snap-fit covers from the beam now.


Cover and clips







PN-200000512
SnapFIT cover clip






SnapFIT cover






INFORMATION




!
Remove the brush from the beam and set it aside. It will be installed during a later step in the manual.



INFORMATION




01







2

ANTHRACITE: B283
WHITE: B287
BLACK: B291



PN-200002286





8x



4



02



03

x2

PERGOLUX
PERGOLUX

1

ANTHRACITE: C126
WHITE: C127
BLACK: C128

x7


PERGOLUX

2



ANTHRACITE: B283
WHITE: B287
BLACK: B291

PN-200002299
4x




PN-200002308
20x







04






05





06




07



08



09




2

ANTHRACITE: B283
WHITE: B287
BLACK: B291



PN-200002298

4x



10



x7
PERGOUX

2




ANTHRACITE: B283
WHITE: B287
BLACK: B291




PN-200002282
4x



11



12



2

ANTHRACITE: B283
WHITE: B287
BLACK: B291



3


ANTHRACITE: B307
WHITE: B309
BLACK: B311



PN-200002932
2x



PN-200002932
2x



13






3

ANTHRACITE: B307
WHITE: B309
BLACK: B311



2

ANTHRACITE: B283
WHITE: B287
BLACK: B291



INFORMATION



Apply grease to
part




2

ANTHRACITE: B283
WHITE: B287
BLACK: B291




PN-200003051

8x





PN-200003049

8x




PN-200003050

8x




14




2

ANTHRACITE: B283
WHITE: B287
BLACK: B291





PN-200003051
8x




PN-200003049
8x



PN-200003050
8x




15




2

ANTHRACITE: B283
WHITE: B287
BLACK: B291






PN-200003051
8x





PN-200003049
8x




PN-200003050
8x





16




PN-200002289
4x



PN-200000958
4x



17




2

ANTHRACITE: B283
WHITE: B287
BLACK: B291




PN-200002329

4x



18





2

ANTHRACITE: B283
WHITE: B287
BLACK: B291







PN-200000852





8x








19




20





21

 ANTHRACITE: B283 WHITE: B287 BLACK: B291	
 PN-200003500 1x	 PN-200002326 1x
 PN-200002330 1x	 PN-200002328 2x
 PN-200002324 1x	 PN-200002327 1x
	 PN-200002333 1x
	 PN-200002355 1x







22




Reset the motor to its initial position before connecting the shaft to the arm.





23






INPUTS AND OUTPUTS




24




25




26




Power cable
PN-200003781
1x





Power Cable can be
routed through all
the Poles.







27





Power cable
PN-200003781
1x




28



29



30



2

ANTHRACITE: B283
WHITE: B287
BLACK: B291





PN-200002934

1x






PN-200002134



2x







31





32







4 LED HARNESS




33




34



35








Route the Matter
Antenna and place it
below the highlighted
part(PN-200002329).






Matter Antenna

36



INFORMATION





!
Matter Antenna


37




Matter Antenna
1x



38





Matter Antenna







PERGOLUX PRO MAX 3×3



PN-200003532





PN-200003536



PN-200003534




39





!

Please remove these three components from the LED louver. They must be detached to facilitate the LED installation beginning at step 56




40






!




Remove these two components from the LED louver. Detaching them is necessary to facilitate the LED installation starting at step 56






41





42



43




44





!

Route the LED cable
through the large aperture
in part number
PN-200002312




45





!


Slide the LED cable from the large aperture to the smaller aperture of part PN-200002312






46






Use part PN-200002313 to secure the LED cable within the smaller aperture






47




48



49



50



4




ANTHRACITE: L263
WHITE: L267
BLACK: L265

E




PN-200003534

1x



51



4




ANTHRACITE: L263
WHITE: L267
BLACK: L265

E




PN-200003534

1x




52





2

ANTHRACITE: B283
WHITE: B287
BLACK: B291




PN-200003033

1X








click

2




1

53




54



5




ANTHRACITE: L251
WHITE: L255
BLACK: L253

S



PN-200003532

1x



55




x7
PERGOLUX

2








ANTHRACITE: B283
WHITE: B287
BLACK: B291




PN-200003033
1X





56















Connect the LED
cable to the 4-pin LED
wire



58




59



53-54






60




2




ANTHRACITE: B283
WHITE: B287
BLACK: B291







61



ANTHRACITE: B283
WHITE: B287
BLACK: B291



62




INFORMATION




2

ANTHRACITE: B283
WHITE: B287
BLACK: B291




PN-200002303

1x




Select one of the four
PN-200002303 parts and drill a
10 mm diameter hole to
accommodate the power cable.

This specific part must be
assembled to the corner pole as
illustrated in step 64




63



2

ANTHRACITE: B283
WHITE: B287
BLACK: B291




PN-200002303

3x




PN-200002911

3x




64



2

ANTHRACITE: B283
WHITE: B287
BLACK: B291






PN-200002303

1x



PN-200002911

1x



65

x2

PERGOLUX

PERGOLUX

1

ANTHRACITE: C126


WHITE: C127

BLACK: C128





PN-200002301
4x










66




2


ANTHRACITE: B283
WHITE: B287
BLACK: B291



PN-200002291
4x



PN-200002318
12x






PN-200002318





PN-200002291



67




68



S4 PERGOLUX | PERGOLA PRO MAX FREESTANDING

3X3M / 10'x10'



Type Approved
Regular
Production
Surveillance
www.tuv.com
ID 1111317678

