


S4

PERGOLA

PRO MAX



4x4m/13'x13'
WALLMOUNTED

PERGOLUX



Type Approved
Regular
Production
Surveillance

www.tuv.com
ID 1111317678



S4 PERGOLUX | PERGOLA PRO MAX WALLMOUNTED INFORMATION



INSTALLATION INSTRUCTIONS:

Ensure all parts are present and undamaged before starting the assembly.

Secure to a solid foundation with the correct fasteners for your foundation.

(If applicable) Install motors and wiring as shown. Ensure the electrical components are powered off during installation.

Use the correct lifting and installation equipment.

SAFETY WARNINGS:

Keep children and pets away during installation.

Do not operate the structure if parts are loose or improperly installed.

Ensure the structure is securely anchored to prevent accidents.

Do not insert fingers or any objects between the louvres.

MAINTENANCE:

Regularly clean the aluminum structure to maintain its appearance and prevent the accumulation of dirt.

Also, make sure to clean the gutters regularly. Inspect moving parts for wear and lubricate as necessary.

Check anchor points periodically to ensure stability.



INSTALLATIONSANLEITUNG:

Stellen Sie sicher, dass alle Teile vorhanden und unbeschädigt sind, bevor Sie mit der Montage beginnen.

Befestigen Sie sie mit den richtigen Befestigungselementen für Ihr Fundament auf einem soliden Fundament.

(Falls zutreffend) Installieren Sie Motoren und Verkabelung wie gezeigt. Stellen Sie sicher, dass die elektrischen Teile während der Installation ausgeschaltet sind.

Verwenden Sie die richtige Hebe- und Installationsausrüstung.

SICHERHEITSHINWEISE:

Halten Sie Kinder und Haustiere während der Installation fern.

Betreiben Sie die Struktur nicht, wenn Teile lose oder nicht richtig installiert sind.

Stellen Sie sicher, dass die Struktur sicher verankert ist, um Unfälle zu vermeiden.

Stecken Sie keine Finger oder andere Gegenstände zwischen die Lamellen.

WARTUNG:

Reinigen Sie die Aluminiumstruktur regelmäßig, um ihr Aussehen zu erhalten und die Ansammlung von Schmutz zu verhindern.

Reinigen Sie auch die Dachrinnen regelmäßig. Überprüfen Sie bewegliche Teile auf Verschleiß und schmieren Sie sie bei Bedarf.

Überprüfen Sie die Ankerpunkte regelmäßig, um die Stabilität sicherzustellen.



Pergolux GmbH, 9 Goethestraße,
36043 Fulda,
Germany

26

DOP-MAX-FSWM-S4

EN 13561:2015

Pergolux Pergola PRO MAX S4
External use in buildings and other
construction works

Resistance to wind loads: Class6(EN13561)

SYMBOL EXPLANATION



Indicates the outside of the pergola structure.



This step may require extra force.



Indicates the inside of the pergola structure.



Key information to follow during installation.



Important! Be cautious when assembling or handling this part.



This item must be purchased separately.



Required tools for assembly.



Apply lubricant to make screw assembly easier.



Ensure grounding is connected before powering up.



Do not use a regular hammer, as it may cause damage.



Align slats according to sunlight direction for optimal shading.



AC Input



Repeat this step as many times as the number indicates



Motor




Turn around



Discard

S4 PERGOLUX | PERGOLA PRO MAX WALLMOUNTED

INFORMATION




All screws from **PERGOLUX** are made of stainless steel, ensuring durability and resistance to rust. To prevent damage to screws, follow these guidelines:



- **DO NOT OVERTIGHTEN:** Apply appropriate force to avoid stripping the threads.
- **CHOOSE THE CORRECT TOOL:** Use the proper screwdriver or bit to avoid damaging the screw head.
- **ENSURE PROPER USE:** With correct installation, screws will maintain their integrity and functionality over time.
- **USE LUBRICATION:** Apply lubricant to make screw assembly easier.



Apply lubricant to make screw assembly easier.



INFORMATION




3mm, 4mm, 5mm



TX15, TX20, TX25, TX30

PACKAGE OVERVIEW



ORDER	ANTHRACITE	WHITE	BLACK
①	C126	C127	C128
②	B296	B300	B304
③	B314	B316	B318
④	L270	L274	L272
⑤	L258	L262	L260
⑥	L246	L250	L248
⑦	ELECTRIC MOTOR		
⑧	CONTROL BOX		
⑨	POWER CABLE		
⑩	LED BOX		

ITEMS IN BOX



1

ANTHRACITE WHITE BLACK

C126

C127

C128



PN-200002467
2x



PN-200002301
2x





PN-200003584
2x



PN-200002299
2x

ITEMS IN BOX

	ANTHRACITE WHITE BLACK		
	2	B296	B300 B304
		PN-200003491	1x
		PN-200003524	1x
		PN-200002347	2x
		PN-200002350	1x
		PN-200002357	1x

ITEMS IN BOX

		ANTHRACITE	WHITE	BLACK
		B296	B300	B304
			PN-200002360 1x	
			PN-200002348 1x	
			PN-200002323 2x	
			PN-200002374 1x	
 PN-20000 4087 PN-200002308 10x			PN-200001340 1x	
 PN-20000 3278 PN-200003033 2x			PN-200003031 1x	
 PN-200003030 1x			PN-200001207 2x	

ITEMS IN BOX



ANTHRACITE

WHITE

BLACK

2

B296

B300

B304



PN-20000
3755



PN-200000655
4x



PN-20000
3496



PN-200002289
4x



PN-20000
3753



PN-200002284
2x



PN-200002368
2x



PN-20000
3499



PN-200002282
4x



PN-200000832
2x



PN-200002311
2x



PN-200002298
2x



PN-200002369
2x



PN-20000
3756



PN-200000958
4x



PN-20000
3495



PN-200002311
40x



PN-20000
3750



PN-200003049
8x



PN-200003050
8x



PN-200003051
8x

ITEMS IN BOX



ANTHRACITE WHITE BLACK

2

B296

B300

B304



PN-20000
3751



PN-200003500
1x



PN-200002324
1x



PN-200002321
1x



PN-200002330
1x



PN-200002325
1x



PN-200002340
1x



PN-200002341
3x



PN-200000832
4x



PN-200002326
1x



PN-200002134
2x



PN-200002355
1x



PN-200002333
1x



PN-200002328
2x



PN-200002327
1x

ITEMS IN BOX



ANTHRACITE WHITE BLACK

2

B296

B300

B304



PN-20000
3498



PN-200002291
6x



PN-200002318
18x



PN-20000
3497




PN-200002329
4x



PN-200000852
8x




PN-20000
3752



PN-200002373
5x



PN-200002319
5x



PN-200002290
5x



PN-200002292
5x



PN-20000
3754



PN-200002371
2x



PN-200002370
2x



PN-20000
3768



PN-200002911
2x




PN-200002297
2x



PN-20000
3767




PN-200002286
4x



PN-200002303
2x

ITEMS IN BOX

		ANTHRACITE	WHITE	BLACK
		B314	B316	B318
		PN-200003527 2x		
		PN-200002344 2x		
		Premounted PN-200002353 2x		
		PN-200003597 2x		
		PN-200002924 2x		

ITEMS IN BOX



ANTHRACITE	WHITE	BLACK
L270	L274	L272





Standard = **(S)**
PN-200002367
4x

End = **(E)**
PN-200002363
1x



ANTHRACITE	WHITE	BLACK
L258	L262	L260






Standard = **(S)**
PN-200002367
4x

LED = **(LED)**
PN-200002365
4x


ITEMS IN BOX




ANTHRACITE	WHITE	BLACK
L246	L250	L248



Standard = **S**
PN-200002367
4x



7 ELECTRIC MOTOR



Electric motor
PN-200001562
1x



PN-200003773
1x



PN-200001625
2x



PN-200002332
1x

ITEMS IN BOX



8

CONTROL BOX



Control box

1x



Matter antenna clip

1x



PN-200002684

10x



PN-200002683

5x



QR-code

1x



3M tape

1x



PN-200002756

1x



PN-200002754

1x



PN-200002758

1x



PN-200002753

2x



PN-200002759

2x



PN-200002757

1x

ITEMS IN BOX



9

POWER CABLE



PN-200003781

1x



10

LED BOX

PN-20000
Zip Bag
3827



LED STRIP

4x



4 LED HARNESS

1x



All electric parts should be tested before installation.

LEDs + Motor (and heater) should be connected to the Control box and programmed to ensure functionality.

Matter + Smart home can be connected at anytime by simply scanning the QR code provided





CONTROL BOX


[View Manual](#)

S4 PERGOLUX | PERGOLA PRO MAX WALLMOUNTED

4 x 4 m / 13' x 13'



4 × 4 m / 13' x 13'



INFORMATION

Are you installing a
screen, slat wall or
glass wall?

It is recommended to remove
these Snapfit covers and clips
now before installing the
pergola.


Cover and clips



PN-200000512
SnapFIT cover clip




SnapFIT cover






INFORMATION

Are you installing a heater or fan ?



It is recommended to remove both snap-fit covers from the beam now.




INFORMATION



!
Remove the brush from the beam and set it aside. It will be installed during a later step in the manual.



INFORMATION




01






2

ANTHRACITE: B296
WHITE: B300
BLACK: B304



PN-200002286

4x



02



1

ANTHRACITE: C126
WHITE: C127
BLACK: C128



2

ANTHRACITE: B296
WHITE: B300
BLACK: B304




PN-200002467
2x



PN-200002297
2x

PN-20000
3768





03



1

ANTHRACITE: C126
 WHITE: C127
 BLACK: C128



2


ANTHRACITE: B296
 WHITE: B300
 BLACK: B304



PN-200002299
2x



PN-200002308
10x
 PN-20000
4087





04



2

ANTHRACITE: B296
WHITE: B300
BLACK: B304



PN-200002373

5x

PN-20000
3752





x10



Install the first and last wall mount brackets (PN-PN-200002373) 3600 mm apart. Position the remaining brackets in between, ensuring they are evenly distributed.





3600mm



2371 mm
93 3/8"



05




06



2



ANTHRACITE: B296
WHITE: B300
BLACK: B304








PN-200002290

5x

PN-20000
3752



07



08



3

ANTHRACITE: B314
WHITE: B316
BLACK: B318



2

ANTHRACITE: B296
WHITE: B300
BLACK: B304



PN-200003527
2x




PN-200002371
2x



PN-200002311
10x

PN-200003495 




09



ANTHRACITE: C126
WHITE: C127
BLACK: C128



ANTHRACITE: B296
WHITE: B300
BLACK: B304



10


 **x7**

2

ANTHRACITE: B296
WHITE: B300
BLACK: B304



PN-200002329
4x
PN-20000
3497 




11

 **2**


ANTHRACITE: B296
WHITE: B300
BLACK: B304







PN-200000852
8x
PN-20000
3497 






12



13



14




15



2



ANTHRACITE: B296
WHITE: B300
BLACK: B304






PN-200000655

4x



PN-20000
3755



16



17



18



2

ANTHRACITE: B296
WHITE: B300
BLACK: B304



PN-200002298




2x






PN-200002369

2x





PN-20000
3499



19



20



21







2

ANTHRACITE: B296
WHITE: B300
BLACK: B304



3

ANTHRACITE: B314
WHITE: B316
BLACK: B318



22






3

ANTHRACITE: B314
WHITE: B316
BLACK: B318



2

ANTHRACITE: B296
WHITE: B300
BLACK: B304



4

INFORMATION



Apply grease to
part



2

ANTHRACITE: B296
WHITE: B300
BLACK: B304



PN-200003051

8x



PN-200003049

8x





PN-200003050

8x




PN-20000
3750



23



24



25



2

ANTHRACITE: B296
WHITE: B300
BLACK: B304



PN-200002289

4x



PN-20000
3496







PN-200000958

4x

PN-20000
3756



26



27





ELECTRIC MOTOR




PN-200002332

1x





28

 ANTHRACITE: B296 WHITE: B300 BLACK: B304	 PN-200002326 1x  PN-200002328 2x  PN-200002327 1x  PN-200002333 1x  PN-200002355 1x PN-20000 3751 
 PN-200003500 1x  PN-200002330 1x  PN-200002324 1x	



29



30






ELECTRIC MOTOR




Motor Screw
1x





Split Pin
1x



INPUTS AND OUTPUTS




ITEMS IN BOX







If you are planning to route the power cable through the rear corners, drill a **10 mm** diameter hole in the corner cover (**PN-200002370**) as illustrated. This allows the cable to pass through during installation in step 71.




Note: The illustration shows the hole location for a right-corner assembly; if routing from the left corner, drill the hole on the opposite side.




31




32




33




Power cable
PN-200003781
1x





Power Cable can be
routed through all
the Poles.






34





Power cable
PN-200003781
1x



35



36



37



2

ANTHRACITE:

WHITE:

BLACK:

B296

B300

B304



PN-200002360

1x





PN-200002134

2x

PN-20000

3751

Zip Bag



38




10


LED CABLE




4 LED HARNESS




39




4 LED HARNESS





40




41


 CONTROL BOX	S4  PN-200002683 5x  PN-200002684 10x
 Keep the Matter Antenna wire free and do not tie them with LED and Motor wire	







42






Route the Matter
Antenna and place it
below the highlighted
part(PN-200002329).





43




INFORMATION



44



45





PERGOLUX PRO MAX 4x4

PN-200002367



12x



Standard = **(S)**



PN-200002365



4x



LED =



PN-200002363




1x



End = **(E)**




46




!

Please remove these three components from the LED louver. They must be detached to facilitate the LED installation beginning at step 63




47






!




Remove these two components from the LED louver. Detaching them is necessary to facilitate the LED installation starting at step 63





48





49




50



51




52




!

Slide the LED cable from the large aperture to the smaller aperture of part PN-200002312




53









Use part PN-200002313 to secure the LED cable within the smaller aperture






54



55



56



57



4



ANTHRACITE: L270
WHITE: L274
BLACK: L272

E



PN-200002363

1x



58



4




ANTHRACITE: L270
WHITE: L274
BLACK: L272

E








PN-200002363






1x








59






60







61




62





63












!
Connect the LED
cable to the 4-pin LED
wire



65



66






67







2





ANTHRACITE: B296
WHITE: B300
BLACK: B304







68



69




70






71









ANTHRACITE: C126
WHITE: C127
BLACK: C128






ANTHRACITE: B296
WHITE: B300
BLACK: B304







72






73



74




75



S4 PERGOLUX | PERGOLA PRO MAX WALLMOUNTED

4X4M / 13'x13'



Type Approved
Regular
Production
Surveillance

www.tuv.com
ID 1111317678

