



Photo	OEM NO.	Description	Ref NO.	Technic Data	Repair Kits
	4324100202	Air Dryer Cartridge	DAF:1504900,1505970 IVECO:01907612,08123564,0819094 8,174767,1907612,2130912136,81909 48,E4420001838 LEYLAND:BBU8146,BBU9424 MAN:1368731,81521020008,8152102 0016,99100360822 MERCEDES:0004291097,000429339 5,0004293595,0004293695,000429379 5,0004294895 RENAULT:5000295421,521170070,5 430018121 VOLVO:8552063 VW:2TA607413	Port threads: M 39x1.5 Text Color:White Background Color:Black	
	4324102227	Air Dryer Cartridge	DAF:0699387,15-04900R IVECO:174767,3351454R1,81909048 MAN:8152102008,2509990176 RENAULT:5000295421,5021170076, 5430018121 SCANIA:377640 VOLVO:3090288	Port threads: M 39x1.5 Text Color:Blue Background Color:White	
	4329012232	Air Dryer Cartridge	DAF:1504900R,1506635,699387 IVECO:174767,3351454R1,8190948 MAN:1368731,81521020008,8152108 6025,81521550040,ZG046010002 MERCEDES:A0004295695 RENAULT:5000295421,5021170070, 5021170076,5430018121 VOLVO:20557234,3090288 Scania:377640	Port threads: M 39x1.5 Text Color:Blue Background Color:White Alluminium	
	4324102262	Air Dryer Cartridge	RENAULT:1384549,5001843522 SCANIA:1774598,57142020	Port threads: G 1-1/4" Text Color:White Background Color:Black	

	4329012282	Air Dryer Cartridge	RENAULT:1384549 SCANIA:1774598	Port threads: G 1-1/4" Text Color:Blue Background Color:White Alluminium	
	II41300F	Air Dryer Cartridge	DAF:1391510	Port threads: M 41x1.5 Text Color:Black BBackground Color:White	
	78964	Air Dryer Cartridge	MERCEDES:0004294695,VOLVVO: 20424148,20546795,3097369 DAF:0878470 SCANIA:1381813,1393551 IVECO:42535061 RENAULT:5001826800,5021173755 MAN:81521026146	For Single Air Drier SDX (MTC version) and air driers w/o regeneration valve	
	77430	Air Dryer Cartridge	MERCEDES:0004294695,VOLVVO: 20424148,20546795,3097369 DAF:0878470 SCANIA:1381813,1393551 IVECO:42535061 RENAULT:5001826800,5021173755 MAN:81521026146	For Single Air Drier SDX	
	107794	Air Dryer Cartridge		For AD-2 Air dryer	
	SK2941/1	Air Dryer Cartridge	BSK649	For AD-6S Air dryer	
	71034	Air Dryer Cartridge	HSK64	For TD Air dryer	

	4324101020	Air Dryer	DAF:1505967,IVECO:500004419,980829,MAN:81521026023,81521026048,8851026001,99100360471,MERCEDES:29AD002	Port 1: M 22x1.5 Port 21: M 22x1.5 Port 22: M 12x1.5 Cut-out pressure: 8.1±0.2 Voltage: 24 V Heating connection: M 27x1	RA1001,RA1002,RA1003,RA1011,RA1012,A00001,A00002,A00081
	4324101040	Air Dryer	EVOBUS 8285537000	Port 1: M 22x1.5 Port 21: M 22x1.5 Port 22: M 12x1.5 Port 4/23: M 12x1.5 Cut-out pressure: 8.1±0.2 Heating connection: M27x1 Voltage: 24 V With Silencer	RA1001,RA1002,RA1003,RA1011,RA1012,RZ1101,A00001,A00002,A00081
	4324100410	Air Dryer	MERCEDES 0004318815	Port 1: M 22x1.5 Port 21: M 22x1.5 Port 22: M 12x1.5 Cut-out pressure: 8.5±0.2 Voltage: 24 V Heating connection: M 27x1	RA1001,RA1002,RA1003,RA1011,RA1012,A00001,A00002,A00081
	4324100070	Air Dryer	DAF:1517963 IVECO:981819 MERCEDES:502657308	Port 1: M 22x1.5 Port 21: M 22x1.5 Port 22: M 12x1.5 Port 4/23: M 12x1.5 Cut-out pressure: 8.5±0.2 Voltage: 24 V Heating connection: M 27x1	RA1001,RA1002,RA1003,RA1011,RA1012,A00001,A00002,A00081
	4324101150	Air Dryer	DAF:1517968 MAN:81521026119,81521026121,81521026177,81521029119	Port 1: M 22x1.5 Port 21: M 22x1.5 VOSS Port 22: M 16x1.5 VOSS Cut-out pressure: 8.5±0.2	RA1001,RA1002,RA1003,A00001,A00002,A00081
	4324101180	Air Dryer		Port 1: M 22x1.5 Port 21: M 22x1.5 Port 22: M 12x1.5 Port 4/23: M 12x1.5 Cut-out pressure: 8.8±0.2 Voltage: 24 V Heating connection: M 27x1	RA1001,RA1002,RA1003,RA1011,RA1012,A00001,A00002,A00081

	4324100210	Air Dryer	DAF:1517964 IVECO:,42079485,42079486,4207958 6,42125015,9010099029	Port 1: M 22x1.5 Port 21: M 22x1.5 Port 22: M 12x1.5 Cut-out pressure: 9.5±0.2	RA1001,RA1002,RA1003,A0000 1,A00002,A00081
	4324100050	Air Dryer	MAN:815210260076	Cut-out pressure: 10.0±0.3 Port 1: M 22x1.5 Port 21: M 22x1.5 Port 22: M 12x1.5 Port 4/23: M 12x1.5	RA1001,RA1002,RA1003,A0000 1,A00002,A00081
	4324100230	Air Dryer	DAF:1517965 IVECO:08132332,08137293,0813762 2,41000232,8137622	Cut-out pressure: 11.0±0.2 Port 1: M 22x1.5 Port 21: M 22x1.5 Port 22: M 12x1.5 Port 4/23: M 12x1.5	RA1002,RA1003,A00001,A0000 2,A00081
	4324101100	Air Dryer	MAN:81521026046,81521026047,815 21026055,81521026058,81521026061	Port 1: M 22x1.5 Port 21: M 22x1.5 Port 22: M 12x1.5 Cut-out pressure: 12.5±0.2 Voltage: 24 V Heating connection: Socket	RA1002,RA1003,RA1015,A0000 1,A00002,A00081
	4324101340	Air Dryer	MAN:81521026220	Port 1: M 22x1.5 Port 21: M 22x1.5 VOSS Port 22: M 16x1.5 VOSS Port 4/23: M 16x1.5 VOSS Cut-out pressure: 12.5±0.2 Heating connection: DIN72585-A1-2.1 Voltage: 24 V	RA1002,RA1003,RA1014,A0000 1,A00002,A00081
	4324100810	Air Dryer	SCANIA:1441751	Port 1: M 22x1.5 Port 21: M 22x1.5 Port 22: M 12x1.5 Port4/23:M 12x1.5 Cut-out pressure: 9.3±0.2 Heating connection: Cable Plug Voltage: 24 V	RA1001,RA1002,RA1003,RA10 19,A00003
	4324100830	Air Dryer	DAF:1505965 SCANIA:1441751	Port 1: M 22x1.5 Port 21: M 22x1.5 Port 22: M 12x1.5 Port4/23:M 12x1.5 Voltage: 24 V Cut-out pressure: 9.3±0.2 Heating connection: Cable Plug	RA1001,RA1002,RA1003,RA10 19,A00003
	432410102S	Air Dryer Seat			RA1001,RA1002,RA1003,RA10 11,RA1012

	432410083S	Air Dryer Seat			RA1001,RA1002,RA1003,RA1019,A00003
	4324150290	Air Dryer	DAF:1505232 MAN:1276700,N2521026001	Port 1: M 22x1.5 Port 21: M 22x1.5 Port 4/23: M 12x1.5 Back flow limiting: 0.4 Bar Cut-out pressure: 8.5±0.2 Bar Voltage: 24 V Heating connection: M 27x1	RA1001,RA1002,RA1003,RA1339,RA1011,RA1012,A00001,A00002,A00081
	4324159040	Air Dryer		Port 1: M 22x1.5 Port 21: M 22x1.5 Port 4/23: M 12x1.5 plugged Exhaust: with Silencer Back flow limiting: 0.5 Bar Cut-out pressure: 8.5±0.2 Bar Voltage: 24 V Heating connection: M 27x1	RA1001,RA1002,RA1003,RA1339,RA1011,RA1012,RZ1101,A00001,A00002,A00081
	432415029S	Air Dryer Seat			RA1001,RA1002,RA1003,RA1339,RA1011,RA1012
	4324130010	Air Dryer	VOLVO:4324130010	Port 1: 1/2"-14 NPTF Port 21: 1/2"-14 NPTF Port 4/23: 1/4"-18 NPTF Back flow: 0.7Bar Heating connection: Ovalsocket Voltage: 12 V Safety valve:12.8±1Bar	RA1001,RA1003,RA1404,RA1017,A00001,A00002,A00081,E41068
	4324130020	Air Dryer	VOLVO:4324130020	Port 1: 1/2"-14 NPTF Port 21: 1/2"-14 NPTF Port 4/23: 1/4"-18 NPTF Back flow: 0.7Bar Heating connection: Ovalsocket Voltage: 24 V Safety valve:12.8±1Bar	RA1001,RA1003,RA1404,RA1018,A00001,A00002,A00081,E41068

	9324000020	Air Dryer	MERCEDES:0004301315,0014319215	Port 11: M 22x1.5 Port 21: M 22x1.5 Port 22: M 16x1.5 Port 12: M 12x1.5 Port 23: Tire inflation Port 24: M 22x1.5 VOSS Cut-out pressure: 12±0.3Bar Voltage: 24 V Heating connection:DIN72585-A1-2.1	RA1002,RA1003,RA1014,RA1505,RA1506,A00001,A00002,A00081
	9324000030	Air Dryer	MERCEDES:0004301515	Port 11: M 22x1.5 Port 21: M 22x1.5 Port 22: M 16x1.5 Port 12: M 12x1.5Plug Port 23: Tire inflation Cut-out pressure: 10±0.2Bar	RA1002,RA1003,RA1505,RA1506,A00001,A00002,A00081
	9324000240	Air Dryer	MERCEDES:0004309815,0004302915	Port 11: M 22x1.5 Port 21: M 22x1.5 Port 22: M 16x1.5 Port 12: M 12x1.5 Port 23: Tire inflation Port 24: M 22x1.5 VOSS Port 4/25: M10x1 Cut-out pressure: 12±0.3Bar Voltage: 24 V Heating connection:DIN72585-A1-2.1	RA1002,RA1003,RA1014,RA1505,RA1506,A00001,A00002,A00081
	9324000010	Air Dryer	DAF:1518168,MERCEDES:0004301215,0004303115,A0004301215	Port 11: M 22x1.5 Port 21: M 22x1.5 Port 22: M 16x1.5 Port 12: M 12x1.5 Port 23: Tire inflation Port 24: M 22x1.5 VOSS Cut-out pressure: 12±0.3Bar	RA1002,RA1003,RA1505,RA1506,A00001,A00002,A00081
	932400001S	Air Dryer Seat			RA1002,RA1003,RA1505,RA1506,A00001,A00002,A00081
	4324251010	Air Dryer	DAF:0882965	Port 1: M 22x1.5 Port 12: M 16x1.5 Port 21: M 22x1.5 Port 3: M 22x1.5 with silencer Port 4: M 12x1.5 Heating connection: DIN72585-A1-2.1 Voltage: 24 V	RA1607,RA1608,RA1014,RZ1102,A00001,A00002,A00081

	4324251050		VOLVO:20884103,2139825	Port 1: M 22x1.5 Port 12: M 16x1.5 Port 21: M 22x1.5 Port 3: M 22x1.5 with silencer Port 4: M 12x1.5	RA1607,RA1608,RZ1102,A00001,A00002,A00081
	LA8002	Air Dryer	Renault:500079119,5010260351,5001837100,05000510	Port 1: M 22x1.5 Port 21: M 22x1.5 Port 4: M12x1.5 Plugged Cut-out pressure:8.6 +0.4Bar Heating connection:M27x1 Voltage: 24 V	RA2021,RA2222,RA2025,RA2026,A00001
	LA8007	Air Dryer	Renault:501026035,5001837116	Port 1: M 22x1.5 Port 21: M 22x1.5 Port 4: M12x1.5 Plugged Cut-out pressure:9.5 +0.4Bar Heating connection:M27x1 Voltage: 24 V	RA2021,RA2222,RA2025,RA2026,A00001
	LA8008	Air Dryer		Port 1: M 22x1.5 Port 21: M 22x1.5 Port 4: M16x1.5 Plugged Cut-out pressure:12.2 +0.3Bar Heating connection:M27x1 Voltage: 24 V	RA2021,RA2222,RA2025,RA2026,A00001
	LA8061	Air Dryer	Renault:5010422516	Port 1: M 22x1.5 Port 21: M 22x1.5 Port 4: M12x1.5 Plugged Cut-out pressure:12.5Bar Heating connection:DIN72585 Voltage: 24 V	RA2021,RA2222,RA2025,RA2029,A00001
	LA8064	Air Dryer		Port 1: M 22x1.5 Port 21: M 22x1.5 Port 4: M12x1.5 Plugged Cut-out pressure:9.5Bar Heating connection:DIN72585 Voltage: 24 V	RA2021,RA2222,RA2025,RA2029,A00001
	LA8065	Air Dryer	Renault:5010422629,5010525579,5010422350	Port 1: M 22x1.5 Port 21: M 22x1.5 Port 4: M12x1.5 Plugged Cut-out pressure:12.5Bar	RA2021,RA2222,RA2025,A00001
	LA8016	Air Dryer	Renault:501026036,5010422397	Port 1: M 22x1.5 Port 21: M 22x1.5 Port 4: M12x1.5 Plugged Cut-out pressure:9.5+0.4Bar	RA2021,RA2222,RA2025,A00001

	LA8041	Air Dryer	Renault:500184886,5010260640	Port 1: M 22x1.5 Port 21: M 22x1.5 Port 4: M12x1.5 Plugged Cut-out pressure:12.5-0.4Bar	RA2021,RA2222,RA2025,A00001
	LA8229	Air Dryer	SCANIA:1387552,1441751 IVECO:42125015,42079486,42079485,42079484	Port 1: M22x1.5 Port 21: M22x1.5 Port 22: M12x1.5 Port 4: M12x1.5 Plugged Cut-out pressure:9.5 ±0.2Bar	RA2021,RA2222,A00001
	LA8225	Air Dryer	MERCEDES 3714317015	Port 1: M22x1.5 Port 12: M22x1.5 Port 22: M12x1.5 Port 4: M12x1.5 Plugged Cut-out pressure:8.1 ±0,2Bar Heating connection: M27x1 Voltage:24 V	RA2021,RA2222,RA2026,A00001
	LA8125	Air Dryer	IVECO:42536872	Port 1: M22x1.5 Port 12: M22x1.5 Port 21: M16x1.5 Flange Port 23: M16x1.5 Port 24: M22x1.5 Cut-out pressure:10.5 Bar Heating connection:DIN72585-A1-2.1 Voltage: 24 V	RA2021,RA2423,RA2025,RA2029,A00001
	LA8130	Air Dryer	DAF:1607424	Port 1: M22x1.5 Plugged Port 12: M22x1.5 Port 21: M16x1.5 Flange Port 23: M16x1.5 VOSS Port 24: M22x1.5 VOSS Exhaust: with Silencer Cut-out pressure:10.5 Bar Heating connection:DIN72585-A1-2.1 Voltage: 24 V	RA2021,RA2423,RA2025,RA2029,RZ1206,A00004
	LA9010	Air Dryer	DAF:1518168,1506410,1506409,1505119; MERCEDES:0024311215,0004301315,0004301215,0024311315,0014319215,0004309815,0004303015,0004302915	Port 1: M22x1.5; Port 12: M12x1.5 Plugged; Port 21: M22x1.5 Flange; Port 22: M16x1.5 VOSS; Port 23: Tire inflation; Cut-out pressure: 12.3 Bar Heating connection: DIN72585-A1-2.1 Voltage: 24 V	RA2524,RA2530,A00001

	78984	AIR DRYER (SCANIA) 9.3Bar	SCANIA:1387552,1354873	Port 1:M22x1.5 Port 21: M22x1.5 Port 22 : M12x1.5 Port 4 : M12x1.5 Port 5 : plugged Cut-out Pressure :9.3±0.2Bar Voltage: 24V Heating connection:Cable Blackbox No. : 87346S	RA3132,RA3140,A00005,A00006,A32045
	78985	AIR DRYER (SCANIA) 12.2Bar	Scania:1387553,1354874	Port 1:M22x1.5 Port 21: M22x1.5 Port 22 : M12x1.5 Port 4 : M12x1.5 Port 5 : plugged Cut-out Pressure :12.2±0.2 Voltage: 24V Heating connection:Cable Blackbox No. : 87347S	RA3132,RA3140,A00005,A00006,A32046
	78988	AIR DRYER (VOLVO) 8.5Bar	VOLVO:20367373,20382302,20392571,20399131,20401656,3197853,3962680,11121636	Port 1:M22x1.5 Port 21: M22x1.5 Port 22 : M12x1.5 Port 4 : M12x1.5 plugged Port 5 : plugged Cut-out Pressure :8.5±0.2 Blackbox No. : 78717S	RA3132,A00005,A00006,A32082
	78990	AIR DRYER (VOLVO) 12.0Bar	VOLVO:20367372,20382303,20392573,20393894,20401657,3962679,N2521026003 RENAULT:5021173763,	Port 1:M22x1.5 Port 21: M22x1.5 Port 22 : M12x1.5 Port 4 : M12x1.5plugged Port 5 : plugged Cut-out Pressure :12±0.2 Blackbox No. : 78703S	RA3132,A00005,A00006,A32050
	78139	BLACK BOX FOR AIR DRYER SDX	Haldex:87346; SCANIA:1381815	9.3 bar, without Silencer	
	78153	BLACK BOX FOR AIR DRYER SDX	Haldex:87347; SCANIA:1381817,1431537	12.2 bar, without Silencer	
	87348	BLACK BOX FOR AIR DRYER SDX	SCANIA:1381816,1430391	10.3 bar, without Silencer	
	92046	BLACK BOX FOR AIR DRYER SDX	VOLVO:70369131	10.8 bar, without Silencer	
	78104	BLACK BOX FOR AIR DRYER SDX	VOLVO:06310166,3098322,3097371	11.5 bar, with internal Silencer	

	78703	BLACK BOX FOR AIR DRYER SDX	VOLVO:20424901,	12 bar, with internal Silencer	
	78717	BLACK BOX FOR AIR DRYER SDX	VOLVO:3098319	8.5 bar, with internal Silencer	
	78949	BLACK BOX FOR AIR DRYER SDX	VOLVO:3097660,3098071,3098320	10 bar, with internal Silencer	
	DR31	Air Dryer	ISUZU:MC837497,MC862244 HINO:44830-2270 FUSO:FV415	Sup Port:1/2"PT Del Port:1/2"PT Cont Port:2x1/4"PT	
	109685	Air Dryer	VOLVO:107953 ,FREIGHTLINE:BW 065225 Mack 26QE377	Sup Port:1/2"PT Del Port:1/2"PT Cont Port:1/4"PT Voltage: 12V	RA3435
	9325000030	Air Dryer	MERCEDES 6934207871	A15024 + D41027: 9324000030 + 9347050020; Air Dryer Port 1: M22x1.5; Air Dryer Port 12: M12x1.5 plugged; Air Dryer Port 22: M16x1.5 VOSS; Air Dryer Port 23: Tire Inflation; Exhaust: with Silencer; Protection Valve Port 21,22,23,24,25,26: 6x M22x1.5 VOSS; Cut-out Pressure: 10 Bar; Pressure Limiting Circuit 3+4: 8.5 Bar; Opening Pressure Circuit 1+2: 9.0 Bar; Opening Pressure Circuit 3+4: 7.5 Bar	A15024,D41027,RA1002,RA1003,RA1505,RA1506,A00001,A00002,A00081,RD4109
	9325000070	Air Dryer	DAF:1505230 MERCEDES:0014317915,0014318215	A15023 + D41028: 9324000020 + 9347050050; Air Dryer Port 1: M22x1.5; Air Dryer Port 12: M12x1.5; Air Dryer Port 22: M16x1.5 VOSS; Air Dryer Port 23: Tire Inflation; Air Dryer Port 24: M22x1.5 VOSS; Air Dryer Port 4/25: M10x1 VOSS;	A15023,D41028,RA1002,RA1003,RA1505,RA1506,RA1014,A00001,A00002,A00081,RD4109,RD4111,RD4113

	9325000060	Air Dryer	MERCEDES:0014317815,0014318815	A15026 + D41028: 9324000010 + 9347050050; Air Dryer Port 1: M22x1.5; Air Dryer Port 12: M12x1.5; Air Dryer Port 22: M16x1.5 VOSS; Air Dryer Port 23: Tire Inflation; Air Dryer Port 24: M22x1.5 VOSS; Protection Valve Port 21,22,23,24,25,26: 6x M22x1.5 VOSS; Protection Valve Port 27,28: 2x M12x1.5; Cut-out Pressure: 12 Bar; Pressure Limiting Circuit 1+2: 10 Bar; Pressure Limiting Circuit 3+4: 8.5 Bar; Opening Pressure Circuit 1+2: 9.0 Bar; Opening Pressure Circuit 3+4: 7.5 Bar; Sensor: DIN 72585, 5V	A15026,D41028,RA1002,RA1003,RA1505,RA1506,A00001,A00002,A00081,RD4109,RD4111,RD4113
	9325000350	Air Dryer		A13083 + D14011: 4324159040 + 9347141510; Port 1: M 22x1.5; Port 4/23: M 12x.1.5 plugged; Exhaust: with Silencer; Protection Valve Port 21,22,23,24: 4x M16x1.5 VOSS; Back flow limiting: 0.5 Bar; Cut-out pressure: 8.5±0.2 Bar; Heater: M27x1, 24V; Opening Pressure Circuit 1+2+4: 6.5 Bar; Opening Pressure Circuit 3: 7.5 Bar	A13083,D14011,RA1001,RA1002,RA1003,RA1339,RA1011,RA1012,RZ1101,A00001,A00002,A00081,RD1404
	9325100050	Air Processing Unit	Scania 1941953	A53076 + A53077: 9325109562 + 9325109582; Air Dryer Port 1.1: Flange; Air Dryer Port 1.2: M12x1.5; Air Dryer Port 24.3: M12x1.5; Air Dryer Port 3.1: Safety Valve 14.5 Bar; Air Dryer Exhaust: with Silencer; Protection Valve Port A1-A6,B1-B6: on Multiport Mounting Surface; Pressure Limiting Circuit 3+4: 8.4 Bar; Opening Pressure Circuit 1+2+4: 7.5 Bar; Opening Pressure Circuit 3: 6.5 Bar; Opening Pressure Circuit 5: 8.5 Bar; Electrial Connector: DIN 72585-A1-2.1-1, 24V *Important: Circuit board for control system is currently not available.	A53076,A53077,RA5336,RA5337,RA5338,RZ1103,A00003,E41069

	9325109562	Air Dryer Part for APU	Scania:1774871	Port 1.1: Flange; Port 1.2: M12x1.5; Port 24.3: M12x1.5; Port 3.1: Safety Valve 14.5 Bar; Exhaust: with Silencer; Pressure Limiting Valve: 8.4 Bar	RA5336,RZ1103,A00003,E41069
	9325109582	Pressure Control Part for APU	Scania:1763422,1774873	Port A1-A6,B1-B6: on Multiport Mounting Surface; Opening Pressure Circuit 1+2+4: 7.5 Bar; Opening Pressure Circuit 3: 6.5 Bar; Opening Pressure Circuit 5: 8.5 Bar; *Important: Circuit board for control system is currently not available.	RA5337,RA5338
	ZB4578	Air Processing Unit	DAF:1374293,1443153,1374293	A24040 + D51030: LA8130 + AE4528; Air Dryer Port 1: M22x1.5 Plugged; Air Dryer Port 12: M22x1.5; Air Dryer Port 23: M16x1.5 VOSS; Air Dryer Port 24: M22x1.5 VOSS; Exhaust: with Silencer	A24040,D51030,RA2021,RA2423,RA2025,RA2029,RZ1206,A00004,RD5110,RD5115
	ZB4544	Air Processing Unit	DAF:ABRA508,1403422	LA8116+AE4526	
	ZB4579	Air Processing Unit	DAF:1374295,1443154	LA8131+AE4529	
	ZB4580	Air Processing Unit	DAF:1378835,1443155	LA8132+AE4528	

	ZB4700	Air Processing Unit	DAF:ABRD271	LA8137+AE4526	
	ZB4706	Air Processing Unit	DAF:1681570	LA8145+AE4528	
	ZB4708	Air Processing Unit	DAF:1681571	LA8147+AE4528	
	ZB4586	Air Processing Unit	Iveco:41211383	LA8124+AE4502	
	ZB4587	Air Processing Unit	Iveco:41211254,41211384,41285078	A24039 + D51042: LA8125 + AE4502; Air Dryer Port 1: M22x1.5; Air Dryer Port 12: M22x1.5; Air Dryer Port 23: M16x1.5; Air Dryer Port 24: M22x1.5; Protection Valve Port 21,22,23,24: M16x1.5; Protection Valve Port 26: M22x1.5 VOSS; Cut-out pressure: 10.5 Bar; Opening pressure Circuit 1+2: 7.5 Bar; Opening pressure Circuit 3+4: 8 Bar; Pressure Limit Circuit 3+4: 8.5 Bar; Heater: DIN 72585, 24V	A24039,D51042,RA2021,RA2423,RA2025,RA2029,A00001,RD5110
	ZB4593	Air Processing Unit	Iveco:41285081,41211392	A24039 + D51034: LA8125 + AE4516; Air Dryer Port 1: M22x1.5; Air Dryer Port 12: M22x1.5; Air Dryer Port 23: M16x1.5; Air Dryer Port 24: M22x1.5; Protection Valve Port 21,22,23,24: M16x1.5; Protection Valve Port 26: M22x1.5 VOSS; Cut-out pressure: 10.5 Bar; Opening pressure Circuit 1+2: 7.5 Bar; Opening pressure Circuit 3+4: 8 Bar; Pressure Limit Circuit 3+4: 8.5 Bar; Heater: DIN 72585, 24V; Sensor: DIN 72585, 5V	A24039,D51034,RA2021,RA2423,RA2025,RA2029,A00001,RD5110,RD5115

	ZB4600	Air Processing Unit	Iveco:500361673,504070937	LA8104+AE4608	
	ZB4601	Air Processing Unit	Iveco:504070936,500361674	LA8105+AE4608	
	ZB4511	Air Processing Unit	Mercedes:0014318215,0014317915	LA9000+AE4510	
	ZB4512	Air Processing Unit	Mercedes:0014318115,0014317815	LA9001+AE4510	
	ZB4528	Air Processing Unit	Mercedes:A0024313915	LA9024+AE4506	
	ZB4534	Air Processing Unit	Mercedes:0024310515	A25084 + D51043: LA9010 + AE4510; Air Dryer Port 1: M22x1.5; Air Dryer Port 12: M12x1.5 Plugged; Air Dryer Port 21: M22x1.5 Flange; Air Dryer Port 22: M16x1.5 VOSS; Air Dryer Port 23: Tire inflation; Protection Valve Port 21,22,23,24,25,26: 6x M22x1.5VOSS; Protection Valve Port 27,28: 2x M12x1.5; Cut-out Pressure: 12.3 Bar; Pressure Limiting Circuit 1+2: 10 Bar; Pressure Limiting Circuit 3+4: 8.5 Bar; Opening Pressure Circuit 1+2: 9.0 Bar; Opening Pressure Circuit 3+4: 7.5 Bar; Heater: DIN 72585, 24V; Sensor: DIN 72585, 5V	A25084,D51043,RA2524,RA2530,A00001,RD5110,RD5115
	ZB4564	Air Processing Unit	Mercedes:0024311415	LA9004+AE4506	