



Nothing but **HEAVY DUTY.**

GAS UTILITY SOLUTIONS SPRING 2025



WWW.MILWAUKEETOOL.COM



MX FUEL

TM

The MX FUEL™ Equipment System revolutionizes the light equipment market by delivering the performance, run-time, and durability demanded by the trades without the hazards associated with emissions, noise, vibration, and the frustrations of gas maintenance. This completely compatible system goes beyond the limitations of gasoline and power-cord units, utilizing the industry's most advanced batteries, motors, and electronics to deliver a best-in-class experience for users.

THIS IS EQUIPMENT REDEFINED.



SHOP MORE SOLUTIONS AT WWW.MILWAUKEETOOL.COM

HITS HARDER,
TRAVELS
FASTEST

NO GAS
HEADACHES,
GREATER CONTROL

25 MIN,
OVER ¼ MILE
PER CHARGE



MX FUEL™ 70 kg Rammer Kit

MXF270-2HD

Specifications:

Plate Width	11"
Weight w/ Battery	172 lbs
Max Travel Speed	78 ft/min
Foldable Handles	No
Height w/ Handlebar	40.5"
Push Button Start	Yes
AUTO-STOP™ Compatible	Safety and Control
Speed Control	Fast & Slow
ONE-KEY™ Compatible	Track and Manage w/ included ONE-KEY™ Bluetooth® Card
Battery Compatibility	Fits All MX FUEL™ Batteries
Warranty	2 Year Equipment, Battery & Charger



Kit Includes: MX FUEL™ 70 kg Rammer, (2) MX FUEL™ REDLITHIUM™ FORGE™ HD12.0 Battery Packs and MX FUEL™ Super Charger

HITS HARDER,
TRAVELS
FASTEST

NO GAS
HEADACHES,
GREATER CONTROL

35 MIN
5,000 FT²
PER CHARGE



MX FUEL™ 20" Plate Compactor Kit

MXF220-2HD

Specifications:

Plate Width	20"
Centrifugal Force	3,700 lbf
Weight w/ Battery	174 lbs
Max Travel Speed	86 ft/min
Foldable Handles	Yes
Height (w/ Handlebar Folded)	23"
Push Button Start	Yes
Multi-Direction Capability	Yes, Forward & Reverse
Speed Control	Fast & Slow
ONE-KEY™ Compatible	Track and Manage w/ included ONE-KEY™ Bluetooth® Card
Battery Compatibility	Fits All MX FUEL™ Batteries
Warranty	2 Year Equipment, Battery & Charger



Kit Includes: MX FUEL™ 20" Plate Compactor, (2) MX FUEL™ REDLITHIUM™ FORGE™ HD12.0 Battery Packs and MX FUEL™ Super Charger

NO GENERATOR
PUMPS
ANYWHERE

SHUTS OFF
AT 1" w/
AUTO-MODE

20 MIN
2,000 GAL
PER CHARGE



MX FUEL™ 1HP 2" Submersible Pump Kit

MXF211-1XC

Specifications:

Performance Modes	High, Auto, Low
Auto Shut-Off	Yes, less than 1' of water
Max Flow Rate	86
Max Head Height	59'
Motor Output	1 HP
Discharge Bore	2"
Cable Length	35'
Remote	Included / Pump Status Notifications
ONE-KEY™ Compatible	Track and Manage
Battery Compatibility	Fits All MX FUEL™ Batteries
Warranty	2 Year Equipment, Battery & Charger



Kit Includes: MX FUEL™ 1HP 2" Submersible Pump, (1) MX FUEL™ Portable Pump Power Base, (1) Remote, (1) MX FUEL™ REDLITHIUM™ XC406 Battery Pack, (1) MX FUEL™ Charger



14" GAS
PERFORMANCE
NO GAS HEADACHES

RAPIDSTOP™
BLADE BRAKE
AND KICKBACK CONTROL

14FT IN CONCRETE
120 CUTS IN #5 REBAR
PER CHARGE

MX FUEL™ 14" Cut-Off Saw w/ RAPIDSTOP™ Kit

MXF315-2XC

Specifications:

Blade Diameter	14"
Cut Depth	5"
Blade Arbor	1" / 20 mm
RPM	5,350
On-Board Electric Water Delivery	Yes, Automatic
Blade Brake	Yes
Kickback Control	Yes
Weight w/ Battery	29.6 lbs
Push Button Start	Yes
ONE-KEY™ Compatible	Track and Manage
Battery Compatibility	Fits All MX FUEL™ Batteries
Warranty	2 Year Equipment, Battery & Charger



Kit Includes: MX FUEL™ 14" Cut-Off Saw w/ RAPIDSTOP™, (2) MX FUEL™ REDLITHIUM™ XC8.0 Battery Packs, MX FUEL™ Super Charger and DIAMOND ULTRA™ Blade

Available Accessories: (Not Included)

49-93-7540
14" Diamond Ultra™
Segmented



Available Accessories: (Not Included)

49-93-7140
14" Diamond Universal
segmented

49-93-7340
14" Ductile Iron
Segmented

49-93-7040
14" Diamond Segmented

49-93-7240
14" Asphalt & Green
Concrete Segmented

49-93-7840
14" Steel Head Diamond
Cut-Off

Additional Equipment: (Not Included)

3105
14" Cut-Off Saw Cart

3019-21WS
M18™ 4-Gallon Water Supply Kit
w/ SWITCHTANK™

49-94-1475
14" x 1/8" x 1" Cut-Off Wheel
(Type 1)



SAFER
HANDHELD
CORING

POWER TO CORE
6" HOLES
IN REINFORCED CONCRETE

EASIEST
CORING
ANYWHERE

MX FUEL™ Handheld Core Drill Kit

MXF301-2CP

Specifications:

Maximum Bit Capacity	6"
RPMs Low / High	790 / 1,550
Spindle Size	1-1/4" - 7
Wet / Dry Coring	Both
On-Board Water Delivery	Yes
Weight w/ Battery	21.6 lbs
Push Button Start	Yes
ONE-KEY™ Compatible	Track and Manage
Battery Compatibility	Fits All MX FUEL™ Batteries
Warranty	2 Year Equipment, Battery & Charger



Kit Includes: MX FUEL™ Handheld Core Drill, (2) MX FUEL™ REDLITHIUM™ CP208 Battery Packs, MX FUEL™ Charger, Trigger Lock, 5/8" - 11 Bit Adapter, Quick Connect, Hard Case with Wheels

MX FUEL™ Handheld Core Drill Kit w/ Stand

MXF301-2CXS

Specifications:

Maximum Bit Capacity	6"
RPMs Low / High	790 / 1,550
Spindle Size	1-1/4" - 7
Wet / Dry Coring	Both
On-Board Water Delivery	Yes
Stand Included	Yes
Weight: Machine w/ CP Battery	21.6 lbs
Weight: Stand Only	29 lbs
Push Button Start	Yes
ONE-KEY™ Compatible	Track and Manage
Battery Compatibility	Fits All MX FUEL™ Batteries
Warranty	2 Year Equipment, Battery & Charger



Kit Includes: MX FUEL™ Handheld Core Drill, (2) MX FUEL™ REDLITHIUM™ XC406 Battery Packs, MX FUEL™ Charger, Compact Core Drill Stand, Trigger Lock, 5/8" - 11 Bit Adapter, Quick Connect, Hard Case with Wheels

Available Accessories: (Not Included)


3019-21WS
M18™ 4-Gallon
Water Supply Kit
w/ SWITCHTANK™




8960-20
M18 FUEL™ PACKOUT™
9 Gallon Dual-Battery Dust
Extractor w/ VACLINK™ Kit



48-17-0130
3" Diamond Ultra™
Wet Core Bit



48-17-0130
3" Diamond Ultra™
Dry Core Bit





POWER TO CORE
14" HOLES
IN REINFORCED CONCRETE

EASIEST
CORING
ANYWHERE

FOUR
10" HOLES
PER CHARGE

MX FUEL™ Core Rig w/ Stand Kit

MXF302-2HD

Specifications:

Maximum Bit Capacity	14"
Number of Gears	4
Chuck Size	1-1/4" - 7
Wet / Dry Coring	Both
Drilling Depth	26.5"
On-Board Water Delivery	Yes
Stand Included	Yes
Weight w/ Battery	109.5 lbs
Push Button Start	Yes
ONE-KEY™ Compatible	Track and Manage
Battery Compatibility	Fits All MX FUEL™ Batteries
Warranty	2 Year Equipment, Battery & Charger



Kit Includes: MX FUEL™ Core Rig, (1) Core Rig Stand, (2) MX FUEL™ REDLITHIUM™ FORGE™ HD12.0 Battery Packs and MX FUEL™ Super Charger

Available Accessories: (Not Included)

3019-2 1WS
M18™ 4-Gallon
Water Supply Kit
w/ SWITCH TANK™



Diamond Ultra™
Wet Core Bits
Available sizes:
5/8" - 6"

Fastest Drilling,
Maximum
Run-Time

Diamond Ultra™
Dry Core Bits
Available sizes:
1-1/4" - 6"

Fastest Drilling,
Maximum
Run-Time



MOST
PRODUCTIVE
LOWEST
VIBRATION

LIGHTEST
IN CLASS

2 TONS
PER
CHARGE

MX FUEL™ Breaker Kit

MXF368-1XC

Specifications:

Chuck Size	1-1/8" Hex
Blows Per Minute	1,300
Impact Energy (ft-lbs)	50
Vibration	4.9 m / s²
Soft Start	Yes
Weight w/ Battery	63.9 lbs
Push Button Start	Yes
ONE-KEY™ Compatible	Track and Manage
Battery Compatibility	Fits All MX FUEL™ Batteries
Warranty	2 Year Equipment, Battery & Charger



Kit Includes: MX FUEL™ Breaker, (1) MX FUEL™ REDLITHIUM™ XC406 Battery Pack, MX FUEL™ Charger, Cart, (3) Chisels



Available Accessories: (Not Included)

48-62-4000 20" Mole Point	48-62-4020 17-1/2" Asphalt Cutter
48-62-4005 20" Narrow Chisel	48-62-4060 15-1/2" Tamper Shank
48-62-4010 3" Chisel	48-62-4050 6" x 6" Tamper Plate
48-62-4030 20" Clay Spade	48-62-4055 8" x 8" Tamper Plate



EASIEST TRANSPORT,
WORK ANYWHERE

FASTEST, SET UP TO CLEAN UP

UP TO
140 3/4" THREADS PER CHARGE

MX FUEL™ Pipe Threading Machine Kit

MXF512-2XC

Specifications:

Pipe Capacity	1/8" - 2"
Housing Material	All Metal Construction
Collapsible Cart	Yes
Dual Hammer Chucks	Yes
Micro-Adjust Die Head	Yes
Self-Contained Oil Reservoir	Yes
Self-Clinging	Yes
Compatible w/ Rigid Dies	Yes
Roll Groove	Yes
ONE-KEY™ Compatible	Track and Manage
Battery Compatibility	Fits All MX FUEL™ Batteries
Warranty	2 Year Equipment, Battery & Charger



Kit Includes: MX FUEL™ Pipe Threading Machine, Cart, (2) MX FUEL™ REDLITHIUM™ XC406 Battery Packs, MX FUEL™ Charger, NPT Pipe Threading Die Head w/ Micro Adjust, 1/2" - 3/4" High Speed NPT Universal Pipe Threading Die Set, 1" - 2" High Speed NPT Universal Pipe Threading Die Set, Cutting Wheel, Dark Thread Cutting Oil

Available Accessories: (Not Included)

Milwaukee #	Description
48-36-1206	1"-2" HIGH SPEED FOR STAINLESS NPT UNIVERSAL PIPE THREADING DIES
48-36-1205	1/2"-3/4" HIGH SPEED FOR STAINLESS NPT UNIVERSAL PIPE THREADING DIES
48-36-1204	1"-2" HIGH SPEED NPT UNIVERSAL PIPE THREADING DIES
48-36-1203	1/2"-3/4" HIGH SPEED NPT UNIVERSAL PIPE THREADING DIES
48-36-1202	1"-2" ALLOY NPT UNIVERSAL PIPE THREADING DIES
48-36-1201	1/2"-3/4" ALLOY NPT UNIVERSAL PIPE THREADING DIES
48-08-5100	DARK THREAD CUTTING OIL



POWER MORE ON DEMAND

PORTABLE POWER ANYWHERE

MORE EFFICIENT POWER

MX FUEL™ CARRY-ON™ 3600W/1800W Power Supply Kit

MXF002-2XC

Specifications:

Peak Watts	3600W
Running Watts	1800W
Outlets	(2) 120V 15A Outlets
Inverter Output	Pure Sine Wave
Integrated Charger	Yes
Push Button Start	Yes
Sound Level	60 dB(a)
ONE-KEY™ Compatible	Track and Manage
Ground Fault Isolated	Yes
Intended For	One 15 Amp Tool
Battery Compatibility	Fits All MX FUEL™ Batteries
Warranty	2 Year Equipment & Battery



Kit Includes: MX FUEL™ CARRY-ON™ Power Supply, (2) MX FUEL™ REDLITHIUM™ XC406 Battery Packs, Detachable Charger Cord



**MOST
PORTABLE
10' LIGHT
INSIDE / OUTSIDE**

**27,000
LUMENS OF
TASK OR AREA LIGHTING**

**WITHSTANDS
THE STORM**



**FASTER SET-UP
MAXIMUM
PORTABILITY**

**15,000 LUMENS,
OVER 2,900 FT² ILLUMINATED**

**3 HOURS
ON HIGH,
PLUG IN FOR ALL DAY USE**

MX FUEL™ ROCKET™ Tower Light/Charger Kit

MXF041-1XC

Specifications:

Max Lumens	27,000
Modes	High / Med / Low
Collapsed Height	44"
Extended Height	10'
Width	24"
Length	24.8"
Weight w/ Battery	116 lbs
Ingress Rating	IP56
Push Button Start	Yes
ONE-KEY™ Compatible	Customize, Track, Manage.
Battery Compatibility	Fits All MX FUEL™ Batteries
Warranty	2 Year Equipment and Battery

Kit Includes: MX FUEL™ ROCKET™ Tower Light/Charger, (1) MX FUEL™ REDLITHIUM™ XC406 Battery Pack



AC	27,000 lumens	14,000 lumens	7,000 lumens
XC406	20,000 lumens	10,000 lumens	5,000 lumens
	3hr	6hr	10hr
	HIGH	MED	LOW
	OPTIMIZE RUN-TIME: Adjust Lumens 0 - 27,000 to Optimize Run-Time		

MX FUEL™ ROCKET™ Dual Power Compact Tower Light Kit

MXF040-1XC

Specifications:

Max Lumens	15,000
Modes	High / Med / Low
Collapsed Height	20"
Extended Height	8'
Width	12"
Length	28.5"
Weight w/ Battery	49.5 lbs
Ingress Rating	IP56
Push Button Start	Yes
ONE-KEY™ Compatible	Track and Manage
Battery Compatibility	Fits All MX FUEL™ Batteries
Warranty	2 Year Equipment, Battery & Charger

Kit Includes: MX FUEL™ ROCKET™ Dual Power Compact Light, (1) MX FUEL™ REDLITHIUM™ XC406 Battery Pack, MX FUEL™ Charger



AC	15,000 lumens	8,500 lumens	5,000 lumens
XC406	15,000 lumens	8,500 lumens	5,000 lumens
	3hr	6hr	10hr
	HIGH	MED	LOW
	TRACK AND MANAGE		

BATTERIES

NEW

MX FUEL™ REDLITHIUM™ FORGE™ HD12.0 Battery Pack

MXFHD812

Specifications:

Compatibility	Fits All MX FUEL™ Equipment
Charge Duration	65 Minutes on Super / 160 Minutes on Standard
Capacity	12.0 Ah
Fuel Gauge	Yes
REDLINK™ Intelligence	Yes
COOL-CYCLE™ Capable	Yes, with COOL-CYCLE™ Capable Chargers
ONE-KEY™ Compatible	Yes
Warranty	2 Year



MX FUEL™ REDLITHIUM™ XC406 Battery Pack (XC6.0)

MXFCX406

Specifications:

Compatibility	Fits All MX FUEL™ Equipment
Charge Duration	45 Minutes on Super / 90 Minutes on Standard
Capacity	6.0 Ah
Fuel Gauge	Yes
REDLINK™ Intelligence	Yes
ONE-KEY™ Compatible	Yes
Warranty	2 Year



NEW

MX FUEL™ REDLITHIUM™ FORGE™ XC8.0 Battery Pack

MXFCX808

Specifications:

Compatibility	Fits All MX FUEL™ Equipment
Charge Duration	45 Minutes on Super / 110 Minutes on Standard
Capacity	8.0 Ah
Fuel Gauge	Yes
REDLINK™ Intelligence	Yes
COOL-CYCLE™ Capable	Yes, with COOL-CYCLE™ Capable Chargers
ONE-KEY™ Compatible	Yes
Warranty	2 Year



MX FUEL™ REDLITHIUM™ CP203 Battery Pack (CP3.0)

MXFCP203

Specifications:

Compatibility	Fits All MX FUEL™ Equipment
Charge Duration	45 Minutes on Super / 45 Minutes on Standard
Capacity	3.0 Ah
Fuel Gauge	Yes
REDLINK™ Intelligence	Yes
ONE-KEY™ Compatible	No
Warranty	2 Year



NEW

MX FUEL™ REDLITHIUM™ FORGE™

MOST POWER FASTEST CHARGING LONGEST LIFE

UP TO
**2X MORE
RUN-TIME**



HD 12.0



XC8.0

CHARGERS

NEW

MX FUEL™ Super Charger

MXFSC

Specifications:

Compatibility	Charges All MX FUEL™ Batteries
Charge Rate	12A
REDLINK™ Intelligence	Yes
COOL-CYCLE™ Active Cooling System	Yes, with COOL-CYCLE™ Capable Packs
ONE-KEY™	Yes
Charge Speeds	Charges MX FUEL™ XC6.0 in 45 Minutes, MX FUEL™ XC8.0 in 45 Minutes, Charges MX FUEL™ HD12.0 in 65 Minutes
Warranty	2 Year



MX FUEL™ Charger

MXFC

Specifications:

Compatibility	Charges All MX FUEL™ Batteries
Charge Rate	4.5A
REDLINK™ Intelligence	Yes
COOL-CYCLE™ Active Cooling System	No
ONE-KEY™	No
Charge Speeds	Charges MX FUEL™ CP203 in 45 Minutes, Charges MX FUEL™ XC6.0 in 90 Minutes
Warranty	2 Year



EXPANSION KITS

NEW

MX FUEL™ REDLITHIUM™ FORGE™ HD12.0 Battery/Super Charger Expansion Kit

MXFSC-1HD12

Kit Includes: (1) MX FUEL™ REDLITHIUM™ FORGE™ HD12.0 Battery Pack, MX FUEL™ Super Charger



MX FUEL™ SUPERCHARGER

UP TO
**2X FASTER
CHARGING**

**COOL-CYCLE™
CAPABLE**
HIGH-SPEED COOLING

COOL CYCLE™
ACTIVE COOLING SYSTEM



ROLL-ON™ POWER SUPPLY

NOW AVAILABLE

ROLL-ON™

**7200W/3600W
2.5kWh Power Supply
(3300R)**

**3
YEAR
WARRANTY**

**BEST
POWER
FOR THE TOUGHEST JOBS**

**INSTANT
SETUP
ELIMINATE HASSLES**

**POWER
ANYWHERE**



TELESCOPING HANDLE

Collapses to fit under truck covers



SCREEN HMI

Visible from 25 ft away

ONE-KEY™ COMPATIBLE

Track and manage

USB PORT AND DEVICE STORAGE

- (1) USB-C
- (1) USB-A

PACKOUT™ COMPATIBLE

(2) 20A DUPLEX BREAKERS

- (4) 20A GFCI outlets
- Starting: 7200W
- Continuous: 3600W

PASS-THROUGH POWER

Charge and discharge at the same time

CHARGING PORT

- 3 hour charge to 100%
- 35 minutes charge to 25%

Indoor & Temporary Outdoor Use

- ✓ No Emissions
- ✓ Low Noise
- ✓ IP54 Rated for temporary outdoor use
- ✓ Maximized Mobility

High Power 1kW Charger

- 35 minutes – +25%
- 3 hours – 0-100%
- Passthrough Power



RUNTIME							
							
161	2,854	4,117	12,506	76	600-2400	35	20
2" THREADS	FRAMING NAILS	CSS CUTS	GALLONS PUMPED	M BALS	TV MINUTES	RECHARGES	RECHARGES

SHOP MORE SOLUTIONS AT WWW.MILWAUKEETOOL.COM

M18 FUEL™ COMBO KITS

M18 FUEL™ 7-Tool Combo Kit

3697-27



Includes:

M18 FUEL™ 1/2" Hammer Drill/Driver (Tool Only) (2904-20)
M18 FUEL™ 1/4" Hex Impact Driver (Tool Only) (2953-20)
M18 FUEL™ SAWZALL® Recip Saw (Tool Only) (2821-20)
M18 FUEL™ 6-1/2" Circular Saw (Tool Only) (2730-20)
M18 FUEL™ 4-1/2" / 5" Braking Grinder Paddle Switch, No-Lock (Tool Only) (2880-20)
M18 FUEL™ 1/2" Mid-Torque Impact Wrench w/ Friction Ring (Tool Only) (2962-20)
M18™ Work Light (2735-20)
(2) M18™ REDLITHIUM™ XC5.0 Batteries (48-11-1850)
M18™ & M12™ Multi-Voltage Charger (48-59-181 2)
(2) Contractor Bags

M18 FUEL™ 5-Tool Combo Kit

3697-25



Includes:

M18 FUEL™ 1/2" Hammer Drill/Driver (Tool Only) (2904-20)
M18 FUEL™ 1/4" Hex Impact Driver (Tool Only) (2953-20)
M18 FUEL™ SAWZALL® Recip Saw (Tool Only) (2821-20)
M18 FUEL™ 6-1/2" Circular Saw (Tool Only) (2730-20)
M18™ Work Light (2735-20)
(2) M18™ REDLITHIUM™ XC5.0 Batteries (48-11-1850)
M18™ & M12™ Multi-Voltage Charger (48-59-181 2)
Contractor Bag, Side Handle, (2) Belt Clips
Circular Saw Blade, Blade Wrench

M18 FUEL™ 2-Tool Combo Kit: Hammer Drill & Impact

3697-22



Includes:

M18 FUEL™ 1/2" Hammer Drill/Driver (Tool Only) (2904-20)
M18 FUEL™ 1/4" Hex Impact Driver (Tool Only) (2953-20)
(2) M18™ REDLITHIUM™ XC5.0 Batteries (48-11-1850)
M18™ & M12™ Multi-Voltage Charger (48-59-181 2)
(2) Belt Clips, Side Handle
Carrying Case

M18 FUEL™ 2-Tool Combo Kit w/ ONE-KEY™

3696-22



Includes:

M18 FUEL™ 1/2" Hammer Drill/Driver w/ ONE-KEY™ (Tool Only) (2908-20)
M18 FUEL™ 1/4" Hex Impact Driver w/ ONE-KEY™ (Tool Only) (2957-20)
(2) M18™ REDLITHIUM™ XC5.0 Batteries (48-11-1850)
M18™ & M12™ Multi-Voltage Charger (48-59-181 2)
Side Handle
Carrying Case

M18™ Compact Brushless 2-Tool Combo Kit

3693-22CX



Includes:

M18™ Compact Brushless 1/2" Hammer Drill/Driver (Tool Only) (3602-20)
M18™ Compact Brushless 1/4" Hex 3-Speed Impact Driver (Tool Only) (3651-20)
M18™ REDLITHIUM™ XC4.0 Battery (48-11-1840)
M18™ REDLITHIUM™ CP2.0 Battery (48-11-1820)
M18™ & M12™ Multi-Voltage Charger (48-59-181 2)
Contractor Bag

M18 FUEL™ 1/2" High Torque Impact Wrench w/ Friction Ring & Grease Gun Combo Kit

2967-22GG



Includes:

M18 FUEL™ 1/2" High Torque Impact Wrench w/ Friction Ring (2967-20)
M18™ 2-Speed Grease Gun (Tool Only) (2646-20)
M18™ REDLITHIUM™ XC5.0 Resistant Battery (48-11-1850R)
M18™ REDLITHIUM™ CP2.0 Battery (48-11-1820)
M18™ & M12™ Multi-Voltage Charger (48-59-181 2)
Contractor Bag

M18 FUEL™ DRILLING & FASTENING

M18 FUEL™ 1/2" Hammer Drill/Driver Kit

Specifications

Voltage: 18V
Length: 6.9"
Weight: 3.2 lbs
Peak Torque: 1400 in-lbs
RPM: 0-500/ 0-2,100
Number of Clutch Settings: 14



Milwaukee #	Includes
2904-22	TOOL, (2) M18 BATTERIES, CHARGER, CARRYING CASE
2904-20	TOOL ONLY

M18 FUEL™ 1/2" Hammer Drill/Driver w/ ONE-KEY™

Specifications

Voltage: 18V
Length: 7"
Weight: 3.4 lbs
Max Torque: 1,400 in-lbs
RPM: 0-2,100



Milwaukee #	Includes
2905-20	TOOL ONLY

M18 FUEL™ 1/2" Drill Driver Kit

Specifications

Voltage: 18V
Length: 6.9"
Weight: 3.2 lbs
Peak Torque: 1400 in-lbs
RPM: 0-500/ 0-2,100
Number of Clutch Settings: 14
Belt Clip: Yes



Milwaukee #	Includes
2903-22	TOOL, (2) M18 BATTERIES, CHARGER, CARRYING CASE
2903-20	TOOL ONLY

M18 FUEL™ 1/2" Drill/Driver w/ ONE-KEY™

Specifications

Voltage: 18V
Length: 6.9"
Weight: 3.2 lbs
Max Torque: 1,400 in-lbs
RPM: 0-2,100



Milwaukee #	Includes
2906-20	TOOL ONLY

M18 FUEL™ 1/4" Hex Impact Driver Kit

Specifications

Voltage: 18V
Length: 4.5"
Weight: 2.2 lbs
Max Torque: 2,000 in-lbs
RPM: 0-3,600
IPM: 0-4,400
Drive Control: 4-Mode
Chuck Type: 1/4" Hex
Single Hand Bit Insertion: Yes



Milwaukee #	Includes
2953-22	TOOL, (2) M18 BATTERIES, CHARGER, CARRYING CASE
2953-20	TOOL ONLY

M18 FUEL™ 1/4" Hex Impact Driver w/ ONE-KEY™

Specifications

Voltage: 18V
Length: 4.5"
Weight: 2.3 lbs
Max Torque: 2,000 in-lbs
RPM: 0-3,900
Drive Control: 4-Mode



Milwaukee #	Includes
2957-20	TOOL ONLY

M18 FUEL™ DRILLING & FASTENING

M18 FUEL™ SUPER HAWG™ 1/2" Right Angle Drill

Specifications

Voltage: 18V
Chuck Type: QUIK-LOK
Chuck Size: 1/2"
Length: 20.5"
Weight: 12.5 lbs
RPM Range: 0 - 1,650



Milwaukee #	Includes
2809-20	TOOL ONLY

M18 FUEL™ SUPER HAWG™ Right Angle Drill w/ QUIK-LOK™

Specifications

Voltage: 18V
Chuck Type: QUIK-LOK
Chuck Size: 7/16"
Length: 20.5"
Weight: 12.1 lbs
RPM Range: 0 - 1,650



Milwaukee #	Includes
2811-20	TOOL ONLY

M18 FUEL™ 1" High Torque Impact Wrench w/ ONE-KEY™ Kit

Specifications

Voltage: 18V
Length: 10.9"
Weight: 10.5 lbs
Fastening Torque: 0-1,600 ft-lbs. fastening
Nut Busting Torque: 0-1,800 ft-lbs. breakaway
Drive Control: 4-Mode Customizable
No Load RPM: 0-1,850
No Load IPM: 0-2,400



Milwaukee #	Includes
2867-22	TOOL, (2) M18 BATTERIES, CHARGER, HANDLE, LANYARD LOOP, BAG
2867-20	TOOL ONLY

M18 FUEL™ 1" D-Handle High Torque Impact Wrench w/ ONE-KEY™ Kit

Specifications

Voltage: 18V
Length: 17.9"
Weight: 24.4 lbs
Fastening Torque: 0-1,900 ft-lbs
Nut Busting Torque: 0-2,000 ft-lbs
Drive Control: 4-Mode Customizable
No Load RPM: 0-1,200
No Load IPM: 0-1,440



Milwaukee #	Includes
2868-22HD	TOOL, (2) M18 BATTERIES, CHARGER, HANDLE, LANYARD LOOP, BAG
2868-20	TOOL ONLY

M18 FUEL™ 3/4" High Torque Impact Wrench Friction Ring w/ ONE-KEY™ Kit

Specifications

Voltage: 18V
Length: 8.6"
Weight: 6.3 lbs
Fastening Torque: 0-1,200 ft-lbs
Nut Busting Torque: 0-1,500 ft-lbs
Drive Control: 4-Mode Customizable
No Load RPM: 0-1,800
No Load IPM: 0-2,400



Milwaukee #	Includes
2864-22R	TOOL, (2) 5.0 AH RESISTANT BATTERIES, CHARGER, CARRYING CASE
2864-20	TOOL ONLY

M18 FUEL™ 1/2" High Torque Impact Wrench w/ Friction Ring Kit

Specifications

Voltage: 18V
Length: 7.6"
Weight: 7.5 lbs
Wrench Type: High Torque
Anvil Type: Friction Ring
IPM: 0 - 2400 ipm
Fastening Torque: 1,100 ft-lbs
Nut-Busting Torque: 1,500 ft-lbs



Milwaukee #	Includes
2967-22	TOOL, (2) 5.0 AH RESISTANT BATTERIES, CHARGER, CARRYING CASE
2967-21F	TOOL, (1) 6.0 AH FORGE BATTERY, CHARGER, CONTRACTOR BAG
2967-21B	TOOL, (1) 5.0 AH RESISTANT BATTERY, CHARGER, CONTRACTOR BAG
2967-20	TOOL ONLY

M18 FUEL™ DRILLING & FASTENING

M18 FUEL™ 7/16" Hex Utility High Torque Impact Wrench w/ ONE-KEY™ Kit

Specifications

Voltage: 18V
Length: 8.2"
Weight: 5.9 lbs
Height: 10.5"



Milwaukee #	Includes
2865-22	TOOL, (2) M18 BATTERIES, CHARGER, BAG, INVERTER
2865-20	TOOL ONLY

M18 FUEL™ 1/2" Mid-Torque Impact Wrench w/ Friction Ring Kit

Specifications

Voltage: 18V
Height: 8.1"
Length: 6"
Weight: 3.5 lbs
Width: 2.7"
Nut Busting Torque: 850 (ft-lbs)
Fastening Torque: 550 (ft-lbs)



Milwaukee #	Includes
2962-22R	TOOL, (2) 5.0 AH RESISTANT BATTERIES, CHARGER, CARRYING CASE
2962-20	TOOL ONLY

M18 FUEL™ 1/2" Controlled Mid-Torque Impact Wrench w/ TORQUE-SENSE™

Specifications

Voltage: 18V
Length: 6.5"
Weight: 3.94 lbs
RPM: 0 - 2,400
IPM: 0 - 3,000
Drive Control: 4-Mode Customizable
Nut Busting Torque: 600 (ft-lbs)
Fastening Torque: 550 (ft-lbs)



Milwaukee #	Includes
3062-20	TOOL ONLY

M18 FUEL™ 3/8" Mid-Torque Impact Wrench w/ Friction Ring

Specifications

Voltage: 18V
Length: 6"
Weight: 5 lbs
RPM: 0 - 2,575
IPM: 0 - 3,100
Nut Busting Torque: 800 (ft-lbs)
Fastening Torque: 500 (ft-lbs)



Milwaukee #	Includes
2960-20	TOOL ONLY

M18 FUEL™ 1/2" Compact Impact Wrench w/ Friction Ring Kit

Specifications

Voltage: 18V
Length: 4.9"
Weight: 3.9 lbs
Fastening Torque: 250 ft/lbs
Nut-Busting Torque: 250 ft/lbs
Maximum RPM: 2,400
IPM: 3,500



Milwaukee #	Includes
2865-22R	TOOL, (2) 5.0 AH RESISTANT BATTERIES, CHARGER, CARRYING CASE
2865-20	TOOL ONLY

M18 FUEL™ 3/8" Compact Impact Wrench w/ Friction Ring Kit

Specifications

Voltage: 18V
Length: 4.8"
Weight: 3.9 lbs
Fastening Torque: 250 ft/lbs
Nut-Busting Torque: 250 ft/lbs
Maximum RPM: 2,400
IPM: 3,500



Milwaukee #	Includes
2854-22R	TOOL, (2) 5.0 AH RESISTANT BATTERIES, CHARGER, CARRYING CASE
2854-20	TOOL ONLY

M18 FUEL™ PROTECTIVE BOOTS



M18 FUEL™ 1/2" HTIW Friction Ring Tool Boot

49-16-2967



M18 FUEL™ 1/4" Hex Impact Driver Tool Boot

49-16-2963



M18 FUEL™ 1" HTIW Tool Boot

49-16-2867



M18 FUEL™ 3/4" HTIW Tool Boot

49-16-2864



M18 FUEL™ 1/4" Impact Protective Boot

49-16-2853



M18 FUEL™ Mid-Torque HTIW Protective Boot

49-16-2960

M18 FUEL™ SAWZALL® Reciprocating Saw Kit

Specifications

Voltage: 18V
Length: 18"
Weight: 8.4 lbs
SPM: 0 - 3,000
Stroke Length: 1-1/4"
Keyless Adjustable Shoe
& Blade Clamp



Milwaukee #	Includes
2821-22	TOOL, (2) 5.0 AH BATTERIES, CHARGER, CARRYING CASE
2821-21	TOOL, (1) 5.0 AH BATTERY, CHARGER, CARRYING CASE
2821-20	TOOL ONLY

M18 FUEL™ SAWZALL® Reciprocating Saw w/ ONE-KEY™ Kit

Specifications

Voltage: 18V
Length: 17.1"
Weight: 6.8 lbs
SPM: 0 - 3,000
Stroke Length: 1-1/4"
Keyless Adjustable Shoe
& Blade Clamp



Milwaukee #	Includes
2822-22	TOOL, (2) 5.0 AH BATTERIES, CHARGER, CARRYING CASE
2822-20	TOOL ONLY

M18 FUEL™ SUPER SAWZALL® Reciprocating Saw Kit

Specifications

Voltage: 18V
Length: 19"
Weight: 8.8 lbs
SPM: 0 - 3,000
Stroke Length: 1-1/4"
Keyless Adjustable Shoe & Blade Clamp
Variable Speed



Milwaukee #	Includes
2722-21 HD	TOOL, (1) HD12.0 AH BATTERY, CHARGER, BLADE, CONTRACTOR BAG
2722-20	TOOL ONLY

M18 FUEL™ HACKZALL® Kit

Specifications

Voltage: 18V
Length: 14"
Weight: 4.1 lbs
Stroke Length: 7/8"



Milwaukee #	Includes
2719-21	TOOL, (1) 5.0 AH BATTERY, CHARGER, CONTRACTOR BAG
2719-20	TOOL ONLY

M18 FUEL™ 7-1/4" Circular Saw Kit

Specifications

Voltage: 18V
Length: 17.5"
Weight: 11.1 lbs
2-5/8" Cut Capacity
Bevel detents at 22.5° and 45°
Depth detents at 1/2", 3/4", and 1-1/2"



Milwaukee #	Includes
2834-21 HD	TOOL, (1) HD12.0 AH BATTERY, CHARGER, BLADE, VACUUM ADAPTER, BLADE WRENCH, CONTRACTOR BAG
2834-20	TOOL ONLY

M18 FUEL™ 6-1/2" Circular Saw

Specifications

Voltage: 18V
Length: 11.5"
Weight: 6.3 lbs
2-1/4" Cut Capacity
Bevel detents at 22.5° and 45°
Depth detents at 1/2", 3/4", and 1-1/2"



Milwaukee #	Includes
2833-20	TOOL ONLY, VACUUM ADAPTER, BLADE, BLADE WRENCH

M18 FUEL™ Oscillating Multi Tool Kit

Specifications

Voltage: 18V
Length: 12.2"
Weight: 2.6 lbs
10,000 to 20,000 OPM



Milwaukee #	Includes
2836-21	TOOL, (1) X05.0 AH BATTERY, CHARGER, (1) 1-3/8" HCS WOOD MULTI-TOOL BLADE, 3-1/2" 60, 80, 120, 240 GRIT SANDPAPER, CONTRACTOR BAG
2836-20	TOOL ONLY

M18 FUEL™ 9" Cut-Off Saw w/ ONE-KEY™ Kit

Specifications

Voltage: 18V
Length: 26.1"
Weight: 10.6 lbs
RPM: 6,600
Cut Depth: 3.4"



Milwaukee #	Includes
2786-22 HD	TOOL, (2) HD12.0 AH BATTERIES, CHARGER, (1) 9" X 3/32" X 7/8" CUT-OFF WHEEL (TYPE 1), WRENCH, HEX WRENCH
2786-20	TOOL ONLY

M18 FUEL™ METALWORKING

M18 FUEL™ Dual-Trigger Deep Cut Band Saw Kit

Specifications

Voltage: 18V
Length: 20.4"
Weight: 11.2 lbs
5" X 5" Cut Capacity



Milwaukee #	Includes
2929S-22	TOOL, (2) M18 BATTERIES, CHARGER, BLADE, BLADE COVER, CARRYING CASE
2929S-20	TOOL ONLY

M18 FUEL™ Deep Cut Band Saw Kit

Specifications

Voltage: 18V
Length: 20.9"
Weight: 10.5 lbs
5" X 5" Cut Capacity



Milwaukee #	Includes
2929-22	TOOL, (2) M18 BATTERIES, CHARGER, CARRYING CASE
2929-20	TOOL ONLY

M18 FUEL™ Compact Dual-Trigger Band Saw

Specifications

Voltage: 18V
Length: 17.9"
Weight: 7.7 lbs
3-1/4" X 3-1/4" Cut Capacity



Milwaukee #	Includes
2829S-20	TOOL ONLY

M18 FUEL™ Compact Band Saw Kit

Specifications

Voltage: 18V
Length: 17.9"
Weight: 7.7 lbs
3-1/4" X 3-1/4" Cut Capacity



Milwaukee #	Includes
2829-22	TOOL, (2) M18 BATTERIES, CHARGER, BAG
2829-20	TOOL ONLY

M18 FUEL™ 8" Metal Cutting Circular Saw

Specifications

Voltage: 18V
Length: 15.5"
Weight: 12 lbs
Blade Cut Capacity: 2-9/16"



Milwaukee #	Includes
2962-20	TOOL ONLY, BLADE

M18 FUEL™ 5-3/8" Metal Cutting Circular Saw

Specifications

Voltage: 18V
Length: 12.25"
Weight: 4.8 lbs



Milwaukee #	Includes
2762-20	TOOL ONLY, BLADE

M18 FUEL™ METALWORKING

M18 FUEL™ 14" Abrasive Chop Saw Kit

Specifications

Voltage: 18V
Length: 20.2"
Weight: 42.1 lbs
5" Cut Capacity
Tool-Free Fence Adjustment & Blade Change
RAPIDSTOP™ Braking



Milwaukee #	Includes
2990-21HD	TOOL, M18 BATTERY, CHARGER
2990-20	TOOL ONLY

M18 FUEL™ 7" / 9" Large Angle Grinder

Specifications

Voltage: 18V
Length: 22.3"
Weight: 11.95 lbs
RPM: 6,600
Overload Protection
Electronic Clutch
Line Lock Out
Switch Type: Paddle Switch



Milwaukee #	Includes
2785-20	TOOL ONLY

M18 FUEL™ 4-1/2"-6" Braking Grinder, Paddle Switch Kit

Specifications

Voltage: 18V
RPM: 9,000
5/8"-11 Spindle
RAPIDSTOP™ Braking



Milwaukee #	Includes
3670-22	TOOL, (2) M18 BATTERIES, CHARGER, BAG, T27 GUARD, T1 CUP-ON GUARD, FLANGE NUT, BACK FLANGE, WRENCH, SIDE HANDLE
3670-20	TOOL ONLY

M18 FUEL™ 4-1/2"-6" Variable Speed Braking Grinder, Paddle Switch w/ ONE-KEY™ Kit

Specifications

Voltage: 18V
RPM: 9,000
5/8"-11 Spindle
RAPIDSTOP™ Braking
Variable speed: 4 speed settings
3,000-9,000 RPM



Milwaukee #	Includes
3672-22	TOOL, (2) M18 BATTERIES, CHARGER, BAG, T27 GUARD, T1 CUP-ON GUARD, FLANGE NUT, BACK FLANGE, WRENCH, SIDE HANDLE
3672-20	TOOL ONLY

M18 FUEL™ 4-1/2" / 5" Grinder Slide Switch, Lock-On

Specifications

Voltage: 18V
Length: 12.7"
Weight: 3.1 lbs
RPM: 8,500
5/8"-11 Spindle



Milwaukee #	Includes
2881-20	TOOL ONLY, T27 GUARD, T1 CUP-ON GUARD, SIDE HANDLE, WRENCH, BACK FLANGE, FLANGE NUT

M18 FUEL™ 4-1/2" / 5" Braking Grinder, Paddle Switch w/ ONE-KEY™ Kit

Specifications

Voltage: 18V
Length: 13.2"
Weight: 3.17 lbs
RPM: 8,500
5/8"-11 Spindle
RAPIDSTOP™ Braking



Milwaukee #	Includes
2882-22	TOOL, (2) M18 BATTERIES, CHARGER, BAG, T27 GUARD, T1 CUP-ON GUARD, SIDE HANDLE, BACK FLANGE, FLANGE NUT, BAG
2882-20	TOOL ONLY, T27 GUARD, SIDE HANDLE

SHOP MORE SOLUTIONS AT WWW.MILWAUKEETOOL.COM

M18 FUEL™ METALWORKING

M18 FUEL™ 5" Flathead Braking Grinder, Paddle Switch No-Lock

Specifications

Voltage: 18V
Length: 14"
Weight: 3 lbs
RPM: 8,500
RAPIDSTOP™ Braking



Milwaukee #	Includes
2886-20	TOOL ONLY, T27 GUARD, T1 CLIP-ON GUARD, SIDE HANDLE

M18 FUEL™ 5" Flathead Braking Grinder, Slide Switch Lock-On

Specifications

Voltage: 18V
Length: 14"
Weight: 3 lbs
RPM: 8,500
RAPIDSTOP™ Braking



Milwaukee #	Includes
2887-20	TOOL ONLY, T27 GUARD, T1 CLIP-ON GUARD, SIDE HANDLE

M18 FUEL™ 4-1/2" / 5" Dual-Trigger Braking Grinder w/ ONE-KEY™

Specifications

Voltage: 18V
Length: 14.1"
Weight: 5 lbs
5/8"-11 Spindle
RAPIDSTOP™ Braking
Variable speed: 4 speed settings
3,500-8,500 RPM



Milwaukee #	Includes
2986-20	TOOL ONLY, T27 GUARD, T1 CLIP-ON GUARD, SPANNER WRENCH

M18 FUEL™ Variable Speed, Braking Die Grinder, Paddle Switch w/ ONE-KEY™

Specifications

Voltage: 18V
Length: 16.2"
Weight: 3.1 lbs
RAPIDSTOP™ Braking
Variable speed: 5 speed settings
8,000-20,000 RPM



Milwaukee #	Includes
2984-20	TOOL ONLY

M18 FUEL™ Braking Die Grinder, Slide Switch

Specifications

Voltage: 18V
Length: 15.5"
Weight: 2.9 lbs
Up to 27,000 RPM
RAPIDSTOP™ Braking



Milwaukee #	Includes
2939-20	TOOL ONLY

M18 FUEL™ 1-1/2" Lineman Magnetic Drill High Demand™ Kit

Specifications

Voltage: 18V
Chuck Size: 1-1/2"
Length: 13.8"
Weight: 30.9 lbs
Height: 15.5 in
RPM Range: 400 / 690
Stroke Length: 5-3/4"



Milwaukee #	Includes
2789-22HD	TOOL, (2) 8.0 M18 BATTERIES, CHARGER, SAFETY STRAP, MAGNETIC LUBRICATION TANK, CHUCK KEY, CARRYING CASE, AC/DC VEHICLE CHARGER, 3/4" WELDON TO 1/2" CHUCK ADAPTER, (2) 1" RETRACTABLE PILOT PINS

M18 FUEL™ ROTARY HAMMERS

M18 FUEL™ 1-3/4" SDS Max Rotary Hammer w/ ONE KEY™ Kit

Specifications

Voltage: 18V
Length: 21"
Weight: 19.7 lbs
RPM: 380
Impact Energy: 8.1 ft-lbs
BPM: 2900



Milwaukee #	Includes
2718-22HD	TOOL, CHARGER, (2) M18 BATTERIES, CARRYING CASE, SIDE HANDLE

M18 FUEL™ 1-9/16" SDS Max Hammer Drill Kit

Specifications

Voltage: 18V
Length: 18.75"
Weight: 12.15 lbs
No Load RPM: 0-450
Blow Energy: 5.1 ft-lbs
BPM: 0 - 3,000



Milwaukee #	Includes
2717-22HD	TOOL, CHARGER, (2) M18 BATTERIES, CARRYING CASE, SIDE HANDLE
2717-20	TOOL ONLY

M18 FUEL™ 1-1/8" SDS Plus Rotary Hammer w/ ONE-KEY™ & HAMMERVAC™ Dedicated Dust Extractor Kit

Specifications

Voltage: 18V
Length: 15.2"
Weight: 15.5 lbs
RPM: 800
BPM: 4,800
3-Mode: Rotary Hammer, Hammer Only, Rotation Only



Milwaukee #	Includes
2915-22DE	TOOL, DUST EXTRACTOR, CHARGER, (2) M18 X05.0 BATTERIES, CASE
2915-20	TOOL ONLY
2915-20	HAMMERVAC DEDICATED DUST EXTRACTOR

M18 FUEL™ 1-1/4" SDS Plus D-Handle Rotary Hammer w/ ONE-KEY™ Kit

Specifications

Voltage: 18V
Length: 18.3"
Weight: 11.5 lbs
RPM: 0-810
BPM: 4,800
Impact Energy: 3.65 ft-lbs
3 Mode: Rotary Hammer, Hammer Only, Rotary Only



Milwaukee #	Includes
2916-22	TOOL, CHARGER, (2) M18 X05.0 BATTERIES, CASE, GREASE TUBE
2916-20	TOOL ONLY
2916-DE	M18 FUEL HAMMERVAC 1-1/4" DEDICATED DUST EXTRACTOR

M18 FUEL™ 1" SDS Plus Rotary Hammer w/ ONE-KEY™ Dust Extractor Kit

Specifications

Voltage: 18V
Length: 18.7 in
Weight: 13.3 lb
Handle Type: Drop Motor
RPM: 1,330
BPM: 4,800
3 Mode: Rotary Hammer, Hammer Only, Rotary Only



Milwaukee #	Includes
2914-22DE	TOOL, CHARGER, (2) M18 BATTERIES, CARRYING CASE, SIDE HANDLE w/ DEPTH GAUGE, LARGE DIAMETER NOZZLE, SMALL DIAMETER NOZZLE, CARRYING CASE

M18 FUEL™ 1" SDS Plus Rotary Hammer w/ Dust Extractor Kit

Specifications

Voltage: 18V
Length: 11.5"
Weight: 9.1 lbs
RPM: 1,330
BPM: 4,800
3 Mode: Rotary Hammer, Hammer Only, Rotary Only



Milwaukee #	Includes
2912-22DE	TOOL, DUST EXTRACTOR, CHARGER, (2) M18 BATTERIES, CARRYING CASE, DEDICATED DUST EXTRACTOR
2912-22	TOOL, CHARGER, (2) M18 BATTERIES, CARRYING CASE
2912-20	TOOL ONLY

M18™ Brushless 1" SDS Plus D-Handle Rotary Hammer

Specifications

Voltage: 18V
Length: 15 in
Weight: 5.3 lb
BPM: 4,580
Maximum RPM: 1,270



Milwaukee #	Includes
2613-20	TOOL ONLY, SIDE HANDLE, DEPTH GAUGE

M18 FUEL™ PACKOUT™ 9 Gallon Dual-Battery Dust Extractor w/ VACLINK™ COMING SOON

Specifications

Voltage: 18V
Air Flow: 175 CFM



Milwaukee #	Includes
0888-22HD	TOOL, (2) M18 HD12.0 BATTERIES, DUAL BAY SUPER CHARGER, VACLINK™ WIRELESS REMOTE, HEPA FILTER (2PK), 10' ANTI-STATIC HOSE, POWER TOOL ADAPTER, TABLE SAW ADAPTER, FLEECE DUST BAG
0888-20	TOOL ONLY, VACLINK™ WIRELESS REMOTE, HEPA FILTER (2PK), 10' ANTI-STATIC HOSE, POWER TOOL ADAPTER, TABLE SAW ADAPTER, FLEECE DUST BAG

M18 FUEL™ PIPE THREADING

M18 FUEL™ Pipe Threader w/ ONE-KEY™ Kit

Specifications

Voltage: 18V
Length: 26.3"
Weight: 22.3 lbs



Milwaukee #	Includes
2874-22HD	TOOL, (2) M18 HD120 BATTERIES, CHARGER, THREADING SUPPORT ARM, CASE

M18 FUEL™ Compact Pipe Threader w/ ONE-KEY™ w/ 1/2" - 1-1/4" Compact NPT Forged Aluminum Die Heads

Specifications

Voltage: 18V
Length: 19.7"
Weight: 10.6 lbs



Milwaukee #	Includes
2870-22	TOOL, (2) M18 XC80 BATTERIES, CHARGER, MILWAUKEE COMPACT 1/2", 3/4", 1", & 1-1/4" ALLOY NPT PORTABLE PIPE THREADING FORGED ALUMINUM DIE HEADS, THREADING SUPPORT ARM, CASE

DIE HEADS

1/2" - 2" High Speed NPT Portable Pipe Threading Forged Aluminum Die Head Kit

48-36-1060

Compatible with 2874-20 M18 FUEL™ Pipe Threader



1/2" - 1-1/4" Compact Alloy NPT Portable Pipe Threading Forged Aluminum Die Head Kit

48-36-1063

Compatible with 2870-20 M18 FUEL™ Compact Pipe Threader



Milwaukee #	DESCRIPTION
48-36-1007	1/2" HIGH SPEED NPT FORGED AL DIE HEAD
48-36-1008	3/4" HIGH SPEED NPT FORGED AL DIE HEAD
48-36-1009	1" HIGH SPEED NPT FORGED AL DIE HEAD
48-36-1010	1-1/4" HIGH SPEED NPT FORGED AL DIE HEAD
48-36-1011	1-1/2" HIGH SPEED NPT FORGED AL DIE HEAD
48-36-1012	2" HIGH SPEED NPT FORGED AL DIE HEAD
48-36-1001	1/2" ALLOY NPT FORGED AL DIE HEAD
48-36-1002	3/4" ALLOY NPT FORGED AL DIE HEAD
48-36-1003	1" ALLOY NPT FORGED AL DIE HEAD
48-36-1004	1-1/4" ALLOY NPT FORGED AL DIE HEAD
48-36-1005	1-1/2" ALLOY NPT FORGED AL DIE HEAD
48-36-1006	2" ALLOY NPT FORGED AL DIE HEAD
48-36-1307	COMPACT 1/2" ALLOY NPT FORGED AL DIE HEAD
48-36-1308	COMPACT 3/4" ALLOY NPT FORGED AL DIE HEAD
48-36-1309	COMPACT 1" ALLOY NPT FORGED AL DIE HEAD
48-36-1310	COMPACT 1-1/4" ALLOY NPT FORGED AL DIE HEAD

Milwaukee #	DESCRIPTION
48-36-1112	MILWAUKEE 2" HIGH SPEED NPT PORTABLE PIPE THREADING DIES
48-36-1111	MILWAUKEE 1-1/2" HIGH SPEED NPT PORTABLE PIPE THREADING DIES
48-36-1110	MILWAUKEE 1-1/4" HIGH SPEED NPT PORTABLE PIPE THREADING DIES
48-36-1109	MILWAUKEE 1" HIGH SPEED NPT PORTABLE PIPE THREADING DIES
48-36-1108	MILWAUKEE 3/4" HIGH SPEED NPT PORTABLE PIPE THREADING DIES
48-36-1107	MILWAUKEE 1/2" HIGH SPEED NPT PORTABLE PIPE THREADING DIES
48-36-1106	MILWAUKEE 2" ALLOY NPT PORTABLE PIPE THREADING DIES
48-36-1105	MILWAUKEE 1-1/2" ALLOY NPT PORTABLE PIPE THREADING DIES
48-36-1104	MILWAUKEE 1-1/4" ALLOY NPT PORTABLE PIPE THREADING DIES
48-36-1103	MILWAUKEE 1" ALLOY NPT PORTABLE PIPE THREADING DIES
48-36-1102	MILWAUKEE 3/4" ALLOY NPT PORTABLE PIPE THREADING DIES
48-36-1101	MILWAUKEE 1/2" ALLOY NPT PORTABLE PIPE THREADING DIES

6" Leveling Tripod Chain Vise



Milwaukee #	Includes
48-22-8690	6" LEVELING TRIPOD CHAIN VISE

Lower Shelf For 6" Leveling Tripod Chain Vise



Milwaukee #	Includes
48-22-8695	LOWER SHELF FOR 6" LEVELING TRIPOD CHAIN VISE

M18™ & M12™ & PRESS TOOLS

M18™ FORCE LOGIC™ Press Tool Kit w/ ONE-KEY™ w/ 1/2"-2" CTS Jaws

Specifications

Voltage: 18V
Length: 14.2 in
Weight: 5.6 lb
Approximate Cycle Time: 4 seconds
Force: 7,200 lbs
Calibration Interval: 50,000
1/4" OD - 7/8" OD Capacity



Milwaukee #	Includes
2922-22	TOOL, (2) BATTERIES, CHARGER, (6) JAWS, CARRYING CASE
2922-20	TOOL ONLY

1/2" - 2" IPS-P Pivoting Press Ring Kit M18™ FORCE LOGIC™ Press Tools

49-16-2697X



M18™ FORCE LOGIC™ Long Throw Press Tool Kit

Specifications

Voltage: 18V
Force: 7,200 lbs
Calibration Interval: 50,000



Milwaukee #	Includes
2773-20L	TOOL, (2) BATTERIES, CHARGER, CARRYING CASE

2-1/2" - 4" IPS-P Pivoting Press Ring Kit for M18™ FORCE LOGIC™ Long Throw Press Tool

49-16-2698X

Compatible with 2773-20L M18™ FORCE LOGIC™ Long Throw Press Tool



M12™ FORCE LOGIC™ Press Tool Kit w/ 1/2"-1" CTS Jaws

Specifications

Voltage: 12V
Length: 12.6 in
Weight: 3.8 lb
Force: 5,400 lbs
Calibration Interval: 32,000



Milwaukee #	Includes
2473-22	TOOL, (2) BATTERIES, CHARGER, (3) JAWS, CARRYING CASE
2473-20	TOOL ONLY

1/2" - 1" IPS-P Pivoting Press Ring Kit M12™ FORCE LOGIC™ Press Tools

49-16-2696X



Available Accessories: (Not Included)

Milwaukee #	Description
49-16-2450B	1/2" IPS-P PRESS JAW FOR M12™ FORCE LOGIC™ PRESS TOOL
49-16-2451B	3/4" IPS-P PRESS JAW FOR M12™ FORCE LOGIC™ PRESS TOOL
49-16-2452B	1" IPS-P PRESS JAW FOR M12™ FORCE LOGIC™ PRESS TOOL
49-16-2496	1/2"-1" IPS-P PRESS JAW KIT FOR M12™ FORCE LOGIC™ PRESS TOOL

M18™ PIPELINE INSPECTION

M18™ 325' Stiff Modular Pipeline Inspection System

Specifications

Voltage: 18V
Line Type: Main/Sewer
Material Composition: Plastic
Length: 16 in
Weight: 69 lb
Height: 30 in
Width: 23.6 in
OneKey Compatible: Yes
Power Source: Cordless



Milwaukee #	Includes
3976-22	REEL, CONTROL HUB, (2) 5.0 M18 BATTERIES, CHARGER, ACCESSORIES
3976-20	325' STIFF MODULAR PIPELINE INSPECTION REEL

M18™ 200' Mid-Stiff Modular Pipeline Inspection System

Specifications

Voltage: 18V
Line Type: Branch/Main/Sewer
Material Composition: Plastic/Metal
Length: 16 in
Weight: 37 lb
Height: 28 in
Width: 20.75 in
OneKey Compatible: Yes
Power Source: Cordless



Milwaukee #	Includes
3975-22	REEL, CONTROL HUB, (2) 5.0 M18 BATTERIES, CHARGER, ACCESSORIES
3975-20	200' MID-STIFF MODULAR PIPELINE INSPECTION REEL

M18™ 200' Stiff Modular Pipeline Inspection System

Specifications

Voltage: 18V
Line Type: Branch/Main/Sewer
Material Composition: Plastic/Metal
Length: 19.6 in
Weight: 67.6 lb
Height: 28.5 in
Width: 21.9 in
OneKey Compatible: Yes
Power Source: Cordless



Milwaukee #	Includes
3974-22	REEL, CONTROL HUB, (2) 5.0 M18 BATTERIES, CHARGER, ACCESSORIES
3974-20	200' STIFF MODULAR PIPELINE INSPECTION REEL

M18™ 120' Mid-Stiff Modular Pipeline Inspection System

Specifications

Voltage: 18V
Line Type: Branch/Main
Material Composition: Plastic/Metal
Length: 14.3 in
Weight: 35.6 lb
Height: 22.7 in
Width: 17.8 in
OneKey Compatible: Yes
Power Source: Cordless



Milwaukee #	Includes
3973-22	REEL, CONTROL HUB, (2) 5.0 M18 BATTERIES, CHARGER, ACCESSORIES
3973-20	120' MID-STIFF MODULAR PIPELINE INSPECTION REEL

M18™ 100' Flexible Modular Pipeline Inspection System

Specifications

Voltage: 18V
Line Type: Branch/Fixture/Sink
Material Composition: Plastic/Metal
Length: 27.6 in
Weight: 42.4 lb
Height: 18 in
Width: 19 in
OneKey Compatible: Yes
Power Source: Cordless



Milwaukee #	Includes
3972-22	REEL, CONTROL HUB, (2) 5.0 M18 BATTERIES, CHARGER, ACCESSORIES
3972-20	100' FLEXIBLE MODULAR PIPELINE INSPECTION REEL

M18™ 325' Stiff Pipeline Inspection System

Specifications

Voltage: 18V
Length: 16 in
Weight: 69 lb
Height: 30 in
Width: 23.6 in
Push Cable Stiffness: Stiff
Push Cable Length: 325'
Drain Line Capacity: 3"-12"
Push Cable Diameter: 12mm
Camera Resolution: 1080p



Milwaukee #	Includes
2976-22	REEL, CONTROL HUB, (2) 5.0 M18 BATTERIES, CHARGER, ACCESSORIES
2976-20	325' STIFF PIPELINE INSPECTION REEL

M18™ PIPELINE INSPECTION

M18™ 200' Mid-Stiff Pipeline Inspection System

Specifications

Voltage: 18V
Length: 16 in
Weight: 46 lb
Height: 28 in
Width: 20.76 in
Push Cable Stiffness: Mid-Stiff
Push Cable length: 200'
Drain Line Capacity: 2"-6"
Push Cable Diameter: 10mm
Camera Resolution: 1080p



Milwaukee #	Includes
2975-22	REEL, CONTROL HUB, (2) 5.0 M18 BATTERIES, CHARGER, ACCESSORIES
2975-20	200' MID-STIFF PIPELINE INSPECTION REEL

M18™ 200' Stiff Pipeline Inspection System

Specifications

Voltage: 18V
Length: 19.6 in
Weight: 57.6 lb
Height: 28.5 in
Width: 21.9 in
Push Cable Stiffness: Stiff
Push Cable length: 200'
Drain Line Capacity: 2"-6"
Push Cable Diameter: 10mm
Camera Resolution: 1080p



Milwaukee #	Includes
2974-22	REEL, CONTROL HUB, (2) 5.0 M18 BATTERIES, CHARGER, ACCESSORIES
2974-20	200' STIFF PIPELINE INSPECTION REEL

M18™ 120' Mid-Stiff Pipeline Inspection System

Specifications

Voltage: 18V
Length: 14.3 in
Weight: 35.6 lb
Height: 22.7 in
Width: 17.8 in
Line Capacity: 2"-6"
Push cable length: 120'
Push Cable Diameter: 10mm
Camera resolution: 1080p



Milwaukee #	Includes
2973-22	REEL, CONTROL HUB, (2) 5.0 M18 BATTERIES, CHARGER, ACCESSORIES
2973-20	120' MID-STIFF PIPELINE INSPECTION REEL

M18™ 100' Flexible Pipeline Inspection System

Specifications

Voltage: 18V
Line Type: Branch/Fixture
Material Composition: Plastic
Length: 27.6 in
Weight: 42.4 lb
Height: 18 in



Milwaukee #	Includes
2972-22	REEL, CONTROL HUB, (2) 5.0 M18 BATTERIES, CHARGER, ACCESSORIES
2972-20	100' FLEXIBLE PIPELINE INSPECTION REEL

M12™ Pipeline Locator Kit

Specifications

Voltage: 12V
Battery: M12



Milwaukee #	Includes
2580-21	TOOL, (1) M12 BATTERY, CHARGER

Camera Head Replacement Kits for M18™ Modular Pipeline Inspection System



48-53-3974



48-53-3973

Milwaukee #	Includes
48-53-3974	34MM CAMERA HEAD REPLACEMENT KIT
48-53-3973	25MM CAMERA HEAD REPLACEMENT KIT

M18 FUEL™ 16" Chainsaw Kit

Specifications

Voltage: 18V
Length: 33"
Weight: 13.9 lbs
RPM: 6800



Milwaukee #	Includes
2727-21HD	TOOL, RAPID CHARGER, 16" OREGON BAR, CHAIN, SCRENCH
2727-20	TOOL ONLY

16" Saw Chain Replacement for 2727-20 Chainsaw

49-16-2715



16" Chainsaw Guide Bar

48-09-3001



M18 FUEL™ Blower

Specifications

Voltage: 18V
Power Source: Cordless
Motor Type: POWERSTATE Brushless
Brushless: Yes
Battery System: M18



Milwaukee #	Includes
3017-20	TOOL ONLY

M18 FUEL™ Dual Battery Blower

Specifications

Voltage: 18V
CFM: 600
MPH: 145
Blow Force: 17.7 Newtons
Noise Rating: 64dB(A)
Battery System: M18



Milwaukee #	Includes
2824-20	TOOL ONLY

M18 FUEL™ 20" Dual Battery Chainsaw Kit

Specifications

Voltage: 18V
Length: 27.5 in
Weight: 19.9 lb
Height: 10 in



Milwaukee #	Includes
2827-22	TOOL, (2) 8.0 FORGE BATTERIES, CHARGER

20" .325" Pitch, .050" Gauge Saw Chain

49-16-2752



20" .325" Pitch, .050" Gauge Guide Bar

49-16-2755



M18 FUEL™ 14" Top Handle Chainsaw Kit

Specifications

Voltage: 18V
Length: 33"
Weight: 13.9 lbs
RPM: 6800



Milwaukee #	Includes
2826-22T	TOOL, (1) 8.0 BATTERY, (1) HD12.0 BATTERY, CHARGER, SCABBARD, SCRENCH
2826-21T	TOOL, (1) 8.0 BATTERY, CHARGER, SCABBARD, SCRENCH
2826-20T	TOOL ONLY

14" Top Handle Chainsaw Guide Bar

49-16-2745



14" Top Handle Chainsaw Chain

49-16-2744



M18 FUEL™ HATCHET™ 8" Pruning Saw

Specifications

Voltage: 18V
Length: 19.8 in
Weight: 4.9 lb
Height: 9.9 in



8" Pruning Saw Chain

49-16-2760



Milwaukee #	Includes
3004-20	TOOL ONLY

M18 FUEL™ Power Head w/ QUIK-LOK™

Specifications

Voltage: 18V
Length: 33.25"
Weight: 6.4 lbs

Milwaukee #	Includes
3016-20	TOOL ONLY



M18 FUEL™ QUIK-LOK™ Attachments

Milwaukee #	Includes
49-16-2717	M18 FUEL™ QUIK-LOK™ STRING TRIMMER ATTACHMENT
49-16-2738	M18 FUEL™ QUIK-LOK™ BRUSH CUTTER ATTACHMENT
49-16-2740	M18 FUEL™ QUIK-LOK™ RUBBER BROOM ATTACHMENT
49-16-2741	M18 FUEL™ QUIK-LOK™ BRISTLE BRUSH ATTACHMENT
49-16-2720	M18 FUEL™ QUIK-LOK™ 10" POLE SAW ATTACHMENT
49-16-2721	M18 FUEL™ QUIK-LOK™ 3' ATTACHMENT EXTENSION



49-16-2717



49-16-2738



49-16-2740



49-16-2741



49-16-2720



49-16-2721

M18™ SYSTEM ENHANCEMENT

M18 FUEL™ 1/2"-1" Steel Pipe Cutter

Specifications

Voltage: 18V
Length: 5.75 in
Weight: 6.6 lb



**1/2" - 1"
Steel Pipe
Cutting Blade**
48-40-4062

Milwaukee #	Includes
3469-20	TOOL, STEEL PIPE CUTTING BLADE

M18™ 2-Speed Grease Gun Kit

Specifications

Voltage: 18V
PSI: 10,000 PSI



Milwaukee #	Includes
2646-22CT	TOOL, (2) BATTERIES, CHARGER, CARRYING CASE
2646-21CT	TOOL, (1) BATTERY, CHARGER, CARRYING CASE
2646-20	TOOL ONLY

M18 FUEL™ 2 Gallon Compact Quiet Compressor

Specifications

Voltage: 18V
Max PSI: 135
SCFM: 1.2 @ 90 PSI
Pump Type: Oil Free



Milwaukee #	Includes
2840-20	TOOL ONLY

M18™ 18V Cordless Tire Inflator

Specifications

Voltage: 18V
Length: 13.8 in
Weight: 7 lb
4 PSI Memory Presets



Milwaukee #	Includes
2848-20	TOOL ONLY

M18™ FORCE LOGIC™ 10,000psi Hydraulic Pump Kit

Specifications

Voltage: 18V
Length: 15.87 in
Weight: 29.8 lb
3-Modes: Auto-Dump, Hold-Pressure & Remote Cut



Milwaukee #	Includes
2774-21HD	TOOL, (1) M18 HD12.0 BATTERY, CHARGER
2774-20	TOOL ONLY

M18™ Brushless Single Acting 60in3 10,000psi Hydraulic Pump

Specifications

Voltage: 18V
Length: 18 in
Weight: 12.6 lb
Output Flow Rate - No-Load: 1.8in3/min
Output Flow Rate - 9500: 1.0in3/min



Milwaukee #	Includes
3120-21	TOOL, (1) M18 X15.0 BATTERY, CHARGER, SHOULDER STRAP

M18™ Brushless Stick Transfer Pump

Specifications

Voltage: 18V
Weight: 11.4 lbs
Height: 63"
17 ft Max Head Height
Up to 25 Gallons Per Minute



Milwaukee #	Includes
2940-20	TOOL ONLY

M18™ Transfer Pump

Specifications

Voltage: 18V
Length: 13.0 in
Weight: 7.9 lb
75 ft Max Head Height
Up to 18 ft Lift



Milwaukee #	Includes
2771-20	TOOL ONLY

M18™ Brushless PACKOUT™ Fan

Specifications

Voltage: 18V
Weight: 6.4 lb
Height: 16 in
Cooling air speed up to 20.5 MPH and 850 CFM



Milwaukee #	Includes
0818-20	TOOL ONLY

M18™ Brushless 18" Fan

Specifications

Voltage: 18V
Weight: 17 lb
Height: 26.5 in
Width: 23.3 in
Air circulation over 60 ft reach and 13.5 MPH air speed



Milwaukee #	Includes
0821-20	TOOL ONLY

M18™ SYSTEM ENHANCEMENT

M18™ Compact Heat Gun

Specifications

Voltage: 18V
Length: 6.39"
Weight: 1.7 lbs
High Performance Heating Coil:
Reach operational temperature in 7 seconds



Milwaukee #	Includes
2688-20	TOOL ONLY

M18™ Brushless Threaded Rod Cutter Kit

Specifications

Voltage: 18V
Length: 11.19 in
Weight: 8.7 lb
1-1/2" Built-in Trim Length



Milwaukee #	Includes
2872-21	TOOL, (1) M18 BATTERY, CHARGER, CARRYING CASE
2872-20	TOOL ONLY

M18 FUEL™ PACKOUT™ 2.5 Gallon Wet/Dry Vacuum

Specifications

Voltage: 18V
Weight: 11.3 lbs
50 CFM
47" of Water Lift
Replacement Filter Part Number: 49-90-1900



Milwaukee #	Includes
0970-20	VACUUM, ADAPTER, HOSE, CREVICE TOOL, NOZZLE, HEPA FILTER

M18™ Compact 1-Ton Chain Hoist w/ ONE-KEY™

Specifications

Battery System: M18
Power Source: Cordless
Material Composition: Plastic/Steel/Metal



Milwaukee #	Includes
2983-22HD	TOOL ONLY
48-11-1812	(2) M18™ REDLITHIUM™ HIGH OUTPUT™ HD1 2.0 BATTERY PACK
48-59-1808	(1) M18™ & M12™ RAPID CHARGER
48-22-8426	(1) PACKOUT™ ROLLING TOOL BOX
(1) WIRELESS REMOTE	

M18™ FORCE LOGIC™ Single Channel Strut Shear Kit

Specifications

Voltage: 18V
Length: 17.5"
Weight: 24 lbs



Milwaukee #	Includes
2933-21	TOOL, STRUT SHEARING DIES, (1) M18X05.0 BATTERY, CHARGER, BAG

M18™ 2-Gallon Wet/Dry Vacuum

Specifications

Voltage: 18V
Weight: 10.1 lbs
45 CFM
32" of Water Lift
Replacement Filter Part Number: 49-90-1900



Milwaukee #	Includes
0880-20	VACUUM, HOSE, CREVICE TOOL, NOZZLE, HEPA FILTER

M18 FUEL™ 6 Gallon Wet/Dry Vacuum

Specifications

Voltage: 18V
Weight: 26 lbs
87 CFM
60" of Water Lift
Replacement Filter Part Number: 49-90-1978



Milwaukee #	Includes
0910-20	VACUUM TANK, VACUUM CART, FILTER, HOSE, CREVICE TOOL, FLOOR UTILITY NOZZLE, EXTENSION WAND

M18™ SWITCH TANK™ 4-Gallon Backpack Water Supply Kit

Specifications

Voltage: 18V
Height: 22.5"
Weight: 18.9 lbs
Up to 60 PSI



Milwaukee #	Includes
3019-21WS	M18 SWITCH TANK POWERED BASE, SWITCH TANK 4-GALLON WATER SUPPLY TANK ASSEMBLY, M18 BATTERY, CHARGER, HOSE, WATER SPRAY NOZZLE
49-16-19WS	SWITCH TANK 4-GALLON WATER SUPPLY TANK ASSEMBLY

M18™ BATTERIES

CP

XC

HD



MOST POWER
FASTEST CHARGING
LONGEST LIFE



M18 REDLITHIUM
HIGH OUTPUT
MORE POWER



M18 REDLITHIUM

NEW



48-11-1881
M18™ REDLITHIUM™
FORGE™ XC8.0 Battery

48-59-1881
Starter Kit



48-11-1861
M18™ REDLITHIUM™
FORGE™ XC6.0 Battery



48-11-1865
M18™ REDLITHIUM™
HIGH OUTPUT™
XC6.0 Battery

48-11-1862
2-Pack



48-11-1835
M18™ REDLITHIUM™
HIGH OUTPUT™
CP3.0 Battery

48-11-1837
2-Pack

48-59-1835
Starter Kit



48-11-1820
M18™ REDLITHIUM™
CP2.0 Battery



48-11-1815
M18™ REDLITHIUM™
CP1.5 Battery



48-11-1850
M18™ REDLITHIUM™
XC5.0 Battery

48-11-1852
2-Pack

48-11-1851
2-Pack

48-59-1850
Starter Kit



48-11-1850R
M18™ REDLITHIUM™
XC5.0 Resistant Battery

48-59-1852R
2-Pack



48-11-1840
M18™ REDLITHIUM™
XC4.0 Battery



48-11-1828
M18™ REDLITHIUM™
XC3.0 Battery



LIGHT DEMAND

HEAVY DEMAND



Less weight and
smaller size



More power and run-time,
great performance for
all demands



Best performance for
high demand
applications

M18™ CHARGERS



48-59-1815
M18™ Dual Bay
Simultaneous
Super Charger



48-59-1812
M18™ & M12™
Multi-Voltage Charger



2846-20
M18™ TDP-OFF™
175W Power Supply



48-59-1810
M18™ / M12™
Vehicle Charger



48-59-1809
M18™ PACKOUT™
Six Bay Rapid Charger



48-59-1808
M18™ & M12™
Rapid Battery
Charger



48-59-1807
M18™ & M12™
Rapid Charge Station



48-59-1806
M18™ Six Pack
Sequential Charger



48-59-1802
M18™ Dual Bay
Simultaneous Rapid Charger



48-59-1850
M18™ REDLITHIUM™
XC5.0 Starter Kit



48-59-1300
M18™ REDLITHIUM™
FORGE™ HD12.0
Starter Kit



48-59-1881
M18™ REDLITHIUM™
FORGE™ XC8.0
Starter Kit

SHOP MORE SOLUTIONS AT WWW.MILWAUKEETOOL.COM

M12™ SYSTEM ENHANCEMENT

M12 FUEL™ Compact Band Saw Kit

Specifications

Voltage: 12V
Length: 14.12 in
Weight: 6 lb
2-1/2" X 2-1/2" Cut Capacity



Milwaukee #	Includes
2529-21XC	TOOL, (1) M12 4.0 BATTERY, CHARGER, BLADE, BAG
2529-20	TOOL ONLY

M12™ Sub-Compact Band Saw Kit

Specifications

Voltage: 12V
Length: 12 in
Weight: 6.75 lb
SFPM: 280
Blade Length: 27" x 1/2" x .020"
1-5/8" X 1-5/8" Cut Capacity



Milwaukee #	Includes
2429-21XC	TOOL, (1) M12 BATTERY, CHARGER, BLADE, CASE
2429-20	TOOL ONLY

M12™ Plastic Pipe Shear Kit

Specifications

Voltage: 12V
Length: 14-3/8"
Weight: 4.3 lbs
Switch Type: Two-Action
Variable Speed with Reverse
Torque: 1,900 in-lbs
Capacity: 2" Schedule 80 PVC



Milwaukee #	Includes
2470-21	TOOL, (1) M12 CP1.5 BATTERY, CHARGER, CASE
2470-20	TOOL ONLY

M12™ Stick Transfer Pump

Specifications

Voltage: 12V
Weight: 4.2 lb
Height: 48.8 in
Up to 9 Gallons Per Minute
15ft Max Head Height



Milwaukee #	Includes
2579-20	TOOL ONLY

M12™ Brushless 1-1/4" - 2" Copper Tubing Cutter

Specifications

Voltage: 12V
Length: 12.67 in
Weight: 5.85 lb
Automatically adjusts diameter to cut Type K, L, and M copper pipes from 1-3/8" - 2-1/8" (OD)



Milwaukee #	Includes
2479-20	TOOL ONLY

M12™ Copper Tubing Cutter Kit

Specifications

Voltage: 12V
Length: 14"
Weight: 2.8 lbs
Speed: 600 RPM
Capacity: 1/2" to 1-1/8" OD



Milwaukee #	Includes
2471-21	TOOL, (1) M12 BATTERY, CHARGER, CASE
2471-20	TOOL ONLY

M12™ SYSTEM ENHANCEMENT

M12™ Compact Inflator Kit

Specifications

Voltage: 12V
Weight: 3.83"
Height: 7.5"
PSI Rating: 0 -120 PSI
Hose Length: 26"
Gauge Accuracy: +/- 3%



Milwaukee #	Includes
2475-21X0	TOOL, (1) M12 BATTERY, CHARGER, BALL INFLATION NEEDLE, PRESTA CHUCK, SCHRADER CHUCK, INFLATOR NOZZLE
2475-20	TOOL ONLY, BALL INFLATION NEEDLE, PRESTA CHUCK, SCHRADER CHUCK, INFLATOR NOZZLE

M12 FUEL™ Installation Drill/Driver Kit

Specifications

Voltage: 12V
Weight: 5.1"
Height: 2"
RPM: 0 - 400 / 0 - 1,600



Milwaukee #	Includes
2505-22	TOOL, (2) M12 CP2.0 BATTERIES, CHARGER, RIGHT ANGLE ATTACHMENT, OFFSET ATTACHMENT, 3/8" METAL CHUCK ATTACHMENT, 1/4" HEX ATTACHMENT, CONTRACTOR BAG, BELT CLIP
2505-20	TOOL ONLY, BALL INFLATION NEEDLE, PRESTA CHUCK, SCHRADER CHUCK, INFLATOR NOZZLE

M12 FUEL™ 3/8" Extended Reach Ratchet Kit

Specifications

Voltage: 12V
Weight: 15.1"
Height: 3.1"
Max Torque: 55 ft/lbs
RPM: 0-200



Milwaukee #	Includes
2560-21	TOOL, (1) M12 CP2.0 BATTERY, CHARGER, CONTRACTOR BAG
2560-20	TOOL ONLY

M12 FUEL™ INSIDER™ Extended Reach Box Ratchet Kit

Specifications

Voltage: 12V
Length: 16"
Weight: 2.7 lbs
Max Torque: 60 ft/lbs
RPM: 0-350



Milwaukee #	Includes
3050-21	TOOL, (1) M12 HIGH OUTPUT CP2.5 BATTERY, INSIDER™ BOX RATCHET SOCKETS 8-19MM, 21MM, INSIDER™ BOX RATCHET 1/4" HEX ADAPTER CHARGER, INSIDER™ BOX RATCHET 1/4" & 3/8" ANVIL ADAPTERS
3050-20	TOOL ONLY

M12 FUEL™ HACKZALL® Recip Saw Kit

Specifications

Voltage: 12V
Length: 11.0"
Weight: 3.2 lbs
Stroke Length: 5/8"
SPM: 0-3,000



Milwaukee #	Includes
2520-21X0	TOOL, (1) M12 4.0 BATTERY, CHARGER, BAG
2520-20	TOOL ONLY

M12 FUEL™ 1/4" Right Angle Die Grinder Kit

Specifications

Voltage: 12V
Weight: 1.3"
Height: 8.2"
RPM: 20,000
4-mode RPM control with responsive variable-speed trigger



Milwaukee #	Includes
3485-22	TOOL, (1) M12 CP2.5 BATTERY, (1) M12 X05.0 BATTERY, CHARGER, WRENCH, CARRYING CASE
3485-20	TOOL ONLY, WRENCH

M12 FUEL™ 1/4" Extended Reach High Speed Ratchet

Specifications

Voltage: 12V
Weight: 13.5"
Height: 2"
Max Torque: 95 ft/lbs
RPM: 0-450



Milwaukee #	Includes
2568-20	TOOL ONLY

M12 FUEL™ 3/8" Ratchet Kit

Specifications

Voltage: 12V
Length: 11.8"
Weight: 2.8 lbs
Max Torque: 95 ft/lbs
RPM: 0-200



Milwaukee #	Includes
2557-22	TOOL, (2) M12 CP2.0 BATTERIES, CHARGER, CARRYING CASE
2557-20	TOOL ONLY

M12™ SYSTEM ENHANCEMENT

M12 FUEL™ 1/2" Right Angle Impact Wrench w/ Friction Ring Kit

Specifications

Voltage: 12V
Length: 13.28"
Weight: 2.82"
Max Torque: 65 ft/lbs
RPM: 0-3,000
IPM: 0-3,600
Nut-Busting Torque: 220 ft/lbs
Fastening Torque: 200 ft/lbs



Milwaukee #	Includes
2565-22	TOOL, (2) M12 CP2.0 BATTERIES, CHARGER, CONTRACTOR BAG
2565-20	TOOL ONLY

M12 FUEL™ 3/8" Right Angle Impact Wrench w/ Friction Ring Kit

Specifications

Voltage: 12V
Length: 13.89"
Weight: 3.05"
Max Torque: 65 ft/lbs
RPM: 0-3,000
IPM: 0-3,600
Nut-Busting Torque: 220 ft/lbs
Fastening Torque: 200 ft/lbs



Milwaukee #	Includes
2564-22	TOOL, (2) M12 CP2.0 BATTERIES, CHARGER, CONTRACTOR BAG
2564-20	TOOL ONLY

M12 FUEL™ Stubby 1/2" Impact Wrench Kit

Specifications

Voltage: 12V
Length: 4.9"
Weight: 2.2"
Max Torque: 95 ft/lbs
RPM: 0-3,000
IPM: 0-3,300
Nut-Busting Torque: 550 ft/lbs
Fastening Torque: 400 ft/lbs



Milwaukee #	Includes
2563-22	TOOL, (1) M12 2X(5.0 BATTERY, (1) M12 CP2.5 BATTERY, CHARGER, CONTRACTOR BAG
2563-20	TOOL ONLY

M12 FUEL™ Stubby 3/8" Impact Wrench Kit

Specifications

Voltage: 12V
Length: 4.8"
Weight: 2.2"
Max Torque: 95 ft/lbs
RPM: 0-3,000
IPM: 0-3,300
Nut-Busting Torque: 550 ft/lbs
Fastening Torque: 400 ft/lbs



Milwaukee #	Includes
2562-22	TOOL, (1) M12 2X(5.0 BATTERY, (1) M12 CP2.5 BATTERY, CHARGER, CONTRACTOR BAG
2562-20	TOOL ONLY

M12 FUEL™ 1/2" Digital Torque Wrench w/ ONE-KEY™

Specifications

Voltage: 12V
Length: 23.5"
Weight: 5.3"
Torque Range: 12.5 - 150 ft-lbs
RPM: 0-100
Tool Accuracy: CW: +/-2% of Full Scale/ CCW: +/-3% of Full Scale (Range: 20% -100% of Full Scale)



Milwaukee #	Includes
2466-20	TOOL ONLY, CARRYING CASE, CALIBRATION CERTIFICATE

M12 FUEL™ 3/8" Digital Torque Wrench w/ ONE-KEY™

Specifications

Voltage: 12V
Length: 23.3"
Weight: 5.1"
Torque Range: 10 - 100 ft-lbs
RPM: 0-100
Tool Accuracy: CW: +/-2% of Full Scale/ CCW: +/-3% of Full Scale (Range: 20% -100% of Full Scale)



Milwaukee #	Includes
2465-20	TOOL ONLY, CARRYING CASE, CALIBRATION CERTIFICATE

M12™ BATTERIES & CHARGERS

M12™ REDLITHIUM™ XC6.0 Battery

48-11-2460



M12™ REDLITHIUM™ HIGH OUTPUT™ XC5.0 Battery

48-11-2450



M12™ REDLITHIUM™ XC4.0 Battery

48-11-2440



M12™ REDLITHIUM™ XC3.0 Battery

48-11-2402



M12™ REDLITHIUM™ 3.0 Compact Battery

48-11-2430



M12™ REDLITHIUM™ HIGH OUTPUT™ CP2.5 Battery

48-11-2425



M12™ REDLITHIUM™ CP2.0 Battery

48-11-2420



M12™ REDLITHIUM™ CP1.5 Battery

48-11-2401



M12™ REDLITHIUM™ XC3.0 Battery 2-Pack

48-11-2412



M12™ REDLITHIUM™ Compact Battery 2-Pack

48-11-2411



M12™ CHARGERS

M12™ REDLITHIUM™ XC4.0 Starter Kit



Milwaukee #	Includes
48-59-2440	(1) M12 XC4.0 BATTERY, M12 CHARGER

M12™ REDLITHIUM™ 2.0 Starter Kit



Milwaukee #	Includes
48-59-2420	(1) M12 CP2.0 BATTERY, M12 CHARGER

M12™ Lithium-Ion Battery Charger

48-59-2401



M12™ Four Bay Sequential Charger

48-59-1204



LIGHTING SOLUTIONS

M18

2131-20
M18™ ROCKET™
Dual Power
Tower Light



2135-20
M18™ ROCKET™
Tower Light/
Charger



2120-20
M18™ ROCKET™ Dual
Pack Tower Light w/
ONE-KEY™



2354-20
M18™ Search Light



2129-20
M18™ Magnetic
Extendable Boom Light



2352-20
M18™ Stick Light



2150-20
M18™ RADIUS™
Site Light
2150-20 - ONE-KEY™



2144-20
M18™ RADIUS™
Compact Site Light
w/Flood Mode



2358-20
M18™ ROVER™
Clamping Flood Light



2366-20
M18™ ROVER™ Dual
Power Flood Light



2361-20
M18™ ROVER™
Flood Light



2123-21HD
M18™ Utility Remote
Control Search Light
Kit w/ Portable Base



2145-20
M18™ RADIUS™
Compact Site Light
2145-20 - ONE-KEY™



2359-20
M18™ ROVER™ Compact
Folding Flood Light w/ USB Charging



2368-20
M18™ ROVER™ Dual Power
Triple-Panel Flood & Area Light



2357-20
M18™ PACKOUT™
Light/Charger



M12

2132-20
M12™ ROCKET™
Dual Power
Tower Light



2351-20
M12™ Stick
Light



2353-20
M12™ Spot
Light



2356-20
M12™ PACKOUT™ Flood
Light w/ USB Charging



2362-20
M12™ Trouble Light
w/ USB Charging



2364-20
M12™ ROVER™
Mounting Flood Light



2367-20
M12™ ROVER™
Service & Repair Flood
Light w/ USB Charging



49-24-0146
M12™ Work
Light



USB RECHARGEABLE



2114-21
USB Rechargeable ROVER™
Pivoting Flood Light



2011R
Rechargeable 500L
Everyday Carry Flashlight
w/ Magnet



2010R
Rechargeable 250L
Penlight w/ Laser



2013R
Rechargeable Low-Profile
Magnetic Task Light



2113-21
USB Rechargeable
Pivoting Flashlight



2151-21
USB Rechargeable 1100L
Twist Focus Flashlight



2162-21
REDLITHIUM™ USB 2,000L
Slide Focus Flashlight



2021-21
REDLITHIUM™
USB Stick Light
w/ Magnet

2163-21
REDLITHIUM™
USB Hard Hat
Headlamp



2115-21
USB Rechargeable
Low-Profile Headlamp



2012R
Rechargeable
Magnetic Headlamp
And Task Light



2116-21
USB Rechargeable
BEACON™ Hard
Hat Light



2118-21
USB REDLITHIUM™
BOU™ Headlamp Kit



2117-21
USB REDLITHIUM™
400L Neck Light Kit



48-11-2131
REDLITHIUM™
USB 3.0 Battery



48-59-2012
USB Rechargeable
Portable Power
Source & Charger



ALKALINE

2004HZL
MILWAUKEE® Intrinsically
Safe C, I, II, III / D 1
Spot/Flood Headlamp



2103
Headlamp



2104
Spot/Flood
Headlamp



SHOP MORE SOLUTIONS AT WWW.MILWAUKEETOOL.COM

PERSONAL PROTECTIVE EQUIPMENT

TYPE II SAFETY HELMET WITH IMPACT ARMOR™ (NO BRIM)

ITEM #	DESCRIPTION
48-73-1350	BOLT™ White Vented Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class C
48-73-1351	BOLT™ White Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class E
48-73-1352	BOLT™ Yellow Vented Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class C
48-73-1353	BOLT™ Yellow Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class E
48-73-1354	BOLT™ Blue Vented Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class C
48-73-1355	BOLT™ Blue Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class E
48-73-1356	BOLT™ Green Vented Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class C
48-73-1357	BOLT™ Green Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class E
48-73-1358	BOLT™ Red Vented Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class C
48-73-1359	BOLT™ Red Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class E
48-73-1360	BOLT™ Black Vented Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class C
48-73-1361	BOLT™ Black Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class E
48-73-1362	BOLT™ Orange Vented Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class C
48-73-1363	BOLT™ Orange Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class E
48-73-1378	BOLT™ Gray Vented Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class C
48-73-1379	BOLT™ Gray Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class E



TYPE II SAFETY HELMET WITH IMPACT ARMOR™ (FRONT BRIM)

ITEM #	DESCRIPTION
48-73-1364	BOLT™ White FrontBrim Vented Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class C
48-73-1365	BOLT™ White FrontBrim Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class E
48-73-1366	BOLT™ Yellow FrontBrim Vented Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class C
48-73-1367	BOLT™ Yellow FrontBrim Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class E
48-73-1368	BOLT™ Blue FrontBrim Vented Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class C
48-73-1369	BOLT™ Blue FrontBrim Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class E
48-73-1370	BOLT™ Green FrontBrim Vented Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class C
48-73-1371	BOLT™ Green FrontBrim Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class E
48-73-1372	BOLT™ Red FrontBrim Vented Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class C
48-73-1373	BOLT™ Red FrontBrim Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class E
48-73-1374	BOLT™ Black FrontBrim Vented Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class C
48-73-1375	BOLT™ Black FrontBrim Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class E
48-73-1376	BOLT™ Orange FrontBrim Vented Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class C
48-73-1377	BOLT™ Orange FrontBrim Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class E
48-73-1380	BOLT™ Gray FrontBrim Vented Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class C
48-73-1381	BOLT™ Gray FrontBrim Safety Helmet with IMPACT ARMOR™ Liner (USA) - Type 2, Class E



IMPACT ARMOR™ LINER

- Advanced Slip, Trip & Fall Protection
- IMPACT ARMOR™ Liner Delivers the Best Oblique Impact Protection† (utilizing RHEED™ Technology) †Based on impacts at a 45° angle at a speed of 6.5 M/s averaged across 16 testing locations around the full helmet circumference.
- Antimicrobial - Prevents Odor and Bacteria
- Compatible with Milwaukee® Safety Helmets
- Removable And Machine Washable
- Soft Polyester Construction for Comfort
- Liner Reduces Pressure Points for Additional Comfort
- Attaches to Suspension with Velcro
- Lightweight Design for All Day Wear

ITEM #	DESCRIPTION
48-73-1382	BOLT™ IMPACT ARMOR™ Liner



BOLT™ REFLECTIVE STICKERS

- Long Lasting
- Resists UV Fading
- Allows for Customization
- Non-Conductive Material

**COMING
SOON**

ITEM #	DESCRIPTION
48-73-4600	BOLT™ Reflective Stickers - Silver
48-73-4608	BOLT™ Reflective Stickers - Silver (20)
48-73-4601	BOLT™ Reflective Stickers - Yellow
48-73-4602	BOLT™ Reflective Stickers - Orange
48-73-4603	BOLT™ Reflective Stickers - Red
48-73-4604	BOLT™ Reflective Stripes - Silver
48-73-4605	BOLT™ Reflective Stripes - Silver (20)



PERSONAL PROTECTIVE EQUIPMENT

SAFETY HELMETS



Stores Impact Energy



Protects Forehead

One-piece and Modular Suspension

Adjustable with Strap Buckle for Fit



One-piece and Modular Suspension

Stores Impact Energy and Stores Impact Energy

Adjustable with Strap Buckle for Fit

One-piece and Modular Suspension

Adjustable with Strap Buckle for Fit



CUSTOMIZE YOUR PPE



or visit milsafety.com/0250a



SAFETY HELMET
**BETTER PROTECTION
MORE COMFORT**

JHMSAEZ001
TYPE I, TYPE II

Meets Energy Absorption Capacity classes 42.13 (Front), 42.13 (Side), 42.14 (Rear), and (Penetration) standards per 42.2 (Strength) & 42.4 (Retention) of ASTM F1492-2012

STAY SAFE.
STAY PRODUCTIVE.



TYPE II SAFETY HELMET FRONT BRIM



Safety Helmet Colors available:



ITEM #	COLOR	CLASS
48-73-1320	WHITE	C
48-73-1321	WHITE	E
48-73-1322	YELLOW	C
48-73-1323	YELLOW	E
48-73-1324	BLUE	C
48-73-1325	BLUE	E
48-73-1326	GREEN	C

ITEM #	COLOR	CLASS
48-73-1327	GREEN	E
48-73-1328	RED	C
48-73-1329	RED	E
48-73-1330	BLACK	C
48-73-1331	BLACK	E
48-73-1332	ORANGE	C
48-73-1333	ORANGE	E

TYPE II SAFETY HELMET NO BRIM



Safety Helmet Colors available:



ITEM #	COLOR	CLASS
48-73-1300	WHITE	C
48-73-1301	WHITE	E
48-73-1302	YELLOW	C
48-73-1303	YELLOW	E
48-73-1304	BLUE	C
48-73-1305	BLUE	E
48-73-1306	GREEN	C

ITEM #	COLOR	CLASS
48-73-1307	GREEN	E
48-73-1308	RED	C
48-73-1309	RED	E
48-73-1310	BLACK	C
48-73-1311	BLACK	E
48-73-1312	ORANGE	C
48-73-1313	ORANGE	E

48-73-1100



BOLT

FRONT BRIM HARD HAT W/4PT RATCHETING SUSPENSION

ITEM #	COLOR	CLASS
48-73-1100	WHITE	E
48-73-1200	WHITE	C
48-73-1102	YELLOW	E
48-73-1202	YELLOW	C
48-73-1104	BLUE	E
48-73-1204	BLUE	C
48-73-1106	GREEN	E
48-73-1206	GREEN	C
48-73-1108	RED	E
48-73-1208	RED	C
48-73-1110	BLACK	E
48-73-1210	BLACK	C
48-73-1112	ORANGE	E
48-73-1212	ORANGE	C
48-73-1114	GRAY	E
48-73-1214	GRAY	C

48-73-1101



BOLT

FULL BRIM HARD HAT W/4PT RATCHETING SUSPENSION

ITEM #	COLOR	CLASS
48-73-1101	WHITE	E
48-73-1201	WHITE	C
48-73-1103	YELLOW	E
48-73-1203	YELLOW	C
48-73-1105	BLUE	E
48-73-1205	BLUE	C
48-73-1107	GREEN	E
48-73-1207	GREEN	C
48-73-1109	RED	E
48-73-1209	RED	C
48-73-1111	BLACK	E
48-73-1211	BLACK	C
48-73-1113	ORANGE	E
48-73-1213	ORANGE	C
48-73-1115	GRAY	E
48-73-1215	GRAY	C

48-73-1121



BOLT

FULL BRIM HARD HAT W/6PT RATCHETING SUSPENSION

ITEM #	COLOR	CLASS
48-73-1121	WHITE	E
48-73-1221	WHITE	C
48-73-1123	YELLOW	E
48-73-1223	YELLOW	C
48-73-1125	BLUE	E
48-73-1225	BLUE	C
48-73-1127	GREEN	E
48-73-1227	GREEN	C
48-73-1129	RED	E
48-73-1229	RED	C
48-73-1131	BLACK	E
48-73-1231	BLACK	C
48-73-1133	ORANGE	E
48-73-1233	ORANGE	C
48-73-1135	GRAY	E
48-73-1235	GRAY	C

SHOP MORE SOLUTIONS AT WWW.MILWAUKEETOOL.COM

PERSONAL PROTECTIVE EQUIPMENT



48-73-1070



48-73-1072



48-73-1073



BOLT™ SUN PROTECTION

- UV Protection Everyday Wear
- 50+ SPF Protection
- Moisture Wicking – Stay Cool Dry Fast
- Antimicrobial Shade – Prevents Odor and Bacteria
- Breathable Mesh – Stay Cool
- Dedicated Ear-Muff Accessory Slots
- Zip Off Shade for Machine Wash
- Compatible with Milwaukee® Safety Helmets & Hard Hats

ITEM #	DESCRIPTION
48-73-1070	BOLT Sunshade
48-73-1072	BOLT Visor and Sunshade
48-73-1073	BOLT Visor

BOLT™ MESH FACE SHIELD

- Durable Mesh
- Highly Durable Stainless-Steel Mesh
- Wide and Clear Field of View
- Quick Attachment and Removal
- BOLT™ System – Secure Accessories Simultaneously
- Compatible with Milwaukee® Safety Helmets and Hard Hats
- Secure into BOLT™ Slots



Universal - Helmet or Hard Hat

Helmet Only
No Brim Style

ITEM #	DESCRIPTION
48-73-1430	BOLT Mesh Face Shield (Universal)
48-73-1431	BOLT Mesh Face Shield (No Brim - Helmet Only)
48-73-1432	5 PK Replacement Mesh (Universal)
48-73-1433	10 PK Replacement Mesh (Universal)
48-73-1434	5 PK Replacement Mesh (No Brim - Helmet Only)
48-73-1435	10 PK Replacement Mesh (No Brim - Helmet Only)

BOLT™ Mount

- Comes with All BOLT™ Face Shield or Eye Visors
- Gives you the ability to stack a Milwaukee headlamp on top of your BOLT™ Face shield or Eye Visor



ITEM #	DESCRIPTION
48-73-1094	BOLT Low-Profile Headlamp Mount



BOLT™ VISORS

- Best Fit. Easy Headlamp Use
- More Comfortable Pivoting Visor Angle Raise and Lower with Headlamp Mounted
- Lasting Fog-Free Interior Coating
- BOLT™ System – Secure Accessories Simultaneously
- Compatible with Milwaukee® Safety Helmets & Hard Hats
- Secures into BOLT™ Front Mount

ITEM #	DESCRIPTION
48-73-1410	BOLT Clear Visor (Universal)
48-73-1411	BOLT Clear Visor (Helmet Only)
48-73-1415	BOLT Tinted Visor (Universal)
48-73-1416	BOLT Tinted Visor (Helmet Only)
48-73-1458	BOLT Visor - Brim only (Universal)
48-73-1459	BOLT Visor - Brim only (Helmet Only)
48-73-1450	5 PK Clear Replacement Visor
48-73-1451	10 PK Clear Replacement Visor
48-73-1452	5 PK Tinted Replacement Visor
48-73-1453	10 PK Tinted Replacement Visor



Helmet Only

Universal -
Helmet or Hard Hat

Universal -
Helmet or Hard Hat

Helmet Only

BOLT™ Full Face Shields

- Long-Lasting Visibility
- Long Lasting Fog-Free Interior Coating
- Anti-Scratch Exterior Hard Coating
- Quick Attachment & Removal
- BOLT™ System – Secure Accessories Simultaneously
- Compatible with Milwaukee Safety Helmets and Hard Hats
- Secures into BOLT™ Slots

ITEM #	DESCRIPTION
48-73-1420	BOLT Clear Full-Face Shield (Universal)
48-73-1421	BOLT Clear Full-Face Shield (No Brim)
48-73-1425	BOLT Gray Full-Face Shield (Universal)
48-73-1426	BOLT Gray Full-Face Shield (No Brim)
48-73-1448	BOLT Full Face Shield - Universal Assembly
48-73-1449	BOLT Full Face Shield - No Brim Assembly
48-73-1440	5 PK Clear Replacement Shield (Universal)
48-73-1441	10 PK Clear Replacement Shield (Universal)
48-73-1442	5 PK Gray Replacement Shield (Universal)
48-73-1443	10 PK Gray Replacement Shield (Universal)
48-73-1444	5 PK Clear Replacement Shield (No Brim)
48-73-1445	10 PK Clear Replacement Shield (No Brim)
48-73-1446	5 PK Gray Replacement Shield (No Brim)
48-73-1447	10 PK Gray Replacement Shield (No Brim)



Universal - Helmet or Hard Hat

Helmet Only
No Brim Style

BOLT™ Earmuffs

- Adjustable Fit - Center-Mount Design
- Balanced Wear - Multiple Storage Positions
- Secures into Milwaukee® Safety Helmets and Hard Hats BOLT™ and Universal Accessory Slots

ITEM #	DESCRIPTION
48-73-3250	BOLT Earmuffs NRR - 24dB
48-73-3251	BOLT Earmuffs NRR - 25dB





COOLING SOLUTIONS

KEEP COOL

One Size Fits Most

4-Way Stretch Material

Up to 4-Hours of Cooling Time

Machine Washable

Quick, 30-Second Absorption



Quick, 30-Second Absorption

Up to 4-Hours of Cooling Time

Attaches to Suspension with Hook and Loop

Machine Washable

Soft, Comfortable Padding



BOLT™ Hard Hat Cooling Sweat Band



BOLT™ Safety Helmet Cooling Sweat Band

Also Available:

Model #	Description
48-73-45 42	BOLT™ Cooling Hard Hat Sweat Band
48-73-45 43	BOLT™ Cooling Safety Helmet Sweat Band

Model #	Description
48-73-45 44	BOLT™ Cooling Safety Helmet Liner
48-73-45 45	BOLT™ Cooling Skull Cap

COOLING TOWELS

KEEP COOL

Quick, 30-Second Absorption

Machine Washable

Durable Edge Banding

Comfortable Microfiber Material



Blocks Harmful UV Rays

Up to 4-Hours of Cooling Time

Dimensions
Length: 34.25"
Width: 8.33"

Also Available:



Cooling PVA Towel

Model #	Description
48-73-45 40	Cooling PVA Towel
48-73-45 41	Cooling Microfiber Towel

Model #	Description
48-73-45 40 B	10 Ft. Cooling PVA Towel
48-73-45 41 B	10 Ft. Cooling Microfiber Towel

PERSONAL PROTECTIVE EQUIPMENT

HIGH VISIBILITY VESTS

- Quick Internal Size Adjustment
- Reinforced Pen Pockets
- Fall Protection Pass-Through
- **10 Total Pockets**



ITEM #	DESCRIPTION	BUY PK
48-73-5021	Yellow - S/M	12
48-73-5022	Yellow - L/XL	12
48-73-5023	Yellow - 2XL/3XL	12
48-73-5031	Orange - S/M	12
48-73-5032	Orange - L/XL	12
48-73-5033	Orange - 2XL/3XL	12
48-73-5061	Yellow - S/M (CSA)	12
48-73-5062	Yellow - L/XL (CSA)	12
48-73-5063	Yellow - 2XL/3XL (CSA)	12
48-73-5071	Orange - S/M (CSA)	12
48-73-5072	Orange - L/XL (CSA)	12
48-73-5073	Orange - 2XL/3XL (CSA)	12

HIGH VISIBILITY PERFORMANCE VESTS

- Reinforced Front Pockets
- Comfortable Padded Collar
- Quick Internal Size Adjustment
- **15 Total Pockets**, including Tablet Pocket



ITEM #	DESCRIPTION	BUY PK
48-73-5041	Yellow - S/M	12
48-73-5042	Yellow - L/XL	12
48-73-5043	Yellow - 2XL/3XL	12
48-73-5051	Orange - S/M	12
48-73-5052	Orange - L/XL	12
48-73-5053	Orange - 2XL/3XL	12
48-73-5081	Yellow - S/M (CSA)	12
48-73-5082	Yellow - L/XL (CSA)	12
48-73-5083	Yellow - 2XL/3XL (CSA)	12
48-73-5091	Orange - S/M (CSA)	12
48-73-5092	Orange - L/XL (CSA)	12
48-73-5093	Orange - 2XL/3XL (CSA)	12

CLASS 2 HIGH VISIBILITY MESH SAFETY VESTS

- STAY COOL. ANTI-ODOR.
- Moisture Wicking - Stay Cool, Dry Fast
- Lightweight, Breathable Mesh
- Quick Internal Size Adjustment - Better Fit
- **9 Total Pockets** with Reinforced Pen Pockets



ITEM #	DESCRIPTION	BUY PK
48-73-5111	Yellow - S/M	12
48-73-5112	Yellow - L/XL	12
48-73-5113	Yellow - 2XL/3XL	12
48-73-5114	Yellow - 4XL/5XL	12
48-73-5115	Orange - S/M	12
48-73-5116	Orange - L/XL	12
48-73-5117	Orange - 2XL/3XL	12
48-73-5118	Orange - 4XL/5XL	12

CLASS 2 BREAKAWAY HIGH VISIBILITY MESH SAFETY VESTS

- STAY COOL. ANTI-ODOR.
- Moisture Wicking - Stay Cool, Dry Fast
- Lightweight, Breathable Mesh
- 5-Point Breakaway on Shoulders, Sides, and Front
- **9 Total Pockets** with Reinforced Pen Pockets



ITEM #	DESCRIPTION	BUY PK
48-73-5121	Yellow - S/M	12
48-73-5122	Yellow - L/XL	12
48-73-5123	Yellow - 2XL/3XL	12
48-73-5124	Yellow - 4XL/5XL	12
48-73-5125	Orange - S/M	12
48-73-5126	Orange - L/XL	12
48-73-5127	Orange - 2XL/3XL	12
48-73-5128	Orange - 4XL/5XL	12
48-73-5171	Yellow - S/M (ANSI/CSA)	12
48-73-5172	Yellow - L/XL (ANSI/CSA)	12
48-73-5173	Yellow - 2XL/3XL (ANSI/CSA)	12
48-73-5174	Yellow - 4XL/5XL (ANSI/CSA)	12
48-73-5175	Orange - S/M (ANSI/CSA)	12
48-73-5176	Orange - L/XL (ANSI/CSA)	12
48-73-5177	Orange - 2XL/3XL (ANSI/CSA)	12
48-73-5178	Orange - 4XL/5XL (ANSI/CSA)	12

CLASS 2 HIGH VISIBILITY MESH ONE POCKET SAFETY VESTS

- Lightweight, Breathable Mesh
- 1 Mic Tab
- Secure Zipper Closure
- **1 External Chest Pocket**



ITEM #	DESCRIPTION	BUY PK
48-73-2241	Yellow - S/M	12
48-73-2242	Yellow - L/XL	12
48-73-2243	Yellow - 2XL/3XL	12
48-73-2244	Yellow - 4XL/5XL	12
48-73-2245	Orange - S/M	12
48-73-2246	Orange - L/XL	12
48-73-2247	Orange - 2XL/3XL	12
48-73-2248	Orange - 4XL/5XL	12
48-73-2251	Yellow - S/M (CSA)	12
48-73-2252	Yellow - L/XL (CSA)	12
48-73-2253	Yellow - 2XL/3XL (CSA)	12
48-73-2254	Yellow - 4XL/5XL (CSA)	12
48-73-2255	Orange - S/M (CSA)	12
48-73-2256	Orange - L/XL (CSA)	12
48-73-2257	Orange - 2XL/3XL (CSA)	12
48-73-2258	Orange - 4XL/5XL (CSA)	12

CLASS 3 HIGH VISIBILITY MESH SAFETY VESTS

- STAY COOL. ANTI-ODOR.
- Moisture Wicking - Stay Cool, Dry Fast
- Lightweight, Breathable Mesh
- Quick Internal Size Adjustment - Better Fit
- **9 Total Pockets** with Reinforced Pen Pockets



ITEM #	DESCRIPTION	BUY PK
48-73-5131	Yellow - S/M	12
48-73-5132	Yellow - L/XL	12
48-73-5133	Yellow - 2XL/3XL	12
48-73-5134	Yellow - 4XL/5XL	12
48-73-5135	Orange - S/M	12
48-73-5136	Orange - L/XL	12
48-73-5137	Orange - 2XL/3XL	12
48-73-5138	Orange - 4XL/5XL	12

CLASS 3 HIGH VISIBILITY SAFETY VESTS

- Quick Internal Size Adjustment - Better Fit
- Fall Protection Pass-Through
- Clear ID Holder
- **10 Total Pockets** with Reinforced Pen Pockets



ITEM #	DESCRIPTION	BUY PK
48-73-5141	Yellow - S/M	12
48-73-5142	Yellow - L/XL	12
48-73-5143	Yellow - 2XL/3XL	12
48-73-5144	Yellow - 4XL/5XL	12
48-73-5145	Orange - S/M	12
48-73-5146	Orange - L/XL	12
48-73-5147	Orange - 2XL/3XL	12
48-73-5148	Orange - 4XL/5XL	12

AR/FR CAT. 1 CLASS 2 HIGH VISIBILITY YELLOW MESH SAFETY VESTS

- Quick Internal Size Adjustment - Better Fit
- Fall Protection Pass-Through
- Anti-Static Mesh - Reduces Static Buildup
- **10 Total Pockets** with Reinforced Pen Pockets



ITEM #	DESCRIPTION	BUY PK
48-73-5201	Yellow - S/M	12
48-73-5202	Yellow - L/XL	12
48-73-5203	Yellow - 2XL/3XL	12
48-73-5204	Yellow - 4XL/5XL	12

AR/FR CAT. 1 CLASS 2 HIGH VISIBILITY YELLOW SAFETY VESTS

- Quick Internal Size Adjustment - Better Fit
- Fall Protection Pass-Through
- **10 Total Pockets** with Reinforced Pen Pockets



ITEM #	DESCRIPTION	BUY PK
48-73-5301	Yellow - S/M	12
48-73-5302	Yellow - L/XL	12
48-73-5303	Yellow - 2XL/3XL	12
48-73-5304	Yellow - 4XL/5XL	12

PERSONAL PROTECTIVE EQUIPMENT



CUSTOMIZE YOUR PPE

- **INTERACTIVE** Real-Time Design
- **ADD YOUR LOGO** Most File Types Accepted
- **EASY ORDERING** with No Added Fees

HEAD PROTECTION

Print Capabilities:

- Up to 4 Unique Locations
- Unlimited Colors

Minimum Orders: 24

- Can Mix Class, Brim Style, Suspension and Colors in Increments of 6.
- Helmets and Hard Hats can not be mixed within minimum order quantities.

Hard Hat Colors available:



Safety Helmet Colors available:



SAFETY VEST

Print Capabilities:

- Up to 2 Unique Locations
- Up to 8 Colors

Minimum Orders: 24

- Can Mix Sizes in Increments of 12



Left Pocket



Back



Lower Back

HOW TO SUBMIT AN ORDER

- Place an order through a Sales Representative, MILWAUKEE® Connect or create a configurator ID on <https://www.milwaukeetool.com/>
- If you have a configurator ID you can place an order by providing this ID to a Milwaukee Tool distributor.
- Once an order is placed a final proof will be sent to the email associated with the order within 24 hours of when the order was placed.

DESIGN CAPABILITIES

- Upload Your Logo
 - Add Text
 - Add from Available Stock Image Library
- Graphic Support Available to recreate or convert uploaded files to high resolution vectors for printing.

LEAD TIME

Estimated turnaround time for most orders is 2-3 weeks after final artwork has been approved.*

MORE INFORMATION

Please send an email to CXCustomSafety@milwaukeetool.com or call **1-800-SAW DUST** (1-800-729-3878) for more information or questions related to customization.

An order can be canceled prior to the artwork proof being approved. If the proof is approved the order cannot be canceled or returned as all customized products are made just for you.

*If you have multiple customized products on an order it will move to production once all artwork has been approved. For any orders over 2,000 additional production time will be needed. If there is a problem with your order you will be contacted with further information.

CUSTOMIZE YOUR PPE



or visit <https://qr.mke.tl/2d76v>

SHOP MORE SOLUTIONS AT WWW.MILWAUKEETOOL.COM

PERSONAL PROTECTIVE EQUIPMENT

NITRILE DIPPED GLOVES

CUT 1 DIPPED GLOVES

- Textured Nitrile Palm
- Nylon/Lycra Blend
- SMARTSWIPE™ Index Fingertip
- ANSI & EN Cut Level 1 Protection
- High Dexterity Design



ITEM #	DESCRIPTION
48-22-8900B	CutLevel 1 Nitrile Dipped Gloves - S
48-22-8901B	CutLevel 1 Nitrile Dipped Gloves - M
48-22-8902B	CutLevel 1 Nitrile Dipped Gloves - L
48-22-8903B	CutLevel 1 Nitrile Dipped Gloves - XL
48-22-8904B	CutLevel 1 Nitrile Dipped Gloves - XXL

CUT 2 DIPPED GLOVES

- Reinforced Nitrile Coating
- 50% More Puncture Resistant*
- 15 Gauge Material
- Nitrile Coated Palm
- SMARTSWIPE™



ITEM #	DESCRIPTION
48-22-8925B	CutLevel 2 Nitrile Dipped Gloves - S
48-22-8926B	CutLevel 2 Nitrile Dipped Gloves - M
48-22-8927B	CutLevel 2 Nitrile Dipped Gloves - L
48-22-8928B	CutLevel 2 Nitrile Dipped Gloves - XL
48-22-8929B	CutLevel 2 Nitrile Dipped Gloves - XXL

CUT 3 DIPPED GLOVES

- ANSI & EN Cut Level 3 Protection
- Comfort Web Grip
- Best in class Puncture Rating
- SMARTSWIPE™ Palm & Fingertips
- High Dexterity Design



ITEM #	DESCRIPTION
48-22-8930B	CutLevel 3 Nitrile Dipped Gloves - S
48-22-8931B	CutLevel 3 Nitrile Dipped Gloves - M
48-22-8932B	CutLevel 3 Nitrile Dipped Gloves - L
48-22-8933B	CutLevel 3 Nitrile Dipped Gloves - XL
48-22-8934B	CutLevel 3 Nitrile Dipped Gloves - XXL

CUT 4 DIPPED GLOVES

- Reinforced Nitrile Coating
- 40% More Puncture Resistant*
- Nitrile Coated Palm
- SMARTSWIPE™
- ANSI Cut 4 Rated



ITEM #	DESCRIPTION
48-22-8945B	CutLevel 4 Nitrile Dipped Gloves - S
48-22-8946B	CutLevel 4 Nitrile Dipped Gloves - M
48-22-8947B	CutLevel 4 Nitrile Dipped Gloves - L
48-22-8948B	CutLevel 4 Nitrile Dipped Gloves - XL
48-22-8949B	CutLevel 4 Nitrile Dipped Gloves - XXL

CUT 5 DIPPED GLOVES

- ANSI Cut Level 5 Protection
- Double Dipped Grip
- Best in class Puncture Rating
- SMARTSWIPE™ Palm & Fingertips
- High Dexterity Design



ITEM #	DESCRIPTION
48-22-8950B	CutLevel 5 Nitrile Dipped Gloves - S
48-22-8951B	CutLevel 5 Nitrile Dipped Gloves - M
48-22-8952B	CutLevel 5 Nitrile Dipped Gloves - L
48-22-8953B	CutLevel 5 Nitrile Dipped Gloves - XL
48-22-8954B	CutLevel 5 Nitrile Dipped Gloves - XXL

POLYURETHANE DIPPED GLOVES

CUT 1 DIPPED HI-VIS GLOVES

- Lightweight and Breathable
- 15 Gauge Material
- SMARTSWIPE™
- Polyurethane Dipped
- Soft and Comfortable Liner



ITEM #	DESCRIPTION	BUY PK
48-73-8910B	12PK High Visibility CutLevel 1 Polyurethane Dipped - S	12
48-73-8911B	12PK High Visibility CutLevel 1 Polyurethane Dipped - M	12
48-73-8912B	12PK High Visibility CutLevel 1 Polyurethane Dipped - L	12
48-73-8913B	12PK High Visibility CutLevel 1 Polyurethane Dipped - XL	12
48-73-8914B	12PK High Visibility CutLevel 1 Polyurethane Dipped - XXL	12

CUT 2 DIPPED HI-VIS GLOVES

- Better Fit, Better Protection.
- Reinforced Nitrile Coating
- SMARTSWIPE™
- 15 Gauge Material
- Polyurethane Dipped Palm



ITEM #	DESCRIPTION	BUY PK
48-73-8920B	12PK High Visibility CutLevel 2 Polyurethane Dipped - S	12
48-73-8921B	12PK High Visibility CutLevel 2 Polyurethane Dipped - M	12
48-73-8922B	12PK High Visibility CutLevel 2 Polyurethane Dipped - L	12
48-73-8923B	12PK High Visibility CutLevel 2 Polyurethane Dipped - XL	12
48-73-8924B	12PK High Visibility CutLevel 2 Polyurethane Dipped - XXL	12

CUT 3 DIPPED HI-VIS GLOVES

- Better Fit, Better Protection.
- Reinforced Nitrile Coating
- SMARTSWIPE™
- 15 Gauge Material
- Polyurethane Dipped Palm



ITEM #	DESCRIPTION	BUY PK
48-73-8930B	12PK High Visibility CutLevel 3 Polyurethane Dipped - S	12
48-73-8931B	12PK High Visibility CutLevel 3 Polyurethane Dipped - M	12
48-73-8932B	12PK High Visibility CutLevel 3 Polyurethane Dipped - L	12
48-73-8933B	12PK High Visibility CutLevel 3 Polyurethane Dipped - XL	12
48-73-8934B	12PK High Visibility CutLevel 3 Polyurethane Dipped - XXL	12

CUT 4 DIPPED HI-VIS GLOVES

- Better Fit, Better Protection.
- Reinforced Nitrile Coating
- SMARTSWIPE™
- 15 Gauge Material
- Polyurethane Dipped Palm



ITEM #	DESCRIPTION	BUY PK
48-73-8940B	12PK High Visibility CutLevel 4 Polyurethane Dipped - S	12
48-73-8941B	12PK High Visibility CutLevel 4 Polyurethane Dipped - M	12
48-73-8942B	12PK High Visibility CutLevel 4 Polyurethane Dipped - L	12
48-73-8943B	12PK High Visibility CutLevel 4 Polyurethane Dipped - XL	12
48-73-8944B	12PK High Visibility CutLevel 4 Polyurethane Dipped - XXL	12

CUT 5 DIPPED HI-VIS GLOVES

- Reinforced Nitrile Coating
- Lightweight and Breathable
- 40% More Puncture Resistant*
- SMARTSWIPE™
- Polyurethane Dipped



ITEM #	DESCRIPTION	BUY PK
48-73-8950B	12PK High Visibility CutLevel 5 Polyurethane Dipped - S	12
48-73-8951B	12PK High Visibility CutLevel 5 Polyurethane Dipped - M	12
48-73-8952B	12PK High Visibility CutLevel 5 Polyurethane Dipped - L	12
48-73-8953B	12PK High Visibility CutLevel 5 Polyurethane Dipped - XL	12
48-73-8954B	12PK High Visibility CutLevel 5 Polyurethane Dipped - XXL	12

PERSONAL PROTECTIVE EQUIPMENT

CUT LEVEL 2 HIGH DEXTERITY NITRILE DIPPED GLOVES

- 18 Gauge - Total Mobility
- Reinforced Nitrile Coating Between Thumb and Index Finger
- Long-Lasting Nitrile Dip
- SMARTWIPE™ Touchscreen Compatible Fingertips



ITEM #	DESCRIPTION	BUY PK
48-73-7120	Cut Level 2 High Dexterity Nitrile Dipped Gloves - S	6
48-73-7121	Cut Level 2 High Dexterity Nitrile Dipped Gloves - M	6
48-73-7122	Cut Level 2 High Dexterity Nitrile Dipped Gloves - L	6
48-73-7123	Cut Level 2 High Dexterity Nitrile Dipped Gloves - XL	6
48-73-7124	Cut Level 2 High Dexterity Nitrile Dipped Gloves - XXL	6
48-73-7120E	12PK Cut Level 2 High Dexterity Nitrile Dipped Gloves - S	12
48-73-7121E	12PK Cut Level 2 High Dexterity Nitrile Dipped Gloves - M	12
48-73-7122E	12PK Cut Level 2 High Dexterity Nitrile Dipped Gloves - L	12
48-73-7123E	12PK Cut Level 2 High Dexterity Nitrile Dipped Gloves - XL	12
48-73-7124E	12PK Cut Level 2 High Dexterity Nitrile Dipped Gloves - XXL	12

CUT LEVEL 3 HIGH DEXTERITY NITRILE DIPPED GLOVES

- 18 Gauge - Total Mobility
- Reinforced Nitrile Coating Between Thumb and Index Finger
- Long-Lasting Nitrile Dip
- SMARTWIPE™ Touchscreen Compatible Fingertips



ITEM #	DESCRIPTION	BUY PK
48-73-7130	Cut Level 3 High Dexterity Nitrile Dipped Gloves - S	6
48-73-7131	Cut Level 3 High Dexterity Nitrile Dipped Gloves - M	6
48-73-7132	Cut Level 3 High Dexterity Nitrile Dipped Gloves - L	6
48-73-7133	Cut Level 3 High Dexterity Nitrile Dipped Gloves - XL	6
48-73-7134	Cut Level 3 High Dexterity Nitrile Dipped Gloves - XXL	6
48-73-7130E	12PK Cut Level 3 High Dexterity Nitrile Dipped Gloves - S	12
48-73-7131E	12PK Cut Level 3 High Dexterity Nitrile Dipped Gloves - M	12
48-73-7132E	12PK Cut Level 3 High Dexterity Nitrile Dipped Gloves - L	12
48-73-7133E	12PK Cut Level 3 High Dexterity Nitrile Dipped Gloves - XL	12
48-73-7134E	12PK Cut Level 3 High Dexterity Nitrile Dipped Gloves - XXL	12

CUT LEVEL 4 HIGH DEXTERITY NITRILE DIPPED GLOVES

- 18 Gauge - Total Mobility
- Reinforced Nitrile Coating Between Thumb and Index Finger
- Long-Lasting Nitrile Dip
- SMARTWIPE™ Touchscreen Compatible Fingertips



ITEM #	DESCRIPTION	BUY PK
48-73-7140	Cut Level 4 High Dexterity Nitrile Dipped Gloves - S	6
48-73-7141	Cut Level 4 High Dexterity Nitrile Dipped Gloves - M	6
48-73-7142	Cut Level 4 High Dexterity Nitrile Dipped Gloves - L	6
48-73-7143	Cut Level 4 High Dexterity Nitrile Dipped Gloves - XL	6
48-73-7144	Cut Level 4 High Dexterity Nitrile Dipped Gloves - XXL	6
48-73-7140E	12PK Cut Level 4 High Dexterity Nitrile Dipped Gloves - S	12
48-73-7141E	12PK Cut Level 4 High Dexterity Nitrile Dipped Gloves - M	12
48-73-7142E	12PK Cut Level 4 High Dexterity Nitrile Dipped Gloves - L	12
48-73-7143E	12PK Cut Level 4 High Dexterity Nitrile Dipped Gloves - XL	12
48-73-7144E	12PK Cut Level 4 High Dexterity Nitrile Dipped Gloves - XXL	12

CUT LEVEL 5 HIGH DEXTERITY NITRILE DIPPED GLOVES

- 18 Gauge - Total Mobility
- Reinforced Nitrile Coating Between Thumb and Index Finger
- Long-Lasting Nitrile Dip
- SMARTWIPE™ Touchscreen Compatible Fingertips



ITEM #	DESCRIPTION	BUY PK
48-73-7150	Cut Level 5 High Dexterity Nitrile Dipped Gloves - S	6
48-73-7151	Cut Level 5 High Dexterity Nitrile Dipped Gloves - M	6
48-73-7152	Cut Level 5 High Dexterity Nitrile Dipped Gloves - L	6
48-73-7153	Cut Level 5 High Dexterity Nitrile Dipped Gloves - XL	6
48-73-7154	Cut Level 5 High Dexterity Nitrile Dipped Gloves - XXL	6
48-73-7150E	12PK Cut Level 5 High Dexterity Nitrile Dipped Gloves - S	12
48-73-7151E	12PK Cut Level 5 High Dexterity Nitrile Dipped Gloves - M	12
48-73-7152E	12PK Cut Level 5 High Dexterity Nitrile Dipped Gloves - L	12
48-73-7153E	12PK Cut Level 5 High Dexterity Nitrile Dipped Gloves - XL	12
48-73-7154E	12PK Cut Level 5 High Dexterity Nitrile Dipped Gloves - XXL	12

CUT 6 HIGH DEXTERITY NITRILE DIPPED GLOVES

- 18 Gauge Material
- Reinforced Nitrile Coating
- Polyurethane Dipped Palm
- Smartwipe™ Fingertips



ITEM #	DESCRIPTION	BUY PK
48-73-7000	Cut 6 High Dexterity Gloves - S	6
48-73-7001	Cut 6 High Dexterity Gloves - M	6
48-73-7002	Cut 6 High Dexterity Gloves - L	6
48-73-7003	Cut 6 High Dexterity Gloves - XL	6
48-73-7004	Cut 6 High Dexterity Gloves - XXL	6
48-73-7000B	Cut 6 High Dexterity Gloves - S	12
48-73-7001B	Cut 6 High Dexterity Gloves - M	12
48-73-7002B	Cut 6 High Dexterity Gloves - L	12
48-73-7003B	Cut 6 High Dexterity Gloves - XL	12
48-73-7004B	Cut 6 High Dexterity Gloves - XXL	12

CUT 7 HIGH DEXTERITY NITRILE DIPPED GLOVES

- 18 Gauge Material
- Reinforced Nitrile Coating
- Polyurethane Dipped Palm
- Smartwipe™ Fingertips



ITEM #	DESCRIPTION	BUY PK
48-73-7010	Cut 7 High Dexterity Gloves - S	6
48-73-7011	Cut 7 High Dexterity Gloves - M	6
48-73-7012	Cut 7 High Dexterity Gloves - L	6
48-73-7013	Cut 7 High Dexterity Gloves - XL	6
48-73-7014	Cut 7 High Dexterity Gloves - XXL	6
48-73-7010B	Cut 7 High Dexterity Gloves - S	12
48-73-7011B	Cut 7 High Dexterity Gloves - M	12
48-73-7012B	Cut 7 High Dexterity Gloves - L	12
48-73-7013B	Cut 7 High Dexterity Gloves - XL	12
48-73-7014B	Cut 7 High Dexterity Gloves - XXL	12

CUT 8 HIGH DEXTERITY NITRILE DIPPED GLOVES

- 18 Gauge Material
- Reinforced Nitrile Coating
- Polyurethane Dipped Palm
- Smartwipe™ Fingertips



ITEM #	DESCRIPTION	BUY PK
48-73-7020	Cut 8 High Dexterity Gloves - S	6
48-73-7021	Cut 8 High Dexterity Gloves - M	6
48-73-7022	Cut 8 High Dexterity Gloves - L	6
48-73-7023	Cut 8 High Dexterity Gloves - XL	6
48-73-7024	Cut 8 High Dexterity Gloves - XXL	6
48-73-7020B	Cut 8 High Dexterity Gloves - S	12
48-73-7021B	Cut 8 High Dexterity Gloves - M	12
48-73-7022B	Cut 8 High Dexterity Gloves - L	12
48-73-7023B	Cut 8 High Dexterity Gloves - XL	12
48-73-7024B	Cut 8 High Dexterity Gloves - XXL	12

CUT 9 HIGH DEXTERITY NITRILE DIPPED GLOVES

- 18 Gauge Material
- Reinforced Nitrile Coating
- Polyurethane Dipped Palm
- Smartwipe™ Fingertips



ITEM #	DESCRIPTION	BUY PK
48-73-7030	Cut 9 High Dexterity Gloves - S	6
48-73-7031	Cut 9 High Dexterity Gloves - M	6
48-73-7032	Cut 9 High Dexterity Gloves - L	6
48-73-7033	Cut 9 High Dexterity Gloves - XL	6
48-73-7034	Cut 9 High Dexterity Gloves - XXL	6
48-73-7030B	Cut 9 High Dexterity Gloves - S	12
48-73-7031B	Cut 9 High Dexterity Gloves - M	12
48-73-7032B	Cut 9 High Dexterity Gloves - L	12
48-73-7033B	Cut 9 High Dexterity Gloves - XL	12
48-73-7034B	Cut 9 High Dexterity Gloves - XXL	12

PERSONAL PROTECTIVE EQUIPMENT

CUT 2 HIGH DEXTERITY GLOVES

- 18 Gauge Material
- Reinforced Poly Coating
- Polyurethane Dipped Palm
- Smartswipe™ Fingertips



ITEM #	DESCRIPTION	BUY PK
48-73-8720	Cut 2 High Dexterity Gloves - S	6
48-73-8721	Cut 2 High Dexterity Gloves - M	6
48-73-8722	Cut 2 High Dexterity Gloves - L	6
48-73-8723	Cut 2 High Dexterity Gloves - XL	6
48-73-8724	Cut 2 High Dexterity Gloves - XXL	6
48-73-8720B	Cut 2 High Dexterity Gloves - S	12
48-73-8721B	Cut 2 High Dexterity Gloves - M	12
48-73-8722B	Cut 2 High Dexterity Gloves - L	12
48-73-8723B	Cut 2 High Dexterity Gloves - XL	12
48-73-8724B	Cut 2 High Dexterity Gloves - XXL	12

CUT 3 HIGH DEXTERITY GLOVES

- 18 Gauge Material
- Reinforced Poly Coating
- Polyurethane Dipped Palm
- Smartswipe™ Fingertips



ITEM #	DESCRIPTION	BUY PK
48-73-8730	Cut 3 High Dexterity Gloves - S	6
48-73-8731	Cut 3 High Dexterity Gloves - M	6
48-73-8732	Cut 3 High Dexterity Gloves - L	6
48-73-8733	Cut 3 High Dexterity Gloves - XL	6
48-73-8734	Cut 3 High Dexterity Gloves - XXL	6
48-73-8730B	Cut 3 High Dexterity Gloves - S	12
48-73-8731B	Cut 3 High Dexterity Gloves - M	12
48-73-8732B	Cut 3 High Dexterity Gloves - L	12
48-73-8733B	Cut 3 High Dexterity Gloves - XL	12
48-73-8734B	Cut 3 High Dexterity Gloves - XXL	12

CUT 4 HIGH DEXTERITY GLOVES

- 18 Gauge Material
- Reinforced Poly Coating
- Polyurethane Dipped Palm
- Smartswipe™ Fingertips



ITEM #	DESCRIPTION	BUY PK
48-73-8740	Cut 4 High Dexterity Gloves - S	6
48-73-8741	Cut 4 High Dexterity Gloves - M	6
48-73-8742	Cut 4 High Dexterity Gloves - L	6
48-73-8743	Cut 4 High Dexterity Gloves - XL	6
48-73-8744	Cut 4 High Dexterity Gloves - XXL	6
48-73-8740B	Cut 4 High Dexterity Gloves - S	12
48-73-8741B	Cut 4 High Dexterity Gloves - M	12
48-73-8742B	Cut 4 High Dexterity Gloves - L	12
48-73-8743B	Cut 4 High Dexterity Gloves - XL	12
48-73-8744B	Cut 4 High Dexterity Gloves - XXL	12

CUT 5 HIGH DEXTERITY GLOVES

- 18 Gauge Material
- Reinforced Poly Coating
- Polyurethane Dipped Palm
- Smartswipe™ Fingertips



ITEM #	DESCRIPTION	BUY PK
48-73-8750	Cut 5 High Dexterity Gloves - S	6
48-73-8751	Cut 5 High Dexterity Gloves - M	6
48-73-8752	Cut 5 High Dexterity Gloves - L	6
48-73-8753	Cut 5 High Dexterity Gloves - XL	6
48-73-8754	Cut 5 High Dexterity Gloves - XXL	6
48-73-8750B	Cut 5 High Dexterity Gloves - S	12
48-73-8751B	Cut 5 High Dexterity Gloves - M	12
48-73-8752B	Cut 5 High Dexterity Gloves - L	12
48-73-8753B	Cut 5 High Dexterity Gloves - XL	12
48-73-8754B	Cut 5 High Dexterity Gloves - XXL	12

CUT LEVEL 1 INSULATED WINTER GLOVES

- ULTIMATE WARMTH. ALL DAY COMFORT.
- Warm Acrylic Terry Liner
- Secure Dual Liner
- High Dexterity Design
- Double Dipped Latex



ITEM #	DESCRIPTION	BUY PK
48-22-8910B	12PK Cut Level 1 Insulated Winter Gloves - S	12
48-22-8911B	12PK Cut Level 1 Insulated Winter Gloves - M	12
48-22-8912B	12PK Cut Level 1 Insulated Winter Gloves - L	12
48-22-8913B	12PK Cut Level 1 Insulated Winter Gloves - XL	12
48-22-8914B	12PK Cut Level 1 Insulated Winter Gloves - XXL	12
48-22-8910	Cut Level 1 Insulated Winter Gloves - S	6
48-22-8911	Cut Level 1 Insulated Winter Gloves - M	6
48-22-8912	Cut Level 1 Insulated Winter Gloves - L	6
48-22-8913	Cut Level 1 Insulated Winter Gloves - XL	6
48-22-8914	Cut Level 1 Insulated Winter Gloves - XXL	6

CUT LEVEL 2 INSULATED WINTER GLOVES

- ULTIMATE WARMTH. ALL DAY COMFORT.
- Warm Acrylic Terry Liner
- Secure Dual Liner
- High Dexterity 15 Gauge Nylon Liner
- Sandy Latex Finish for Better Grip



ITEM #	DESCRIPTION	BUY PK
48-73-7920B	12PK Cut Level 2 Insulated Winter Gloves - S	12
48-73-7921B	12PK Cut Level 2 Insulated Winter Gloves - M	12
48-73-7922B	12PK Cut Level 2 Insulated Winter Gloves - L	12
48-73-7923B	12PK Cut Level 2 Insulated Winter Gloves - XL	12
48-73-7924B	12PK Cut Level 2 Insulated Winter Gloves - XXL	12
48-73-7920	Cut Level 2 Insulated Winter Gloves - S	6
48-73-7921	Cut Level 2 Insulated Winter Gloves - M	6
48-73-7922	Cut Level 2 Insulated Winter Gloves - L	6
48-73-7923	Cut Level 2 Insulated Winter Gloves - XL	6
48-73-7924	Cut Level 2 Insulated Winter Gloves - XXL	6

CUT LEVEL 3 INSULATED WINTER GLOVES

- ULTIMATE WARMTH. ALL DAY COMFORT.
- Warm Acrylic Terry Liner
- Secure Dual Liner
- 3/4 Double Dipped Latex
- High Dexterity Design



ITEM #	DESCRIPTION	BUY PK
48-22-8920B	12PK Cut Level 3 Insulated Winter Gloves - S	12
48-22-8921B	12PK Cut Level 3 Insulated Winter Gloves - M	12
48-22-8922B	12PK Cut Level 3 Insulated Winter Gloves - L	12
48-22-8923B	12PK Cut Level 3 Insulated Winter Gloves - XL	12
48-22-8924B	12PK Cut Level 3 Insulated Winter Gloves - XXL	12
48-22-8920	Cut Level 3 Insulated Winter Gloves - S	6
48-22-8921	Cut Level 3 Insulated Winter Gloves - M	6
48-22-8922	Cut Level 3 Insulated Winter Gloves - L	6
48-22-8923	Cut Level 3 Insulated Winter Gloves - XL	6
48-22-8924	Cut Level 3 Insulated Winter Gloves - XXL	6

CUT LEVEL 4 INSULATED WINTER GLOVES

- ULTIMATE WARMTH. ALL DAY COMFORT.
- Warm Acrylic Terry Liner
- Secure Dual Liner
- High Dexterity 15 Gauge Nylon Liner
- Sandy Latex Finish for Better Grip



ITEM #	DESCRIPTION	BUY PK
48-73-7940B	12PK Cut Level 4 Insulated Winter Gloves - S	12
48-73-7941B	12PK Cut Level 4 Insulated Winter Gloves - M	12
48-73-7942B	12PK Cut Level 4 Insulated Winter Gloves - L	12
48-73-7943B	12PK Cut Level 4 Insulated Winter Gloves - XL	12
48-73-7944B	12PK Cut Level 4 Insulated Winter Gloves - XXL	12
48-73-7940	Cut Level 4 Insulated Winter Gloves - S	6
48-73-7941	Cut Level 4 Insulated Winter Gloves - M	6
48-73-7942	Cut Level 4 Insulated Winter Gloves - L	6
48-73-7943	Cut Level 4 Insulated Winter Gloves - XL	6
48-73-7944	Cut Level 4 Insulated Winter Gloves - XXL	6

PERSONAL PROTECTIVE EQUIPMENT

CUT LEVEL 5 INSULATED WINTER GLOVES

- ULTIMATE WARMTH, ALL DAY COMFORT.
- Warm Acrylic Terry Liner
- Secure Dual Liner
- Durable Double Dipped Coating
- Sandy Latex Finish for Better Grip



ITEM #	DESCRIPTION	BUY PK
48-73-7950B	12PK CutLevel 5 Insulated Winter Gloves - S	12
48-73-7951B	12PK CutLevel 5 Insulated Winter Gloves - M	12
48-73-7952B	12PK CutLevel 5 Insulated Winter Gloves - L	12
48-73-7953B	12PK CutLevel 5 Insulated Winter Gloves - XL	12
48-73-7954B	12PK CutLevel 5 Insulated Winter Gloves - XXL	12
48-73-7950	CutLevel 5 Insulated Winter Gloves - S	6
48-73-7951	CutLevel 5 Insulated Winter Gloves - M	6
48-73-7952	CutLevel 5 Insulated Winter Gloves - L	6
48-73-7953	CutLevel 5 Insulated Winter Gloves - XL	6
48-73-7954	CutLevel 5 Insulated Winter Gloves - XXL	6

VEND READY GLOVES

- A1 & A3 Cut Rating
- Nitrile Dipped Palm
- Vending Machine Ready Packaging
- SMARTSWIPE™
- Color Coded ID Bands for Easy Identification of Cut Level



ITEM #	DESCRIPTION	BUY PK
48-22-8900V	Vend CutLevel 1 Nitrile Dipped Gloves - S	12
48-22-8901V	Vend CutLevel 1 Nitrile Dipped Gloves - M	12
48-22-8902V	Vend CutLevel 1 Nitrile Dipped Gloves - L	12
48-22-8903V	Vend CutLevel 1 Nitrile Dipped Gloves - XL	12
48-22-8904V	Vend CutLevel 1 Nitrile Dipped Gloves - XXL	12
48-22-8930V	Vend CutLevel 3 Nitrile Dipped Gloves - S	12
48-22-8931V	Vend CutLevel 3 Nitrile Dipped Gloves - M	12
48-22-8932V	Vend CutLevel 3 Nitrile Dipped Gloves - L	12
48-22-8933V	Vend CutLevel 3 Nitrile Dipped Gloves - XL	12
48-22-8944V	Vend CutLevel 3 Nitrile Dipped Gloves - XXL	12

LEATHER PERFORMANCE GLOVES

- Durable Palm, Lightweight Design
- Secure Hook and Loop Closure
- SMARTSWIPE™ Knuckle
- Keystone Thumb
- Terry Cloth Sweat Wipe



ITEM #	DESCRIPTION	BUY PK
48-73-0020	Leather Performance Gloves - S	6
48-73-0021	Leather Performance Gloves - M	6
48-73-0022	Leather Performance Gloves - L	6
48-73-0023	Leather Performance Gloves - XL	6
48-73-0024	Leather Performance Gloves - XXL	6

IMPACT CUT LEVEL 5 DIPPED GLOVES

- IMPACT PROTECTION, HIGH DEXTERITY.
- Impact-Rated Enhanced TPR
- Nitrile Coating Between Thumb & Index Finger
- Nitrile Coated Gloves
- SMARTSWIPE™ Finger Tips
- Color-Coded Bands



ITEM #	DESCRIPTION	BUY PK
48-22-8980	IMPACT CUT LEVEL 5 NITRILE GLOVES - S	6
48-22-8981	IMPACT CUT LEVEL 5 NITRILE GLOVES - M	6
48-22-8982	IMPACT CUT LEVEL 5 NITRILE GLOVES - L	6
48-22-8983	IMPACT CUT LEVEL 5 NITRILE GLOVES - XL	6
48-22-8984	IMPACT CUT LEVEL 5 NITRILE GLOVES - XXL	6

CUT 3 SLEEVES

- High 4-Way Stretch Nylon
- Interior Bicep Cuff Grip
- Tapered Design for Reduced Sagging
- Moisture Wicking Material
- 15ga A3 and 13ga A5 for Better Breathability



ITEM #	DESCRIPTION	BUY PK
48-73-9030	Cut3 Sleeve - 16"	6
48-73-9030B	Cut3 Sleeve - 16"	12
48-73-9031	Cut3 Sleeve - 18"	6
48-73-9031B	Cut3 Sleeve - 18"	12

CUT 5 SLEEVES

- High 4-Way Stretch Nylon
- Interior Bicep Cuff Grip
- Tapered Design for Reduced Sagging
- Moisture Wicking Material
- 15ga A3 and 13ga A5 for Better Breathability



ITEM #	DESCRIPTION	BUY PK
48-73-9050	Cut5 Sleeve - 16"	6
48-73-9050B	Cut5 Sleeve - 16"	12
48-73-9051	Cut5 Sleeve - 18"	6
48-73-9051B	Cut5 Sleeve - 18"	12

GOATSKIN LEATHER GLOVES

- Soft Top Grain Goatskin Leather
- Reinforced Palm
- SMARTSWIPE™ Knuckle
- Keystone Thumb
- Pull Tab for Easy On and Off



ITEM #	DESCRIPTION	BUY PK
48-73-0010	Goatskin Leather Gloves - S	6
48-73-0011	Goatskin Leather Gloves - M	6
48-73-0012	Goatskin Leather Gloves - L	6
48-73-0013	Goatskin Leather Gloves - XL	6
48-73-0014	Goatskin Leather Gloves - XXL	6

IMPACT CUT LEVEL 3 DIPPED GLOVES

- IMPACT PROTECTION, HIGH DEXTERITY.
- Impact-Rated Enhanced TPR
- Nitrile Coating Between Thumb & Index Finger
- High Dexterity Finger Tips
- SMARTSWIPE™ Finger Tips
- Color-Coded Bands



ITEM #	DESCRIPTION	BUY PK
48-22-8970	IMPACT CUT LEVEL 3 NITRILE GLOVES - S	6
48-22-8971	IMPACT CUT LEVEL 3 NITRILE GLOVES - M	6
48-22-8972	IMPACT CUT LEVEL 3 NITRILE GLOVES - L	6
48-22-8973	IMPACT CUT LEVEL 3 NITRILE GLOVES - XL	6
48-22-8974	IMPACT CUT LEVEL 3 NITRILE GLOVES - XXL	6

IMPACT CUT LEVEL 3 GOATSKIN LEATHER GLOVES

- Impact Protection, Comfortable Leather.
- Impact Rated - Enhanced TPR
- Reinforced Palm
- Soft Top Grain Goatskin Leather
- Keystone Thumb
- Gun Cut



ITEM #	DESCRIPTION	BUY PK
48-22-8970	IMPACT CUT LEVEL 3 GOATSKIN LEATHER GLOVES - S	6
48-22-8971	IMPACT CUT LEVEL 3 GOATSKIN LEATHER GLOVES - M	6
48-22-8972	IMPACT CUT LEVEL 3 GOATSKIN LEATHER GLOVES - L	6
48-22-8973	IMPACT CUT LEVEL 3 GOATSKIN LEATHER GLOVES - XL	6
48-22-8974	IMPACT CUT LEVEL 3 GOATSKIN LEATHER GLOVES - XXL	6

PERSONAL PROTECTIVE EQUIPMENT

IMPACT CUT LEVEL 5 GOATSKIN LEATHER GLOVES

- Impact Protection, Comfortable Leather.
- Impact Rated – Enhanced TPR
- Reinforced Palm
- Soft Top Grain Goatskin Leather
- Keystone Thumb
- Gurn Cut



ITEM #	DESCRIPTION	BUY PK
48-22-8780	IMPACT CUT LEVEL 5 GOATSKIN LEATHER GLOVES – S	6
48-22-8781	IMPACT CUT LEVEL 5 GOATSKIN LEATHER GLOVES – M	6
48-22-8782	IMPACT CUT LEVEL 5 GOATSKIN LEATHER GLOVES – L	6
48-22-8783	IMPACT CUT LEVEL 5 GOATSKIN LEATHER GLOVES – XL	6
48-22-8784	IMPACT CUT LEVEL 5 GOATSKIN LEATHER GLOVES – XXL	6

WINTER PERFORMANCE GLOVES

- All Day Warmth
- SMARTWIPE™
- Durable Reinforced Layer
- Terry Cloth Sweat Wipe



ITEM #	DESCRIPTION	BUY PK
48-73-0000	Winter Performance Gloves – S	6
48-73-0031	Winter Performance Gloves – M	6
48-73-0032	Winter Performance Gloves – L	6
48-73-0033	Winter Performance Gloves – XL	6
48-73-0034	Winter Performance Gloves – XXL	6

WRECKING WORK GLOVES

- SMARTWIPE™ knuckle for mobile devices
- Armortex reinforcement
- Breathable lining for comfort in all applications
- Molded knuckle protection TPR pad provides ultimate knuckle protection
- Built-in terry cloth sweat wipe



ITEM #	DESCRIPTION
48-73-8530	Wrecking Work Gloves – S
48-73-8531	Wrecking Work Gloves – M
48-73-8532	Wrecking Work Gloves – L
48-73-8533	Wrecking Work Gloves – XL
48-73-8534	Wrecking Work Gloves – XXL

LIGHTWEIGHT WORK GLOVES

- SMARTWIPE™ Knuckle, Palm, & Fingertips
- Lightweight, Breathable Backing
- High Dexterity Finger Tips
- Reinforced Thumb Seam
- Built-in Sweat Wipe



ITEM #	DESCRIPTION
48-73-8520	Lightweight Work Gloves – S
48-73-8521	Lightweight Work Gloves – M
48-73-8522	Lightweight Work Gloves – L
48-73-8523	Lightweight Work Gloves – XL
48-73-8524	Lightweight Work Gloves – XXL

IMPACT WRECKING WORK GLOVES

- Impact Protection, Reinforced Durability.
- ANSI/ISEA 138 – Impact Rated Level 2
- Impact Rated Enhanced TPR
- Reinforced with ARMORTEX®
- Hook & loop closure for a secure fit



ITEM #	DESCRIPTION
48-73-8950	Impact Wrecking Work Gloves – S
48-73-8951	Impact Wrecking Work Gloves – M
48-73-8952	Impact Wrecking Work Gloves – L
48-73-8953	Impact Wrecking Work Gloves – XL
48-73-8954	Impact Wrecking Work Gloves – XXL

PERFORMANCE FINGERLESS GLOVES

- Fingerless Design
- Reinforced Palm & Thumb Seam
- Lightweight, Breathable Backing
- Built-in Sweat Wipe



ITEM #	DESCRIPTION
48-22-8745	Performance Fingerless Gloves – S
48-22-8741	Performance Fingerless Gloves – M
48-22-8742	Performance Fingerless Gloves – L
48-22-8743	Performance Fingerless Gloves – XL
48-22-8744	Performance Fingerless Gloves – XXL

WINTER DEMOLITION GLOVES

- All Day Warmth
- SMARTWIPE™
- Reinforced Palm and Fingertips
- Protective Knuckle Guard



ITEM #	DESCRIPTION	BUY PK
48-73-0040	Winter Demolition Gloves – S	6
48-73-0041	Winter Demolition Gloves – M	6
48-73-0042	Winter Demolition Gloves – L	6
48-73-0043	Winter Demolition Gloves – XL	6
48-73-0044	Winter Demolition Gloves – XXL	6

LIGHTWEIGHT WORK GLOVES WITH FLEXIBLE CUFF

- SMARTWIPE™ Knuckle, Palm, & Fingertips
- FREE-FLEX Elastic Cuff
- Lightweight, Breathable Backing
- Reinforced Thumb Seam
- High Dexterity Finger Tips
- Built-in Sweat Wipe



ITEM #	DESCRIPTION
48-73-8510	Lightweight Work Gloves with Flexible Cuff – S
48-73-8511	Lightweight Work Gloves with Flexible Cuff – M
48-73-8512	Lightweight Work Gloves with Flexible Cuff – L
48-73-8513	Lightweight Work Gloves with Flexible Cuff – XL
48-73-8514	Lightweight Work Gloves with Flexible Cuff – XXL

PERSONAL PROTECTIVE EQUIPMENT

CLEAR & TINTED ANTI-SCRATCH SAFETY GLASSES

- Anti-Scratch, All Day Comfort.
- Anti-Scratch Hard Coat
- Comfortable Temple Arms – Extended Wear
- Flexible Nose Bridge



ITEM #	DESCRIPTION	BUY PK
48-73-2011	SAFETY GLASSES – CLEAR ANTI-SCRATCH LENSES	12
48-73-2016	SAFETY GLASSES – TINTED ANTI-SCRATCH LENSES	12

YELLOW & GRAY ANTI-SCRATCH SAFETY GLASSES

- Anti-Scratch, All Day Comfort.
- Anti-Scratch Hard Coat
- Comfortable Temple Arms – Extended Wear
- Flexible Nose Bridge
- Yellow lenses for low light applications
- Gray lenses for indoor and outdoor applications



ITEM #	DESCRIPTION	BUY PK
48-73-2101	SAFETY GLASSES – YELLOW ANTI-SCRATCH LENSES	12
48-73-2106	SAFETY GLASSES – GRAY ANTI-SCRATCH LENSES	12

MAGNIFIED ANTI-SCRATCH SAFETY GLASSES

- Anti-Scratch, All Day Comfort.
- Anti-Scratch Hard Coat
- Magnified +1.00, +1.50, +2.00, +2.50, & +3.00
- Comfortable Temple Arms – Extended Wear
- Flexible Nose Bridge



ITEM #	DESCRIPTION	BUY PK
48-73-2201	SAFETY GLASSES - +1.00 MAGNIFIED CLEAR ANTI-SCRATCH LENSES	12
48-73-2203	SAFETY GLASSES - +1.50 MAGNIFIED CLEAR ANTI-SCRATCH LENSES	12
48-73-2205	SAFETY GLASSES - +2.00 MAGNIFIED CLEAR ANTI-SCRATCH LENSES	12
48-73-2207	SAFETY GLASSES - +2.50 MAGNIFIED CLEAR ANTI-SCRATCH LENSES	12
48-73-2209	SAFETY GLASSES - +3.00 MAGNIFIED CLEAR ANTI-SCRATCH LENSES	12

CLEAR & TINTED FOG-FREE SAFETY GLASSES

- Fog-Free, All Day Comfort.
- Fog-Free Lenses
- Comfortable Temple Arms – Extended Wear
- Lens Resist Scratching
- Flexible Nose Bridge



ITEM #	DESCRIPTION	BUY PK
48-73-2013	SAFETY GLASSES – CLEAR FOG-FREE LENSES	12
48-73-2018	SAFETY GLASSES – TINTED FOG-FREE LENSES	12

YELLOW & GRAY FOG-FREE SAFETY GLASSES

- Fog-Free, All Day Comfort.
- Fog-Free Lenses
- Comfortable Temple Arms – Extended Wear
- Lens Resist Scratching
- Flexible Nose Bridge
- Yellow lenses for low light applications
- Gray lenses for indoor and outdoor applications



ITEM #	DESCRIPTION	BUY PK
48-73-2103	SAFETY GLASSES – YELLOW FOG-FREE LENSES	12
48-73-2108	SAFETY GLASSES – GRAY FOG-FREE LENSES	12

PERFORMANCE SAFETY GLASSES

- High Impact, Fog-free Lenses
- Military Grade Impact Protection
- Fog-Free Lenses
- Lens Resist Scratching
- Comfortable Temple Arms – Extended Wear
- Yellow lenses for low light applications
- Gray lenses for indoor and outdoor applications



ITEM #	DESCRIPTION	BUY PK
48-73-2126	PERFORMANCE SAFETY GLASSES – GRAY FOG-FREE LENSES	12
48-73-2121	PERFORMANCE SAFETY GLASSES – YELLOW FOG-FREE LENSES	12
48-73-2026	PERFORMANCE SAFETY GLASSES – TINTED FOG-FREE LENSES	12
48-73-2021	PERFORMANCE SAFETY GLASSES – CLEAR FOG-FREE LENSES	12

FOG-FREE PERFORMANCE SAFETY GLASSES W/ GASKET

- Removable Gasket Protects Against Debris
- Military Grade Impact Protection
- Lasting Fog-Free Lenses
- ANSI Z87.1+
- CSA Z94.3
- Comfortable Arms for Extended Wear



ITEM #	DESCRIPTION	BUY PK
48-73-2041	PERFORMANCE SAFETY GLASSES W/GASKET - CLEAR FOG-FREE LENSES	12
48-73-2046	PERFORMANCE SAFETY GLASSES W/GASKET - POLARIZED FOG-FREE LENSES	12



PERSONAL PROTECTIVE EQUIPMENT

LOCKING TOOL LANYARDS

- Best Shock Absorption
- Double Locking Carabiner
- Integrated Swivel
- Color Coded by Weight Rating
- Serial Numbered ID Tag



ITEM #	DESCRIPTION
48-22-8810	10lb Locking Tool Lanyard
48-22-8811	10lb Locking Extended Tool Lanyard
48-22-8815	15lb Locking Tool Lanyard
48-22-8850	35lb Locking Tool Lanyard

EXTENDED REACH TOOL LANYARDS

- Best Shock Absorption
- Double Locking Carabiner
- Integrated Swivel
- Color Coded by Weight Rating
- Serial Numbered ID Tag



ITEM #	DESCRIPTION
48-22-8812	10LBS 72" Extended Reach Locking Tool Lanyard
48-22-8817	15LBS 72" Extended Reach Locking Tool Lanyard
48-22-8811	10LBS 54" Extended Reach Locking Tool Lanyard
48-22-8816	15LBS 54" Extended Reach Locking Tool Lanyard

D-RING WEBBINGS AND SELF-ADHERING TAPE

- Easily Connect
- High Versatility
- Strong, Secure Attachment
- Color Coded by Weight Rating



ITEM #	DESCRIPTION
48-22-8860	12ft Self-Adhering Tape
48-22-8870	5pc 2lb D-Ring Web Attachment
48-22-8871	5pc 5lb D-Ring Web Attachment
48-22-8872	35lb D-Ring Web Attachment

50LB ANCHOR STRAPS

- Tether More Tools, More Places
- Oversized D-Ring
- Abrasion-Resistant 840D Sleeve
- Wraps Around Beams and Rails
- Color Coded by Weight Rating
- Serial Numbered ID Tag



ITEM #	DESCRIPTION	BUY PK.
48-22-8855	50LBS Anchor Strap	6

QUICK CONNECT LOCKING TOOL LANYARDS

- Quick-Connect System
- Best Shock Absorption
- Double Locking Carabiner
- Integrated Swivel
- Color Coded by Weight Rating



ITEM #	DESCRIPTION
48-22-8820	10lb Quick Connect Locking Tool Lanyard
48-22-8823	3pc 10lb Quick Connect Accessory
48-22-8822	3pc 5lb Quick Connect Accessory

WRIST LANYARDS

- Soft Adjustable Strap
- Hook and Loop Closure
- Double Locking Carabiner
- Color Coded by Weight Rating
- Serial Numbered ID Tag



48-22-8297
Lineman's Tool
Hang Strap

ITEM #	DESCRIPTION
48-22-8830	5LBS Wrist Lanyard
48-22-8835	5LBS Quick-Connect Wrist Lanyard

SPLIT RINGS

- Easily Connect
- Jobsite Performance
- High Versatility
- Strong, Secure Attachment



ITEM #	DESCRIPTION
48-22-8880	5pc 2lb 3/4" Split Ring
48-22-8881	5pc 2lb 1" Split Ring
48-22-8882	5pc 2lb 1.5" Split Ring
48-22-8883	5pc 2lb 2" Split Ring

5LB RETRACTABLE LANYARD

- Lasting Durability. Survives More Drops.
- Maintains Retraction
- Push to Lock
- Abrasive Resistant Cord
- Color Coded by Weight Rating
- Swiveling Quick-Connect Carabiners
- ANSI 121-2018 Compliant



ITEM #	DESCRIPTION	BUY PK.
48-22-8825	5LBS 60" Retractable Lanyard	6



PIPE WRENCHES

Milwaukee #	Description
48-22-7418	18" Aluminum Self-Adjusting Pipe Wrench
48-22-7414	14" Aluminum Self-Adjusting Pipe Wrench
48-22-7322	CHEATER™ Aluminum Adaptable Offset Pipe Wrench
48-22-7318	CHEATER™ Aluminum Adaptable Pipe Wrench
48-22-7314	CHEATER Steel Adaptable Pipe Wrench
48-22-7248	48" Aluminum Pipe Wrench
48-22-7236	36" Aluminum Pipe Wrench
48-22-7224	24" Aluminum Pipe Wrench
48-22-7218	18" Aluminum Pipe Wrench
48-22-7215	14L Aluminum Pipe Wrench with POWERLENGTH™ Handle
48-22-7214	14" Aluminum Pipe Wrench
48-22-7213	10L Aluminum Pipe Wrench with POWERLENGTH™ Handle
48-22-7212	12" Aluminum Pipe Wrench
48-22-7210	10" Aluminum Pipe Wrench
48-22-7186	12" Smooth Jaw Pipe Wrench
48-22-7185	18" Aluminum Offset Pipe Wrench
48-22-7184	14" Aluminum Offset Pipe Wrench
48-22-7182	24" Aluminum Offset Pipe Wrench
48-22-7171	Steel Offset Hex Pipe Wrench
48-22-7160	60" Steel Pipe Wrench
48-22-7148	48" Steel Pipe Wrench
48-22-7136	36" Steel Pipe Wrench
48-22-7124	24" Steel Pipe Wrench
48-22-7118	18" Steel Pipe Wrench
48-22-7114	14" Steel Pipe Wrench
48-22-7112	12" Steel Pipe Wrench
48-22-7110	10" Steel Pipe Wrench
48-22-7108	8" Steel Pipe Wrench
48-22-7106	6" Steel Pipe Wrench

WRENCHES

Milwaukee #	Description
48-22-9529	7pc Metric Flex Head Ratcheting Combination Wrench
48-22-9516	15pc Ratcheting Combination Wrench Set - Metric
48-22-9515	15pc Combination Wrench Set - Metric
48-22-9513	15pc Metric Flex Head Ratcheting Combination Wrench
48-22-9511	11pc Metric Combination Wrench Set
48-22-9507	7pc Combination Wrench Set - Metric
48-22-9506	7pc Ratcheting Combination Wrench Set - Metric
48-22-9471	6pc Double End Flare Nut Wrench Set - Metric
48-22-9470	5pc Double End Flare Nut Wrench Set - SAE
48-22-9429	7pc SAE Flex Head Combination Wrenches
48-22-9410	15pc Ratcheting Combination Wrench Set - SAE
48-22-9415	15pc Combination Wrench Set - SAE
48-22-9413	15pc SAE Flex Head Ratcheting Combination Wrench Set
48-22-9411	11pc SAE Combination Wrench Set
48-22-9407	7pc Combination Wrench Set - SAE
48-22-9406	7pc Ratcheting Combination Wrench Set - SAE
48-22-7508	8" Wide Jaw Adjustable Wrench
48-22-7415	15" Adjustable Wrench
48-22-7412	12" Adjustable Wrench
48-22-7410	10" Adjustable Wrench
48-22-7408	8" Adjustable Wrench
48-22-7406	6" Adjustable Wrench
48-22-7400	2 Pc. 6" & 10" Adjustable Wrench Set
48-22-7100	Faucet Swap-Out Wrench
48-22-7002	Basin Wrench - 2.5" Capacity
48-22-7001	Basin Wrench - 1.25" Capacity
45-96-9822	1" Flex Head Combination Wrench
45-96-9821	15/16" Flex Head Combination Wrench
45-96-9820	7/8" FLEX HEAD COMBINATION WRENCH
45-96-9819	13/16" Flex Head Combination Wrench
45-96-9818	3/4" Flex Head Combination Wrench
45-96-9817	11/16" Flex Head Combination Wrench
45-96-9816	5/8" Flex Head Combination Wrench
45-96-9815	9/16" Flex Head Combination Wrench
45-96-9814	1/2" Flex Head Combination Wrench
45-96-9813	7/16" Flex Head Combination Wrench
45-96-9812	3/8" Flex Head Combination Wrench

WRENCHES CONT.

Milwaukee #	Description
45-96-9811	11/32" Flex Head Combination Wrench
45-96-9810	5/16" Flex Head Combination Wrench
45-96-9809	9/32" Flex Head Combination Wrench
45-96-9808	1/4" Flex Head Combination Wrench
45-96-9624	24MM Flex Head Ratcheting Combination Wrench
45-96-9622	22mm Flex Head Ratcheting Combination Wrench
45-96-9621	21mm Flex Head Ratcheting Combination Wrench
45-96-9620	20mm Flex Head Ratcheting Combination Wrench
45-96-9619	19mm Flex Head Ratcheting Combination Wrench
45-96-9618	18mm Flex Head Ratcheting Combination Wrench
45-96-9617	17mm Flex Head Ratcheting Combination Wrench
45-96-9616	16mm Flex Head Ratcheting Combination Wrench
45-96-9615	15mm Flex Head Ratcheting Combination Wrench
45-96-9614	14mm Flex Head Ratcheting Combination Wrench
45-96-9613	13mm Flex Head Ratcheting Combination Wrench
45-96-9612	12mm Flex Head Ratcheting Combination Wrench
45-96-9611	11mm Flex Head Ratcheting Combination Wrench
45-96-9610	10mm Flex Head Ratcheting Combination Wrench
45-96-9609	9mm Flex Head Ratcheting Combination Wrench
45-96-9608	8mm Flex Head Ratcheting Combination Wrench
45-96-9538	38MM Combination Wrench
45-96-9532	32MM Combination Wrench
45-96-9530	30MM Combination Wrench
45-96-9529	29MM Combination Wrench
45-96-9528	28MM Combination Wrench
45-96-9527	27MM Combination Wrench
45-96-9526	26MM Combination Wrench
45-96-9525	25MM Combination Wrench
45-96-9523	23MM Combination Wrench
45-96-9522	22mm Metric Combination Wrench
45-96-9521	21mm Metric Combination Wrench
45-96-9520	20mm Metric Combination Wrench
45-96-9519	19mm Metric Combination Wrench
45-96-9518	18mm Metric Combination Wrench
45-96-9517	17mm Metric Combination Wrench
45-96-9516	16mm Metric Combination Wrench
45-96-9515	15mm Metric Combination Wrench
45-96-9514	14mm Metric Combination Wrench
45-96-9513	13mm Metric Combination Wrench
45-96-9512	12mm Metric Combination Wrench
45-96-9511	11mm Metric Combination Wrench
45-96-9510	10mm Metric Combination Wrench
45-96-9509	9mm Metric Combination Wrench
45-96-9508	8mm Metric Combination Wrench
45-96-9507	7MM Combination Wrench
45-96-9506	6MM Combination Wrench
45-96-9440	1-3/8" Combination Wrench
45-96-9438	1-1/4" Combination Wrench
45-96-9436	1-1/8" Combination Wrench
45-96-9434	1-1/16" Combination Wrench
45-96-9432	1" SAE Combination Wrench
45-96-9430	15/16" SAE Combination Wrench
45-96-9429	7/8" SAE Combination Wrench
45-96-9426	13/16" SAE Combination Wrench
45-96-9425	13/16" SAE Combination Wrench
45-96-9424	3/4" SAE Combination Wrench
45-96-9422	11/16" SAE Combination Wrench
45-96-9420	5/8" SAE Combination Wrench
45-96-9418	9/16" SAE Combination Wrench
45-96-9416	1/2" SAE Combination Wrench
45-96-9414	7/16" SAE Combination Wrench
45-96-9412	3/8" SAE Combination Wrench
45-96-9411	11/32" SAE Combination Wrench
45-96-9410	5/16" SAE Combination Wrench
45-96-9409	9/32" SAE Combination Wrench
45-96-9408	1/4" SAE Combination Wrench
45-96-9332	32MM Ratcheting Combination Wrench
45-96-9330	30MM Ratcheting Combination Wrench
45-96-9327	27MM Ratcheting Combination Wrench
45-96-9325	25MM Ratcheting Combination Wrench

HAND TOOLS

WRENCHES CONT.

Milwaukee #	Description
45-96-9324	24MM Ratcheting Combination Wrench
45-96-9322	22mm Metric Ratcheting Combination Wrench
45-96-9321	21mm Metric Ratcheting Combination Wrench
45-96-9320	20mm Metric Ratcheting Combination Wrench
45-96-9319	19mm Metric Ratcheting Combination Wrench
45-96-9318	18mm Metric Ratcheting Combination Wrench
45-96-9317	17mm Metric Ratcheting Combination Wrench
45-96-9316	16mm Metric Ratcheting Combination Wrench
45-96-9315	15mm Metric Ratcheting Combination Wrench
45-96-9314	14mm Metric Ratcheting Combination Wrench
45-96-9313	13mm Metric Ratcheting Combination Wrench
45-96-9312	12mm Metric Ratcheting Combination Wrench
45-96-9311	11mm Metric Ratcheting Combination Wrench
45-96-9310	10mm Metric Ratcheting Combination Wrench
45-96-9309	9mm Metric Ratcheting Combination Wrench
45-96-9308	8mm Metric Ratcheting Combination Wrench
45-96-9307	7MM Ratcheting Combination Wrench
45-96-9306	6MM Ratcheting Combination Wrench
45-96-9238	1-1/4" Ratcheting Combination Wrench
45-96-9236	1-1/8" Ratcheting Combination Wrench
45-96-9234	1-1/16" Ratcheting Combination Wrench
45-96-9232	1" SAE Ratcheting Combo Wrench
45-96-9230	15/16" SAE Ratcheting Combo Wrench
45-96-9228	7/8" SAE Ratcheting Combo Wrench
45-96-9226	13/16" SAE Ratcheting Combo Wrench
45-96-9224	3/4" SAE Ratcheting Combo Wrench
45-96-9222	11/16" SAE Ratcheting Combo Wrench
45-96-9220	5/8" SAE Ratcheting Combo Wrench
45-96-9218	9/16" SAE Ratcheting Combo Wrench
45-96-9216	1/2" SAE Ratcheting Combo Wrench
45-96-9214	7/16" SAE Ratcheting Combo Wrench
45-96-9212	3/8" SAE Ratcheting Combo Wrench
45-96-9211	11/32" SAE Ratcheting Combo Wrench
45-96-9210	5/16" SAE Ratcheting Combo Wrench
45-96-9209	9/32" SAE Ratcheting Combo Wrench
45-96-9208	1/4" SAE Ratcheting Combo Wrench
45-96-8355	19mm X 21mm Double End Flare Nut Wrench
45-96-8354	18mm X 18mm Double End Flare Nut Wrench
45-96-8353	15mm X 17mm Double End Flare Nut Wrench
45-96-8352	13mm X 14mm Double End Flare Nut Wrench
45-96-8351	10mm X 12mm Double End Flare Nut Wrench
45-96-8350	9mm X 11mm Double End Flare Nut Wrench
45-96-8304	3/4" X 7/8" Double End Flare Nut Wrench
45-96-8303	5/8" X 11/16" Double End Flare Nut Wrench
45-96-8302	1/2" X 9/16" Double End Flare Nut Wrench
45-96-8301	3/8" X 7/16" Double End Flare Nut Wrench
45-96-8300	1/4" X 5/16" Double End Flare Nut Wrench

RATCHETS & SOCKETS

Milwaukee #	Description
48-22-9543	11 pc 3/8" Drive Hex Bit Socket Set - Metric
48-22-9542	8pc 3/8" Drive Hex Bit Socket Set - SAE
48-22-9541	8pc 1/4" Drive Hex Bit Socket Set - Metric
48-22-9540	10pc 1/4" Drive Hex Bit Socket Set - SAE
48-22-9532	13pc 1/4" and 3/8" Drive TORX® Bit Socket Set
48-22-9531	10pc 3/8" Drive TORX® Bit Socket Set
48-22-9530	8pc 1/4" Drive TORX® Bit Socket Set
48-22-9510	29pc 1/2" Drive Metric Ratchet and Socket Set with FOUR FLAT™ Sides
48-22-9508	3/8" Drive 32pc Ratchet & Socket Set - Metric
48-22-9505	10pc 3/8" Metric Deep Well Sockets with FOUR FLAT™ Sides
48-22-9504	1/4" Drive 28pc Ratchet & Socket Set - Metric
48-22-9503	10pc 3/8" Metric Sockets with FOUR FLAT™ Sides
48-22-9487T	47 pc 1/2" Drive SAE & Metric Ratchet & Socket Set PACKOUT™ Trays
48-22-9487	47 pc 1/2" Drive Ratchet & Socket Set with PACKOUT™ Organizer
48-22-9486T	106pc 1/4" & 3/8" Drive Ratchet and Socket Trays - SAE & Metric
48-22-9486	106pc 1/4" and 3/8" Metric & SAE Ratchet & Socket Set w/ PACKOUT
48-22-9482T	32pc 3/8" Drive Metric Ratchet and Socket Tray
48-22-9482	32pc 3/8" Metric Ratchet and Socket Set with PACKOUT Organizer
48-22-9481T	29pc 3/8" Drive SAE Ratchet and Socket Tray

RATCHETS & SOCKETS CONT.

Milwaukee #	Description
48-22-9481	3/8" Drive 28pc Ratchet & Socket Set with PACKOUT Organizer - SAE
48-22-9410	22 pc 1/2" Drive SAE Ratchet and Socket Set with FOUR FLAT™ Sides
48-22-9408	3/8" Drive 28pc Ratchet & Socket Set - SAE
48-22-9405	10pc 3/8" SAE Deep Well Sockets with FOUR FLAT™ Sides
48-22-9404	1/4" Drive 26pc Ratchet & Socket Set - SAE
48-22-9403	10pc 3/8" SAE Sockets with FOUR FLAT™ Sides
48-22-9362	3pc 1/2" Drive Wobble Extension Set
48-22-9351	4pc 3/8" Drive Wobble Extension Set
48-22-9350	4pc 1/4" Drive Wobble Extension Set
48-22-9342	4pc 1/2" Drive Extension Set
48-22-9341	4pc 3/8" Drive Extension Set
48-22-9340	4pc 1/4" Drive Extension Set
48-22-9088	29pc 3/8" Drive Metric & SAE Ratchet and Socket Set
48-22-9052	1/2" Drive 18" Flex Head Ratchet
48-22-9051	1/2" Drive 11" Flex Head Ratchet
48-22-9050	1/2" Drive 18" Ratchet
48-22-9044	25pc 1/4" Drive Metric & SAE Ratchet and Socket Set
48-22-9041	3/8" Drive 12" Flex Head Ratchet
48-22-9039	3/8" Drive 9" Flex Head Ratchet
48-22-9038	3/8" Drive Ratchet
48-22-9037	3/8" Drive 12" Ratchet
48-22-9036	3/8" Drive 5" Ratchet
48-22-9014	1/4" Drive Ratchet
48-22-9013	1/2" Drive 24" Breaker Bar
48-22-9012	1/2" Drive Ratchet
48-22-9011	1/2" Drive 15" Breaker Bar
48-22-9010	47pc 1/2" Drive Metric & SAE Ratchet and Socket Set
48-22-9009	1/4" Drive 9" Flex Head Ratchet
48-22-9008	3/8" Drive 56pc Ratchet & Socket Set - SAE & Metric
48-22-9007	1/4" Drive 6" Flex Head Ratchet
48-22-9005	1/4" Drive 9" Ratchet
48-22-9004	1/4" Drive 50pc Ratchet & Socket Set - SAE & Metric
48-22-9003	1/4" Drive 3" Ratchet
48-22-9001	12pc 3/8" Drive Metric Socket Set
48-22-9000	12pc 3/8" Drive SAE Socket Set
45-35-5000	3/8" Drive 1/2" SAE Deep Socket with FOUR FLAT™ Sides

PLIERS

Milwaukee #	Description
MT507	7" Diagonal Dipped Grip Cutting Pliers (USA)
MT557	7" Diagonal Comfort Grip Cutting Pliers (USA)
MT506	6" Diagonal Dipped Grip Cutting Pliers (USA)
MT556	6" Diagonal Comfort Grip Cutting Pliers (USA)
MT508	8" Diagonal Dipped Grip Cutting Pliers (USA)
MT558	8" Diagonal Comfort Grip Cutting Pliers (USA)
MT500	9" Lineman's Dipped Grip Pliers (USA)
MT550	9" Lineman's Comfort Grip Pliers (USA)
48-22-6502	High-Leverage Lineman's Pliers
48-22-6501	Long Nose Pliers
MT505	8" Long Nose Dipped Grip Pliers (USA)
MT555	8" Long Nose Comfort Grip Pliers (USA)
48-22-6306	6" Comfort Grip Straight-Jaw Pliers
48-22-6310	10" Comfort Grip Straight-Jaw Pliers
48-22-6312	12" Comfort Grip Straight-Jaw Pliers
48-22-6316	18" Comfort Grip Straight-Jaw Pliers
48-22-6320	20" Comfort Grip Straight-Jaw Pliers
48-22-6330	6" & 10" Comfort Grip Straight Jaw Pliers Set
48-22-6510	10" Straight Jaw Pliers
48-22-6512	12" Straight Jaw Pliers
48-22-6550	10" Smooth Jaw Pliers
48-22-6552	12" Smooth Jaw Pliers
48-22-6208	8" Comfort Grip Hex-Jaw Pliers
48-22-6210	10" Comfort Grip Hex-Jaw Pliers
48-22-6212	12" Comfort Grip Hex-Jaw Pliers
48-22-3079	Comfort Grip 6in Pliers
48-22-6109	7-1/8" Wire Stripper/Cutter for Solid & Stranded Wire

HAND TOOLS

LOCKING PLIERS

Milwaukee #	Description
48-22-3422	5" TORQUE LOCK™ Curved Jaw Locking Pliers
48-22-3421	7" TORQUE LOCK™ Curved Jaw Locking Pliers
48-22-3607	7" TORQUE LOCK™ Curved Jaw Locking Pliers with MAX BITE™
48-22-3610	10" TORQUE LOCK™ Curved Jaw Locking Pliers with MAX BITE™
48-22-3607	7" TORQUE LOCK™ Straight Jaw Locking Pliers
48-22-3510	10" TORQUE LOCK™ Straight Jaw Locking Pliers
48-22-3606	6" TORQUE LOCK™ Long Nose Locking Pliers
48-22-3609	9" TORQUE LOCK™ Long Nose Locking Pliers
48-22-3531	11" TORQUE LOCK™ Locking C-Clamp Regular Jaws
48-22-3532	6" TORQUE LOCK™ Locking C-Clamp Regular Jaws



SCREWDRIVERS

Milwaukee #	Description
MT200-4	4PC Cushion Grip Screwdriver Set (USA)
MT200-6	6PC Cushion Grip Screwdriver Set (USA)
MT205	#2 Phillips 6" Cushion Grip Demolition Screwdriver (USA)
MT206	1/4" Slotted 4" Cushion Grip Screwdriver (USA)
MT208	5/16" Slotted 6" Cushion Grip Demolition Screwdriver (USA)
MT210	3/8" Slotted 8" Cushion Grip Demolition Screwdriver (USA)
MT211	3/16" Cabinet 3" Cushion Grip Screwdriver (USA)
MT213	3/16" Cabinet 8" Cushion Grip Screwdriver (USA)
MT214	1/4" Cabinet 10" Cushion Grip Screwdriver (USA)
MT217	#1 Square 3" Cushion Grip Screwdriver (USA)
MT219	#3 Square 6" Cushion Grip Screwdriver (USA)
MT201	#1 Phillips 3" Cushion Grip Screwdriver (USA)
MT202	#2 Phillips 4" Cushion Grip Screwdriver (USA)
MT203	#3 Phillips 6" Cushion Grip Screwdriver (USA)
MT204	#2 Phillips 10" Cushion Grip Screwdriver (USA)
MT207	5/16" Slotted 6" Cushion Grip Screwdriver (USA)
MT209	3/8" Slotted 8" Cushion Grip Screwdriver (USA)
MT212	3/16" Cabinet 6" Cushion Grip Screwdriver (USA)
MT218	#2 Square 4" Cushion Grip Screwdriver (USA)



HAMMERS

Milwaukee #	Description
48-22-9023	22oz Smooth Face Framing Hammer
48-22-9150	28oz Dead Blow Hammer
48-22-9151	48oz Dead Blow Hammer
48-22-9310	3lb Fiberglass Drilling Hammer
48-22-9311	2lb Fiberglass Drilling Hammer
48-22-9519	19oz Smooth Face Hickory Handle Framing Hammer
48-22-9316	19oz Smooth Face Poly/Fiberglass Handle Hammer



UTILITY KNIVES

Milwaukee #	Description
48-22-1500	FASTBACK™ Compact Folding Utility Knife
48-22-1501	FASTBACK™ Folding Utility Knife
48-22-1502	FASTBACK™ Folding Utility Knife with Blade Storage
48-22-1503	FASTBACK™ Folding Utility Knife Set
48-22-1901	FASTBACK™ Compact Folding Utility Knife
48-22-1505	FASTBACK™ 6IN1 Folding Utility Knife



POCKET KNIVES

Milwaukee #	Description
48-22-1525	FASTBACK™ Hawkbill Folding Knife
48-22-1530	FASTBACK™ Spring Assisted Folding Knife
48-22-1540	FASTBACK™ 5in1 Folding Knife
48-22-1526	FASTBACK™ Blunt Tip Hawkbill Folding Knife
48-22-1994	3" HARDLINE™ Smooth Blade Pocket Knife
48-22-1998	3" HARDLINE™ Serrated Blade Pocket Knife



WIDE BLADE TAPE MEASURES

Milwaukee #	Description
48-22-1240	40' Wide Blade Tape Measure
48-22-1235	35' Wide Blade Tape Measure
48-22-1230	30' Wide Blade Tape Measure
48-22-1225M	25' Wide Blade Magnetic Tape Measure
48-22-1225	25' Wide Blade Tape Measure
48-22-1216M	16' Wide Blade Magnetic Tape Measure



LONG TAPES

Milwaukee #	Description
48-22-5101	100ft Closed Reel Long Tape
48-22-5201	100ft Steel Open Reel Long Tape
48-22-5230	300ft Open Reel Long Tape
48-22-5301	100ft Fiberglass Open Reel Long Tape Measure
48-22-5302	200ft Fiberglass Open Reel Long Tape Measure
48-22-5303	300ft Fiberglass Open Reel Long Tape Measure



MEASURING WHEELS

Milwaukee #	Description
48-22-5006	6" Measuring Wheel
48-22-5112	12" Digital Measuring Wheel



LEVELS

Milwaukee #	Description
MLD1624	24" REDSTICK™ Digital Level w/ PINPOINT™ Measurement Technology
MLD1648	48" REDSTICK™ Digital Level w/ PINPOINT™ Measurement Technology
MLBM48	48" Magnetic I-Beam Level
MLBM78	78" Magnetic I-Beam Level
MLCOW48	48" REDSTICK™ Concrete Level
48-22-5107	Billet Torpedo Level



INKZALL™ MARKERS

Milwaukee #	Description
48-22-3771	INKZALL™ Orange Liquid Paint Marker
48-22-3761	INKZALL™ Blue Liquid Paint Marker
48-22-3751	INKZALL™ Green Liquid Paint Marker
48-22-3741	INKZALL™ Red Liquid Paint Marker
48-22-3731	INKZALL™ Black Liquid Paint Marker
48-22-3722	INKZALL™ Yellow Liquid Paint Marker
48-22-3721	INKZALL™ Yellow Liquid Paint Marker
48-22-3712	INKZALL™ White Liquid Paint Marker
48-22-3711	INKZALL™ White Liquid Paint Marker
48-22-3267	INKZALL (12) Extra Large Chisel Tip Blue Marker
48-22-3266	INKZALL (12) Extra Large Chisel Tip Red Marker
48-22-3265	INKZALL (12) Extra Large Chisel Tip Black Marker
48-22-3260	INKZALL Extra Large Chisel Tip Black Marker
48-22-3257	INKZALL (12) Large Chisel Tip Blue Marker
48-22-3256	INKZALL (12) Large Chisel Tip Red Marker
48-22-3255	INKZALL (12) Large Chisel Tip Black Marker
48-22-3250	INKZALL 3PC Large Chisel Tip Black Marker
48-22-3209	INKZALL 12PC Fine Point Black Marker
48-22-3190	INKZALL™ Green Fine Point Marker
48-22-3180	INKZALL™ Blue Fine Point Marker
48-22-3170	INKZALL™ Red Fine Point Marker
48-22-3164	4PK INKZALL™ Black Ultra Fine Point Pen
48-22-3160	12PK INKZALL™ Black Ultra Fine Point Pen
48-22-3150	12PK INKZALL™ Black Ultra Fine Point Marker
48-22-3130	INKZALL™ Black Chisel Tip Marker
48-22-3123	2PK INKZALL™ Silver/Gold Metallic Fine Point Marker
48-22-3106	4PK INKZALL™ Color Fine Point Marker
48-22-3105	2PK INKZALL™ Black Fine Point Marker
48-22-3104	4PK INKZALL™ Black Fine Point Marker
48-22-3103	INKZALL™ Black Chisel Tip Marker
48-22-3102	2PK INKZALL™ Black Medium Point Marker
48-22-3100B	360 Pk Fine Pt Inkzall Mkr Bk
48-22-3100	INKZALL™ Black Fine Point Marker



STORAGE SOLUTIONS

Milwaukee #	Description
48-22-8271	Utility Bucket Bag
48-22-8270	Utility Bucket Bag w/ Pockets
48-22-8276	Aerial Oval Bag
48-22-8275	Underground Oval Bag



MAGNATEC® PREMIUM DETECTABLE TAPE



- Environmentally Safe
- Lead Free
- Maximum Strength
- Permanent (Messaging)
- Wear Resistant
- Detectability by Conductive and Inductive Methods



Custom Text Available


To order custom tape please contact customer service at sales@empirelevel.com

BARRICADE TAPE

71-1001	3' x 1,000' Yellow "Caution" Tape
71-1004	3' x 1,000' Red "Danger" Tape
76-0600	3' x 500' Reinforced Yellow "Caution/Cuidado" Tape
76-0604	3' x 500' Reinforced Red "Danger/Peligro" Tape

FLAGGING TAPE

77-001	200' x 1" Lime Flagging Tape
77-065	600' x 1" Blue Flagging Tape
77-066	600' x 1" White Flagging Tape



STAKE FLAGS

78-001	100 Pcs 2.5' x 3.5' Blue Stake Flag with 21" Wire Stem
78-008	100 Pcs 2.5' x 3.5' Green Stake Flags with 21" Wire Stem



MAGNATEC®

Feature	Method (ASTM)	Value (English)	Value (SI)
Overall Thickness	D-2103	5.0 mil (Nominal)	0.125 mm (Nominal)
Foil Thickness	D-2103	.35 mil	8.89 microns
Weight	D-2103	27.5 lbs / 1,000 ft²	13.4 kg / 100 m²
Tensile Strength	D-882	Length: 7,661 psi	Length: 52.8 Mpa
Elongation	D-882	Length: 89%	Length: 89%
Printability	D-2578		> 40 dynes
Plastic Durability	D-792-08		1.119 g/cc

"Caution Gas Line Below"

Sizes Available	Model Number
2' x 1,000'	31-140
3' x 1,000'	31-141
6' x 1,000'	31-143

SHIELDTEC®

Feature	Method (ASTM)	Value (English)	Value (SI)
Overall Thickness	D-2103	4.0 mil (Nominal)	0.1 mm (Nominal)
Weight	D-2103	17.04 lbs / 1,000 ft²	8.32 kg / 100 m²
Tensile Strength	D-882	Length: 2,565 psi	Length: 17.7 Mpa
Elongation	D-882	Length: 492%	Length: 492%
Printability	D-2578		> 40 dynes
Plastic Durability	D-792-08		.961 g/cc

"Caution Gas Line Buried Below"

Sizes Available	Model Number
3' x 1,000'	22-211
6' x 1,000'	22-214

THORTEC®

Feature	Method (ASTM)	Value (English)	Value (SI)
Overall Thickness	D-2103	7.0 mil (Nominal)	0.175 mm (Nominal)
Foil Thickness	D-2103	.35 mil	8.89 microns
Weight	D-2103	34.21 lbs / 1,000 ft²	16.70 kg / 100 m²
Tensile Strength	D-882	Length: 12,000 psi	Length: 82.74 Mpa
Elongation	D-882	Length: 24%	Length: 24%
Printability	D-2578		> 40 dynes
Plastic Durability	D-792-08		1.055 g/cc

"Caution Gas Line Below"

Sizes Available	Model Number
2' x 1,000'	38-027

DURATEC®

Feature	Method (ASTM)	Value (English)	Value (SI)
Overall Thickness	D-2103	7.0 mil (Nominal)	0.175 mm (Nominal)
Weight	D-2103	22.46 lbs / 1,000 ft²	10.97 kg / 100 m²
Tensile Strength	D-882	Length: 10,620 psi	Length: 73.22 Mpa
Elongation	D-882	Length: 38%	Length: 38%
Printability	D-2578		> 40 dynes
Plastic Durability	D-792-08		.662 g/cc

"Caution Gas Line Buried Below"

Sizes Available	Model Number
3' x 1,000'	71-070

MAGNATEC®

Feature	Method (ASTM)	Value (English)	Value (SI)
Overall Thickness	D-2103	5.0 mil (Nominal)	0.125 mm (Nominal)
Foil Thickness	D-2103	.35 mil	8.89 microns
Weight	D-2103	27.5 lbs / 1,000 ft²	13.4 kg / 100 m²
Tensile Strength	D-882	Length: 7,661 psi	Length: 52.8 Mpa
Elongation	D-882	Length: 89%	Length: 89%
Printability	D-2578		> 40 dynes
Plastic Durability	D-792-08		1.119 g/cc

"Caution Oil Line Below"

Sizes Available	Model Number
2' x 1,000'	31-087

PACKOUT™

**MOST VERSATILE
DURABLE**
MODULAR STORAGE SYSTEM



SITE



TRANSIT



SHOP



**BUILD
YOUR SYSTEM**



PACKOUT™ MODULAR STORAGE SYSTEM



48-22-8426
PACKOUT™ Rolling Tool Box



48-22-8415
PACKOUT™ 2-Wheel Cart



48-22-8428
PACKOUT™ Rolling Tool Chest



48-22-8410
PACKOUT™ Dolly



48-22-8429
PACKOUT™ XL Tool Box



48-22-8425
PACKOUT™ Large Tool Box



48-22-8424
PACKOUT™ Tool Box



48-22-8450
PACKOUT™ Tool Case
w/ Customizable Insert



48-22-8445
PACKOUT™ Cabinet



48-22-8442
PACKOUT™ 2-Drawer Tool Box



48-22-8443
PACKOUT™ 3-Drawer Tool Box



48-22-8447
PACKOUT™ Multi-Depth
3-Drawer Tool Box



48-22-8444
PACKOUT™ 4-Drawer Tool Box



48-22-8422
PACKOUT™ Compact Tool Box



48-22-8045
PACKOUT™ Tool Tray



48-22-8432
PACKOUT™ Deep Organizer



48-22-8430
PACKOUT™ Organizer



48-22-8435
PACKOUT™ Compact Organizer

SHOP MORE SOLUTIONS AT WWW.MILWAUKEETOOL.COM

PACKOUT™ MODULAR STORAGE SYSTEM CONT'D



48-22-8431
PACKOUT™ Low-Profile
Organizer



48-22-8436
PACKOUT™ Low-Profile
Compact Organizer



48-22-8311
PACKOUT™ 10" Structured Tote



48-22-8315
PACKOUT™ 15" Tote



48-22-8320
PACKOUT™ 20" Tote



48-22-8316
PACKOUT™ 15"
Structured Tool Bag



48-22-8321
PACKOUT™ 15" Tool Bag



48-22-8322
PACKOUT™ 20" Tool Bag



48-22-8301
PACKOUT™ Backpack



48-22-8302
PACKOUT™ Cooler



48-22-8460
PACKOUT™ 16oz Compact Cooler



48-22-8462
PACKOUT™ 40oz XL Cooler



48-22-8392R
PACKOUT™ 20oz Tumbler



48-22-8393R
PACKOUT™ 30oz Tumbler



48-22-8488
PACKOUT™ Customizable
Work Top



48-22-8486
PACKOUT™ Compact Wall Plate



48-22-8487
PACKOUT™ Large Wall Plate



48-22-8480
PACKOUT™ Racking Kit



48-22-8481
PACKOUT™ Racking Shelf



48-22-8485
PACKOUT™ Mounting Plate



48-22-8342
PACKOUT™ Compact Wall Basket



48-22-8344
PACKOUT™ Belt Clip Rack



48-22-8346
PACKOUT™ Magnetic Rack



48-22-8070
PACKOUT™ Magnetic Bin



48-22-8071
PACKOUT™ Large Magnetic Bin



48-22-8328
PACKOUT™ 4" Single
Straight Hook



48-22-8329
PACKOUT™ 7-Hook Rack



48-22-8348
PACKOUT™ Long Handle
Tool Holder



48-22-8349
PACKOUT™ Long Handle
Tool Rack



48-22-8340
PACKOUT™ Tool Rack



RAPIDCHARGER
48-59-1809
M18™ PACKOUT™
Six Bay Rapid Charger



FUEL
0970-20
M18™ PACKOUT™ 2.5 Gal
Wet/Dry Vacuum



2357-20
M18™ PACKOUT™
Light/Charger



2356-20
M18™ PACKOUT™ Flood Light
w/ USB Charger



2950-20
M18™ PACKOUT™
Radio + Charger

TORCH™ NITRUS CARBIDE

FOR THE TOUGHEST CAST REMOVALS.



8 TPI
Quick starts,
smooth cuts

Large Gullets
For easy chip ejection

MILWAUKEE®
NITRUS CARBIDE™
Technology
Delivers the fastest cutting,
longest life

**CUTS
THROUGH
CAST IRON
STAINLESS
BORON
ANGLE IRON
BLACK PIPE
AND MORE**

THE TORCH™ w/ NITRUS CARBIDE™ SAWZALL® BLADES FOR CAST IRON

TPI	Length	Material	1 Pack	3 Pack	5 Pack
8	6"		48-00-5261	48-00-5361	48-00-5561
8	9"		48-00-5262	48-00-5362	48-00-5562
8	12"		48-00-5263	48-00-5363	48-00-5563

5X LIFE
VS. CARBIDE

ACCESSORIES

THE TORCH™ w/ CARBIDE TEETH SAWZALL® BLADES FOR THICK METALS

TPI	Length	Material	1 Pack	3 Pack	5 Pack	25 Pack
8	6"		48-00-5201	48-00-5301	48-00-5501	48-00-8501
8	9"		48-00-5202	48-00-5302	48-00-5502	48-00-8502
8	12"		48-00-5203	48-00-5303	48-00-5503	—



THE TORCH™ BI-METAL SAWZALL® BLADES

TPI	Length	Material	5 Pack	25 Pack	Bulk 10	Bulk 25	Bulk 100
10	6"		48-00-5712	48-00-8712	—	48-01-2712	48-01-7712
10	9"		48-00-5713	48-00-8713	48-01-2703	48-01-2713	48-01-7713
10	12"		48-00-5714	—	—	48-01-2714	—
14	6"		48-00-5782	48-00-8782	48-01-2762	48-01-2782	48-01-7782
14	9"		48-00-5787	48-00-8787	48-01-2767	48-01-2787	48-01-7787
14	12"		48-00-5794	—	—	48-01-2794	—
18	6"		48-00-5784	48-00-8784	48-01-2764	48-01-2784	48-01-7784
18	9"		48-00-5788	48-00-8788	48-01-2768	48-01-2788	48-01-7788
18	12"		48-00-5789	48-00-8789	48-01-2769	48-01-2789	48-01-7789



THE AX™ w/ CARBIDE TEETH SAWZALL® BLADES FOR NAIL EMBEDDED WOOD

TPI	Length	Material	1 Pack	3 Pack	5 Pack	25 Pack
5	6"		48-00-5221	48-00-5321	48-00-5521	—
5	9"		48-00-5226	48-00-5326	48-00-5526	48-00-8526
5	12"		48-00-5227	48-00-5327	48-00-5527	—



THE AX™ BI-METAL SAWZALL® BLADES

TPI	Length	Material	5 Pack	25 Pack	Bulk 10	Bulk 25	Bulk 100
5	6"		48-00-5021	48-00-8021	48-01-2001	48-01-2021	48-01-7021
5	9"		48-00-5026	48-00-8026	48-01-2006	48-01-2026	48-01-7026
5	12"		48-00-5027	48-00-8027	48-01-2007	48-01-2027	48-01-7027



ACCESSORIES

**DIAMOND
ULTRA** 

**DIAMOND ULTRA™ SEGMENTED TURBO BLADES
FASTEST CUTTING.
MAXIMUM RUN-TIME.**



PAIRS WITH



**EQUIPMENT REDEFINED
TRADE FOCUSED
SYSTEM WIDE**

**MX FUEL™ 14" CUT OFF SAW
w/ RAPIDSTOP™**
MXF315-2XC



SHOP MORE SOLUTIONS AT WWW.MILWAUKEETOOL.COM

SEGMENTED DIAMOND BLADES



**FASTEST CUTTING.
MAXIMUM RUN-TIME.**



**FASTER CUTTING.
FEWER BLADE CHANGES.**



**UP TO 5X LONGER LIFE.
ULTIMATE CONTROL.**



**FAST CUTTING
IN MASONRY**

DIAMOND ULTRA™ SEGMENTED TURBO GENERAL PURPOSE

Size	Arbor	Part No.	Tool Use
14"	1" - 20mm	49-93-7540	
12"	1" - 20mm	49-93-7535	
9"	7/8" - 5/8"	49-93-7532	
7"	DM 7/8" - 5/8"	49-93-7529	
6"	7/8" - 20mm - 5/8"	49-93-7526	
4-1/2"	7/8" - 20mm - 5/8"	49-93-7523	

DIAMOND MAX™ ALL-PURPOSE SEGMENTED TURBO

Size	Arbor	Part No.	Tool Use
14"	1" - 20mm	49-93-7140	
9"	7/8" - 5/8"	49-93-7125	

DIAMOND MAX™ SEGMENTED TURBO GENERAL PURPOSE

Size	Arbor	Part No.	Tool Use
16"	1" - 20mm	49-93-9016	
14"	1" - 20mm	49-93-9014	
12"	1" - 20mm	49-93-9012	
10"	7/8" - 5/8"	49-93-9010	
9"	7/8" - 5/8"	49-93-9009	
7"	DM 7/8" - 5/8"	49-93-9007	
6"	7/8" - 20mm - 5/8"	49-93-9006	
4-1/2"	7/8" - 20mm - 5/8"	49-93-9004	

SEGMENTED MASONRY & CONCRETE

Size	Arbor	Part No.	Tool Use
14"	1" - 20mm	49-93-9314	
12"	1" - 20mm	49-93-9312	
7"	DM 7/8" - 5/8"	49-93-9307	
4-1/2"	7/8" - 20mm - 5/8"	49-93-9304	
4"	7/8" - 20mm - 5/8"	49-93-9302	

TURBO DIAMOND BLADES



**POWER TO CUT
HARD AGGREGATE**

DIAMOND MAX™ TURBO GENERAL PURPOSE

Size	Arbor	Part No.	Tool Use
10"	7/8" - 5/8"	49-93-9110	
9"	7/8" - 5/8"	49-93-9109	
7"	DM 7/8" - 5/8"	49-93-9107	
6"	7/8" - 5/8"	49-93-9106	
5"	7/8" - 20mm - 5/8"	49-93-9105	
4-1/2"	7/8" - 20mm - 5/8"	49-93-9104	

TURBO DIAMOND BLADES CONT'D



**LESS CHIPPING.
INCREASED CONTROL.**

TURBO MASONRY & CONCRETE

Size	Arbor	Part No.	Tool Use
7"	DM 7/8" - 5/8"	49-93-9407	
4-1/2"	7/8" - 20mm - 5/8"	49-93-9404	
4"	7/8" - 20mm - 5/8"	49-93-9402	

CONTINUOUS DIAMOND BLADES



**ULTIMATE PRECISION
IN PORCELAIN**

DIAMOND MAX™ CONTINUOUS TILE

Size	Arbor	Part No.	Tool Use
10"	5/8"	49-93-9210	
7"	5/8"	49-93-9207	
6"	7/8" - 20mm - 5/8"	49-93-9206	
4-1/2"	7/8" - 20mm - 5/8"	49-93-9204	
4"	7/8" - 20mm - 5/8"	49-93-9202	



**PRECISE
TILE CUTTING**

CONTINUOUS TILE

Size	Arbor	Part No.	Tool Use
7"	DM 7/8" - 5/8"	49-93-9607	
4-1/2"	7/8" - 20mm - 5/8"	49-93-9604	
4"	7/8" - 20mm - 5/8"	49-93-9602	

APPLICATION SPECIFIC DIAMOND BLADES



**THE MOST
VERSATILE BLADE**

MULTI-MATERIAL

Size	Arbor	Part No.	Tool Use
14"	1" - 20mm	49-93-9614	
9"	7/8" - 5/8"	49-93-9609	
7"	7/8" - 5/8"	49-93-9607	
6"	7/8" - 20mm - 5/8"	49-93-9606	
4-1/2"	7/8" - 20mm - 5/8"	49-93-9604	



**MAXIMUM
MORTAR REMOVAL**

DIAMOND MAX™ TUCK POINT

Size	Arbor	Part No.	Tool Use
6"	7/8" - 20mm - 5/8"	49-93-7406	
4-1/2"	7/8" - 20mm - 5/8"	49-93-7405	



**REDUCED PINCHING.
LONG LIFE.**

DUCTILE IRON SEGMENTED

Size	Arbor	Part No.	Tool Use
14"	1" - 20mm	49-93-7340	

APPLICATION SPECIFIC DIAMOND BLADES CONT'D



**DURABILITY IN FULL
DEPTH ASPHALT CUTS**



**UP TO 70 MORE FEET
CUT PER CHARGE**



STEELHEAD™
DIAMOND OUT-SEE

**UP TO 75X LONGER
LIFE VS BONDED
ABRASIVES**

ASPHALT & GREEN CONCRETE SEGMENTED

Size	Arbor	Part No.	Tool Use
16"	1" - 20mm	49-93-7245	
14"	1" - 20mm	49-93-7240	

GREEN CONCRETE

Size	Part No.	Tool Use	Product	Part No.
6"	49-93-7261		Skid Plate	49-93-7260
6"	49-93-7262		Joint Protectors	49-93-7268
6"	49-93-7263			
6"	49-93-7264			
6"	49-93-7265			

STEELHEAD™ METAL

Size	Arbor	Part No.	Tool Use
14"	1" - 20mm	49-93-7840	
12"	1" - 20mm	49-93-7835	
7"	DM 7/8" - 5/8"	49-93-7820	
6"	7/8" - 5/8"	49-93-7815	
5"	7/8" - 5/8"	49-93-7810	
4.5"	7/8" - 5/8"	49-93-7805	
4"	7/8" - 5/8"	49-93-7800	

CUP WHEELS



**UP TO 2X FASTER
MATERIAL REMOVAL**



**UP TO 2X FASTER
MATERIAL REMOVAL**



**FAST
MATERIAL REMOVAL**

DIAMOND MAX™ TURBO

Size	Arbor	Part No.	Tool Use
7"	5/8"-11	49-93-7796	
7"	5/8"-11	49-93-7795	
5"	5/8"-11	49-93-7790	
4-1/2"	5/8"-11	49-93-7784	
4"	5/8"-11	49-93-7780	

DIAMOND MAX™ DOUBLE ROW

Size	Arbor	Part No.	Tool Use
5"	5/8"-11	49-93-7760	
4-1/2"	5/8"-11	49-93-7754	
4"	5/8"-11	49-93-7750	

SINGLE ROW

Size	Arbor	Part No.	Tool Use
4-1/2"	5/8"-11	49-93-7704	
4"	5/8"-11	49-93-7700	

DIAMOND ULTRA™

DIAMOND ULTRA™ WET CORE BITS FASTEST DRILLING. MAXIMUM RUN-TIME.



DIAMOND ULTRA™ WET CORE BITS

- 13" Drilling Depth 5/8" - 1-1/2"
- 16" Drilling Depth 2" - 14"

Size	Thread	Part No.
5/8"	5/8"-11	48-17-6006
3/4"	5/8"-11	48-17-6007
7/8"	5/8"-11	48-17-6009
1"	5/8"-11	48-17-6010
1-1/2"	5/8"-11	48-17-6016
2"	1-1/4"-7	48-17-6020
2-1/2"	1-1/4"-7	48-17-6025
3"	1-1/4"-7	48-17-6030
3-1/2"	1-1/4"-7	48-17-6035

Size	Thread	Part No.
4"	1-1/4"-7	48-17-6040
4-1/2"	1-1/4"-7	48-17-6046
5"	1-1/4"-7	48-17-6050
6"	1-1/4"-7	48-17-6060
8"	1-1/4"-7	48-17-6080
10"	1-1/4"-7	48-17-6100
12"	1-1/4"-7	48-17-6120
14"	1-1/4"-7	48-17-6140

ACCESSORIES



DIAMOND ULTRA™ DRY CORE BITS

- 13" Drilling Depth
- Fastest Drilling.
Maximum Run Time.

Size	Thread	Part No.
1-1/4"	1-1/4"-7	48-17-0112
2"	1-1/4"-7	48-17-0120
2-1/2"	1-1/4"-7	48-17-0125
3"	1-1/4"-7	48-17-0130

Size	Thread	Part No.
3-1/2"	1-1/4"-7	48-17-0135
4"	1-1/4"-7	48-17-0140
5"	1-1/4"-7	48-17-0150
6"	1-1/4"-7	48-17-0160



PREMIUM WET CORE BITS

- Long life in cured concrete with hard aggregate and medium steel reinforcement
- 15" Drilling Depth

Size	Thread	Part No.
3/4"	5/8"-11	48-17-3007
7/8"	5/8"-11	48-17-3009
1"	5/8"-11	48-17-3010
1-1/4"	5/8"-11	48-17-3012
1-1/2"	5/8"-11	48-17-3015
2"	1-1/4"-7	48-17-3020
2-1/2"	1-1/4"-7	48-17-3025
2-3/4"	1-1/4"-7	48-17-3027
3"	1-1/4"-7	48-17-3030
3-1/2"	1-1/4"-7	48-17-3035
4"	1-1/4"-7	48-17-3040

Size	Thread	Part No.
4-1/4"	1-1/4"-7	48-17-3042
4-1/2"	1-1/4"-7	48-17-3045
5"	1-1/4"-7	48-17-3050
6"	1-1/4"-7	48-17-3060
6-1/4"	1-1/4"-7	48-17-3062
7"	1-1/4"-7	48-17-3070
8"	1-1/4"-7	48-17-3080
9"	1-1/4"-7	48-17-3090
10"	1-1/4"-7	48-17-3100
12"	1-1/4"-7	48-17-3120
14"	1-1/4"-7	48-17-3140



WET CORE BITS

- Fast drilling in cured concrete with small diameter steel mesh and rebar
- 15" Drilling Depth

Size	Thread	Part No.
2"	1-1/4"-7	48-17-2020
2-1/2"	1-1/4"-7	48-17-2025
3"	1-1/4"-7	48-17-2030
3-1/2"	1-1/4"-7	48-17-2035
4"	1-1/4"-7	48-17-2040

Size	Thread	Part No.
4-1/4"	1-1/4"-7	48-17-2042
4-1/2"	1-1/4"-7	48-17-2045
5"	1-1/4"-7	48-17-2050
6"	1-1/4"-7	48-17-2060



PRE-STRESSED CONCRETE WET CORE BITS

- Designed specifically for the demands of drilling pre-stressed concrete
- 15" Drilling Depth

Size	Thread	Part No.
1"	5/8"-11	48-17-1010
1-1/2"	5/8"-11	48-17-1015
2"	1-1/4"-7	48-17-1020
2-1/2"	1-1/4"-7	48-17-1025
3"	1-1/4"-7	48-17-1030

Size	Thread	Part No.
3-1/2"	1-1/4"-7	48-17-1035
4"	1-1/4"-7	48-17-1040
4-1/2"	1-1/4"-7	48-17-1045
5"	1-1/4"-7	48-17-1050
6"	1-1/4"-7	48-17-1060



WET CORE BIT EXTENSIONS

- Designed to be used with Milwaukee® Diamond Premium Wet Core Bits
- Extends core bit drilling depth by 12"

Size	Thread	Part No.
1"	5/8"-11	48-17-4010
1-1/4"	5/8"-11	48-17-4012
1-1/2"	5/8"-11	48-17-4015
2"	1-1/4"-7	48-17-4020
2-1/2"	1-1/4"-7	48-17-4025
3"	1-1/4"-7	48-17-4030

Size	Thread	Part No.
3-1/2"	1-1/4"-7	48-17-4035
4"	1-1/4"-7	48-17-4040
4-1/4"	1-1/4"-7	48-17-4042
4-1/2"	1-1/4"-7	48-17-4045
5"	1-1/4"-7	48-17-4050

M/2™ 2-CUTTER SDS PLUS KIT

Part No.	48-20-7490
Description	5 PC M/2™ SDS Plus Bit Set
Includes	(1) 3/16" x 4", (1) 1/4" x 6", (1) 5/16" x 6", (1) 3/8" x 6", (1) 1/2" x 6"



This product complies with ANSI B2.15 standard.

SDS PLUS CONCRETE SCREW INSTALLATION DRILL BITS & KIT

			Concrete Screw Diameter Size	1 Pack	
5/32"	2"	5"	3/16"	48-20-7080	—
5/32"	3"	6"	3/16"	48-20-7086	48-20-7196
5/32"	4"	7"	3/16"	48-20-7091	48-20-7191
3/16"	2"	5"	1/4"	48-20-7087	—
3/16"	3"	6"	1/4"	48-20-7088	48-20-7198
3/16"	4"	7"	1/4"	48-20-7092	48-20-7192

Part No.	48-20-7487
Description	7 PC M/2™ SDS Plus Installation Kit for Concrete Screws
Includes	(1) 5/32" x 7" M/2™ 2-Cutter SDS Plus Drill Bit with Hex, (1) 3/16" x 7" M/2™ 2-Cutter SDS Plus Drill Bit with Hex, (1) SHOCKWAVE Impact Duty™ T25 2" TORX® Driver Bit, (1) SHOCKWAVE Impact Duty™ T30 2" TORX® Driver Bit, (1) 1/4" SHOCKWAVE Impact Duty™ Concrete Screw Nut Driver, (1) 5/16" SHOCKWAVE Impact Duty™ Concrete Screw Nut Driver



This product complies with ANSI B2.15 standard.



This product complies with ANSI B2.15 standard.

SDS PLUS SLEDGE™ CHISELS

Tip Type	Style	Application	Size	Part No.
	SDS Plus SLEDGE™ 10" Bull Point	Starts a hole in concrete slabs, general chipping and breaking	10"	48-62-6060
	SDS Plus SLEDGE™ 3/4" x 10" Flat Chisel	General chipping and breaking	3/4" x 10"	48-62-6062
	SDS Plus SLEDGE™ Plus 1-1/2" Scaling Chisel	Cleans concrete, scale, rust, cuts troughs and some asphalt	1-1/2" x 10"	48-62-6066
	SDS Plus SLEDGE™ 1-7/8" Tile Chisel	Removes tiles, laminates and other composite materials, removes concrete spillage	1-7/8" x 9-1/2"	48-62-6030

SDS MAX SLEDGE™ CHISELS

Tip Type	Style	Application	Size	Part No.
	SDS Max SLEDGE™ Bull Point	Starts a hole in concrete slabs, general chipping and breaking	16"	48-62-4250
	SDS Max SLEDGE™ Flat Chisel	General chipping and breaking	1" x 16"	48-62-4252
	SDS Max SLEDGE™ Scaling Chisel	Cleans concrete, scale, rust, cuts troughs and some asphalt	3" x 12"	48-62-4087

SDS MAX CHISELS

Tip Type	Style	Application	Size	Part No.
	Bull Point	Starts a hole in concrete slabs, general chipping and breaking	12"	48-62-4075
	Flat Chisel	General chipping and breaking	1" x 12"	48-62-4079

EXTENSIONS & ADAPTERS

PLUS-LOK™ SDS PLUS EXTENSIONS

Shank	Length	Part No.
PLUS-LOK™ SDS Plus Extension	12"	48-20-6840
PLUS-LOK™ SDS Plus Extension	18"	48-20-6845



MAX-LOK™

Description	Part No.
MAX-LOK™ SDS Max 15" Extension	48-20-6851



CARBIDE HAMMER DRILL BITS

CARBIDE HAMMER DRILL BIT SETS

Part No.	48-20-9051
Description	5 Pc SHOCKWAVE Impact Duty™ Carbide Hammer Drill Bit Set
Includes	5/32", 3/16", 1/4", 5/16", 3/8"



CARBIDE MULTI-MATERIAL DRILL BIT SETS

Part No.	48-20-8898
Description	5 Pc SHOCKWAVE Impact Duty™ Carbide Multi-Material Drill Bit Set
Includes	5/32", 3/16", 1/4", 5/16", 3/8"



CARBIDE HAMMER DRILL BIT CONCRETE SCREW INSTALLATION KIT

Part No.	48-20-9087
Description	7 Pc SHOCKWAVE Impact Duty™ Carbide Hammer Drill Bit for Concrete Screw Installation Kit
Includes	(1) 5/32" x 4" x 6" Carbide Hammer Drill Bit w/ Hex, (1) 3/16" x 4" x 6" Carbide Hammer Drill Bit w/ Hex, (1) 1/4" SHOCKWAVE Impact Duty™ Concrete Screw Nut Driver, (1) 5/16" SHOCKWAVE Impact Duty™ Concrete Screw Nut Driver, (1) SHOCKWAVE Impact Duty™ T25 2" TORX® Bit, (1) SHOCKWAVE Impact Duty™ T30 2" TORX® Bit, (1) Drive Sleeve

SDS MAX CORE BITS

SDS MAX ONE-PIECE CORE BITS

Diameter	Depth	Part No.
1-1/2"	11-3/8"	48-20-5400
1-3/4"	11-3/8"	48-20-5404
2"	11-3/8"	48-20-5408
2-5/8"	11-3/8"	48-20-5412
3-1/8"	11-3/8"	48-20-5420

Diameter	Depth	Part No.
3-9/16"	11-3/8"	48-20-5428
4"	11-3/8"	48-20-5432
5"	11-3/8"	48-20-5436
6"	22"	48-20-5440

SDS MAX ONE-PIECE CORE BIT ACCESSORIES

Description	Part No.
Centering Bit	48-20-5495
Drift Key	48-20-5497



ACCESSORIES



UP TO
20%
MORE HOLES
PER CHARGE™

**GERMAN
MADE**



UP TO
5x
LIFE
IN REBAR

**SOLID
HEAD
CARBIDE**

MX4™ 4-CUTTER SDS PLUS DRILL BITS

Diameter	Usable Length	Length	1 Pack	Bulk	Monster Pack
5/32"	4"	6"	48-20-7308	—	—
3/16"	2"	4"	48-20-7310	48-20-7910 (15 pk)	—
3/16"	4"	6"	48-20-7311	48-20-7911 (15 pk)	48-20-7990 (100 pk)
3/16"	6"	8"	48-20-7312	48-20-7912 (15 pk)	—
3/16"	8"	10"	48-20-7313	—	—
3/16"	10"	12"	48-20-7314	—	—
1/4"	2"	4"	48-20-7330	48-20-7990 (15 pk)	—
1/4"	4"	6"	48-20-7331	48-20-7991 (15 pk)	48-20-7994 (100 pk)
1/4"	6"	8"	48-20-7332	48-20-7992 (15 pk)	—
1/4"	8"	10"	48-20-7334	—	—
1/4"	10"	12"	48-20-7335	—	—
5/16"	4"	6"	48-20-7341	48-20-7941 (15 pk)	—
5/16"	10"	12"	48-20-7344	—	—
3/8"	4"	6"	48-20-7351	48-20-7951 (10 pk)	—
3/8"	10"	12"	48-20-7354	48-20-7954 (10 pk)	—
3/8"	16"	18"	48-20-7357	—	—
7/16"	4"	6"	48-20-7361	—	—
7/16"	10"	12"	48-20-7364	—	—
1/2"	4"	6"	48-20-7371	48-20-7971 (10 pk)	—
1/2"	10"	12"	48-20-7374	48-20-7974 (10 pk)	—

Diameter	Usable Length	Length	1 Pack
1/2"	16"	18"	48-20-7377
9/16"	4"	6"	48-20-7381
9/16"	10"	12"	48-20-7384
9/16"	16"	18"	48-20-7387
5/8"	6"	8"	48-20-7200
5/8"	10"	12"	48-20-7203
5/8"	16"	18"	48-20-7206
3/4"	6"	8"	48-20-7210
3/4"	8"	10"	48-20-7212
3/4"	10"	12"	48-20-7215
3/4"	16"	18"	48-20-7220
7/8"	6"	8"	48-20-7225
7/8"	8"	10"	48-20-7228
7/8"	10"	12"	48-20-7230
7/8"	16"	18"	48-20-7236
1"	8"	10"	48-20-7240
1"	16"	18"	48-20-7246
1-1/8"	8"	10"	48-20-7250
1-1/8"	16"	18"	48-20-7256
1-1/4"	16"	18"	48-20-7266



This product complies with ANSI B2.12.15 standard

SHOP MORE SOLUTIONS AT WWW.MILWAUKEETOOL.COM

MX4™ 4-CUTTER SDS PLUS DRILL BIT KITS

Part No.	48-20-7498	48-20-7499	48-20-7652	48-20-7653
Description	5 Pc MX4™ SDS Plus Bit Set	6 Pc MX4™ SDS Plus Bit Set	6 Pc MX4™ SDS Plus Bit & SDS Plus Chisel Set	8 Pc MX4™ SDS Plus Bit Set
Includes	(1) 3/16" x 4", (1) 1/4" x 6", (1) 5/16" x 6", (1) 3/8" x 6", (1) 1/2" x 6"	(1) 3/16" x 6", (1) 1/4" x 6", (1) 5/16" x 6", (1) 3/8" x 6", (1) 1/2" x 6", (1) 5/8" x 6"	(1) 5/32" x 6", (1) 3/16" x 6", (1) 1/4" x 6", (1) 3/8" x 6", (1) 5-1/2" Bull Point Chisel, (1) 5-1/2" Flat Chisel	(1) 5/32" x 6", (1) 3/16" x 4", (1) 3/16" x 6", (1) 1/4" x 4", (1) 1/4" x 6", (1) 5/16" x 6", (1) 3/8" x 6", (1) 1/2" x 6"



This product complies with ANSI B212.15 standard

MX4™ 4-CUTTER SDS MAX DRILL BITS

Diameter	Usable Length	Length	1 Pack
3/8"	8"	13"	48-20-3901
1/2"	8"	13"	48-20-3902
1/2"	12"	17"	48-20-3903
1/2"	16"	21"	48-20-3904
1/2"	24"	29"	48-20-3905
1/2"	31"	36"	48-20-3906
1/2"	54"	60"	48-20-3909
9/16"	8"	13"	48-20-3910
9/16"	16"	21"	48-20-3912
5/8"	8"	13"	48-20-3916
5/8"	12"	17"	48-20-3917
5/8"	16"	21"	48-20-3918
5/8"	24"	29"	48-20-3920
5/8"	31"	36"	48-20-3922
5/8"	54"	60"	48-20-3923
11/16"	16"	21"	48-20-3926
3/4"	8"	13"	48-20-3930
3/4"	12"	17"	48-20-3931
3/4"	16"	21"	48-20-3932

Diameter	Usable Length	Length	1 Pack
3/4"	24"	29"	48-20-3934
3/4"	31"	36"	48-20-3936
13/16"	17"	21"	48-20-3938
27/32"	17"	21"	48-20-3942
7/8"	8"	13"	48-20-3944
7/8"	12"	17"	48-20-3945
7/8"	17"	21"	48-20-3946
7/8"	24"	29"	48-20-3947
7/8"	31"	36"	48-20-3949
1"	8"	13"	48-20-3952
1"	12"	17"	48-20-3953
1"	17"	21"	48-20-3954
1"	24"	29"	48-20-3955
1"	31"	36"	48-20-3956
1-1/16"	18"	23"	48-20-3958
1-1/8"	8"	13"	48-20-3965
1-1/8"	12"	17"	48-20-3964
1-1/8"	17"	21"	48-20-3966
1-1/8"	24"	29"	48-20-3969

Diameter	Usable Length	Length	1 Pack
1-1/8"	31"	36"	48-20-3967
1-1/4"	10"	15"	48-20-3970
1-1/4"	18"	23"	48-20-3972
1-1/4"	24"	29"	48-20-3973
1-1/4"	31"	36"	48-20-3974
1-3/8"	12"	17"	48-20-3975
1-3/8"	18"	23"	48-20-3980
1-3/8"	24"	29"	48-20-3981
1-3/8"	31"	36"	48-20-3983
1-7/16"	18"	23"	48-20-3984
1-1/2"	12"	17"	48-20-3986
1-1/2"	18"	23"	48-20-3988
1-1/2"	24"	29"	48-20-3985
1-1/2"	31"	36"	48-20-3987
1-3/16"	18"	23"	48-20-3990
1-5/8"	18"	23"	48-20-3991
1-3/4"	18"	23"	48-20-3992
2"	18"	23"	48-20-3993



This product complies with ANSI B212.15 standard

ACCESSORIES

SHOCKWAVE IMPACT DUTY™ SOCKETS AND ADAPTERS



3/8" DRIVE 6 POINT SOCKETS

Milwaukee #	Size	Socket Depth	Socket Type
49-66-6100	1/4"	STANDARD	SAE
49-66-6101	9/32"	STANDARD	SAE
49-66-6102	5/16"	STANDARD	SAE
49-66-6103	11/32"	STANDARD	SAE
49-66-6104	3/8"	STANDARD	SAE
49-66-6105	7/16"	STANDARD	SAE
49-66-6106	1/2"	STANDARD	SAE
49-66-6107	9/16"	STANDARD	SAE
49-66-6108	5/8"	STANDARD	SAE
49-66-6109	11/16"	STANDARD	SAE
49-66-6110	3/4"	STANDARD	SAE
49-66-6111	13/16"	STANDARD	SAE
49-66-6112	7/8"	STANDARD	SAE
49-66-6113	15/16"	STANDARD	SAE
49-66-6114	1"	STANDARD	SAE
49-66-6115	1/4"	DEEP	SAE
49-66-6116	9/32"	DEEP	SAE
49-66-6117	5/16"	DEEP	SAE
49-66-6118	11/32"	DEEP	SAE
49-66-6119	3/8"	DEEP	SAE
49-66-6120	7/16"	DEEP	SAE
49-66-6121	1/2"	DEEP	SAE
49-66-6122	9/16"	DEEP	SAE

Milwaukee #	Size	Socket Depth	Socket Type
49-66-6123	5/8"	DEEP	SAE
49-66-6124	11/16"	DEEP	SAE
49-66-6125	3/4"	DEEP	SAE
49-66-6126	13/16"	DEEP	SAE
49-66-6127	7/8"	DEEP	SAE
49-66-6128	15/16"	DEEP	SAE
49-66-6129	1"	DEEP	SAE
49-66-6130	6MM	STANDARD	METRIC
49-66-6131	7MM	STANDARD	METRIC
49-66-6132	8MM	STANDARD	METRIC
49-66-6133	9MM	STANDARD	METRIC
49-66-6134	10MM	STANDARD	METRIC
49-66-6135	11MM	STANDARD	METRIC
49-66-6136	12MM	STANDARD	METRIC
49-66-6137	13MM	STANDARD	METRIC
49-66-6138	14MM	STANDARD	METRIC
49-66-6139	15MM	STANDARD	METRIC
49-66-6140	16MM	STANDARD	METRIC
49-66-6141	17MM	STANDARD	METRIC
49-66-6142	18MM	STANDARD	METRIC
49-66-6143	19MM	STANDARD	METRIC
49-66-6144	20MM	STANDARD	METRIC
49-66-6145	22MM	STANDARD	METRIC

Milwaukee #	Size	Socket Depth	Socket Type
49-66-6145	22MM	STANDARD	METRIC
49-66-6146	23MM	STANDARD	METRIC
49-66-6147	24MM	STANDARD	METRIC
49-66-6148	6MM	DEEP	METRIC
49-66-6149	7MM	DEEP	METRIC
49-66-6150	8MM	DEEP	METRIC
49-66-6151	9MM	DEEP	METRIC
49-66-6152	10MM	DEEP	METRIC
49-66-6153	11MM	DEEP	METRIC
49-66-6154	12MM	DEEP	METRIC
49-66-6155	13MM	DEEP	METRIC
49-66-6156	14MM	DEEP	METRIC
49-66-6157	15MM	DEEP	METRIC
49-66-6158	16MM	DEEP	METRIC
49-66-6159	17MM	DEEP	METRIC
49-66-6160	18MM	DEEP	METRIC
49-66-6161	19MM	DEEP	METRIC
49-66-6162	21MM	DEEP	METRIC
49-66-6163	22MM	DEEP	METRIC
49-66-6164	23MM	DEEP	METRIC
49-66-6165	24MM	DEEP	METRIC
49-66-6166	25MM	DEEP	METRIC



1/2" DRIVE 6 POINT SOCKETS

Milwaukee #	Size	Socket Depth	Socket Type
49-66-6200	3/8"	STANDARD	SAE
49-66-6201	7/16"	STANDARD	SAE
49-66-6202	1/2"	STANDARD	SAE
49-66-6203	9/16"	STANDARD	SAE
49-66-6204	5/8"	STANDARD	SAE
49-66-6205	11/16"	STANDARD	SAE
49-66-6206	3/4"	STANDARD	SAE
49-66-6207	13/16"	STANDARD	SAE
49-66-6208	7/8"	STANDARD	SAE
49-66-6209	15/16"	STANDARD	SAE
49-66-6210	1"	STANDARD	SAE
49-66-6211	1-1/16"	STANDARD	SAE
49-66-6212	1-1/8"	STANDARD	SAE
49-66-6213	1-3/16"	STANDARD	SAE
49-66-6214	1-1/4"	STANDARD	SAE
49-66-6215	1-5/16"	STANDARD	SAE
49-66-6216	1-3/8"	STANDARD	SAE
49-66-6217	1-7/16"	STANDARD	SAE
49-66-6218	1-1/2"	STANDARD	SAE
49-66-6219	1-9/16"	STANDARD	SAE
49-66-6220	3/8"	DEEP	SAE
49-66-6221	7/16"	DEEP	SAE
49-66-6222	1/2"	DEEP	SAE
49-66-6223	9/16"	DEEP	SAE
49-66-6224	5/8"	DEEP	SAE
49-66-6225	11/16"	DEEP	SAE
49-66-6226	3/4"	DEEP	SAE
49-66-6227	13/16"	DEEP	SAE
49-66-6228	7/8"	DEEP	SAE
49-66-6229	15/16"	DEEP	SAE
49-66-6230	1"	DEEP	SAE
49-66-6231	1-1/16"	DEEP	SAE
49-66-6232	1-1/8"	DEEP	SAE
49-66-6233	1-3/16"	DEEP	SAE
49-66-6234	1-1/4"	DEEP	SAE

Milwaukee #	Size	Socket Depth	Socket Type
49-66-6235	1-5/16"	DEEP	SAE
49-66-6236	1-3/8"	DEEP	SAE
49-66-6237	1-7/16"	DEEP	SAE
49-66-6238	1-1/2"	DEEP	SAE
49-66-6239	1-9/16"	DEEP	SAE
49-66-6240	8MM	STANDARD	METRIC
49-66-6241	9MM	STANDARD	METRIC
49-66-6242	10MM	STANDARD	METRIC
49-66-6243	11MM	STANDARD	METRIC
49-66-6244	12MM	STANDARD	METRIC
49-66-6245	13MM	STANDARD	METRIC
49-66-6246	14MM	STANDARD	METRIC
49-66-6247	15MM	STANDARD	METRIC
49-66-6248	16MM	STANDARD	METRIC
49-66-6249	17MM	STANDARD	METRIC
49-66-6250	18MM	STANDARD	METRIC
49-66-6251	19MM	STANDARD	METRIC
49-66-6252	20MM	STANDARD	METRIC
49-66-6253	21MM	STANDARD	METRIC
49-66-6254	22MM	STANDARD	METRIC
49-66-6255	23MM	STANDARD	METRIC
49-66-6256	24MM	STANDARD	METRIC
49-66-6257	25MM	STANDARD	METRIC
49-66-6258	26MM	STANDARD	METRIC
49-66-6259	27MM	STANDARD	METRIC
49-66-6260	28MM	STANDARD	METRIC
49-66-6261	29MM	STANDARD	METRIC
49-66-6262	30MM	STANDARD	METRIC
49-66-6263	31MM	STANDARD	METRIC
49-66-6264	32MM	STANDARD	METRIC
49-66-6265	33MM	STANDARD	METRIC
49-66-6266	34MM	STANDARD	METRIC
49-66-6267	35MM	STANDARD	METRIC
49-66-6268	36MM	STANDARD	METRIC
49-66-6269	8MM	DEEP	METRIC

Milwaukee #	Size	Socket Depth	Socket Type
49-66-6270	9MM	DEEP	METRIC
49-66-6271	10MM	DEEP	METRIC
49-66-6272	11MM	DEEP	METRIC
49-66-6273	12MM	DEEP	METRIC
49-66-6274	13MM	DEEP	METRIC
49-66-6275	14MM	DEEP	METRIC
49-66-6276	15MM	DEEP	METRIC
49-66-6277	16MM	DEEP	METRIC
49-66-6278	17MM	DEEP	METRIC
49-66-6279	18MM	DEEP	METRIC
49-66-6280	19MM	DEEP	METRIC
49-66-6281	20MM	DEEP	METRIC
49-66-6282	21MM	DEEP	METRIC
49-66-6283	22MM	DEEP	METRIC
49-66-6284	23MM	DEEP	METRIC
49-66-6285	24MM	DEEP	METRIC
49-66-6286	25MM	DEEP	METRIC
49-66-6287	26MM	DEEP	METRIC
49-66-6288	27MM	DEEP	METRIC
49-66-6289	28MM	DEEP	METRIC
49-66-6290	29MM	DEEP	METRIC
49-66-6291	30MM	DEEP	METRIC
49-66-6292	31MM	DEEP	METRIC
49-66-6293	32MM	DEEP	METRIC
49-66-6294	33MM	DEEP	METRIC
49-66-6295	34MM	DEEP	METRIC
49-66-6296	35MM	DEEP	METRIC
49-66-6297	36MM	DEEP	METRIC

ACCESSORIES

SHOCKWAVE IMPACT DUTY™ SOCKETS AND ADAPTERS



3/4" DRIVE 6 POINT SOCKETS

Milwaukee #	Size	Socket Depth	Socket Type
49-66-6300	9/16"	STANDARD	SAE
49-66-6301	5/8"	STANDARD	SAE
49-66-6302	11/16"	STANDARD	SAE
49-66-6303	3/4"	STANDARD	SAE
49-66-6304	13/16"	STANDARD	SAE
49-66-6305	7/8"	STANDARD	SAE
49-66-6306	15/16"	STANDARD	SAE
49-66-6307	1"	STANDARD	SAE
49-66-6308	1-1/16"	STANDARD	SAE
49-66-6309	1-1/8"	STANDARD	SAE
49-66-6310	1-3/16"	STANDARD	SAE
49-66-6311	1-1/4"	STANDARD	SAE
49-66-6312	1-5/16"	STANDARD	SAE
49-66-6313	1-3/8"	STANDARD	SAE
49-66-6314	1-7/16"	STANDARD	SAE
49-66-6315	1-1/2"	STANDARD	SAE
49-66-6316	1-9/16"	STANDARD	SAE
49-66-6317	1-5/8"	STANDARD	SAE
49-66-6318	1-11/16"	STANDARD	SAE
49-66-6319	1-3/4"	STANDARD	SAE
49-66-6320	1-13/16"	STANDARD	SAE
49-66-6321	1-7/8"	STANDARD	SAE
49-66-6322	1-15/16"	STANDARD	SAE
49-66-6323	2"	DEEP	SAE
49-66-6332	9/16"	DEEP	SAE
49-66-6333	5/8"	DEEP	SAE
49-66-6334	11/16"	DEEP	SAE
49-66-6335	3/4"	DEEP	SAE
49-66-6336	13/16"	DEEP	SAE
49-66-6337	7/8"	DEEP	SAE
49-66-6338	15/16"	DEEP	SAE
49-66-6339	1"	DEEP	SAE
49-66-6340	1-1/16"	DEEP	SAE
49-66-6341	1-1/8"	DEEP	SAE
49-66-6342	1-3/16"	DEEP	SAE
49-66-6343	1-1/4"	DEEP	SAE
49-66-6344	1-5/16"	DEEP	SAE
49-66-6345	1-3/8"	DEEP	SAE
49-66-6346	1-7/16"	DEEP	SAE

Milwaukee #	Size	Socket Depth	Socket Type
49-66-6347	1-1/2"	DEEP	SAE
49-66-6348	1-9/16"	DEEP	SAE
49-66-6349	1-5/8"	DEEP	SAE
49-66-6350	1-11/16"	DEEP	SAE
49-66-6351	1-3/4"	DEEP	SAE
49-66-6352	1-13/16"	DEEP	SAE
49-66-6353	1-7/8"	DEEP	SAE
49-66-6354	1-15/16"	DEEP	SAE
49-66-6355	2"	DEEP	SAE
49-66-6356	17MM	STANDARD	METRIC
49-66-6357	19MM	STANDARD	METRIC
49-66-6358	20MM	STANDARD	METRIC
49-66-6359	21MM	STANDARD	METRIC
49-66-6360	22MM	STANDARD	METRIC
49-66-6361	23MM	STANDARD	METRIC
49-66-6362	24MM	STANDARD	METRIC
49-66-6363	25MM	STANDARD	METRIC
49-66-6364	26MM	STANDARD	METRIC
49-66-6365	27MM	STANDARD	METRIC
49-66-6366	28MM	STANDARD	METRIC
49-66-6367	29MM	STANDARD	METRIC
49-66-6368	30MM	STANDARD	METRIC
49-66-6369	31MM	STANDARD	METRIC
49-66-6370	32MM	STANDARD	METRIC
49-66-6371	33MM	STANDARD	METRIC
49-66-6372	34MM	STANDARD	METRIC
49-66-6373	35MM	STANDARD	METRIC
49-66-6374	36MM	STANDARD	METRIC
49-66-6375	37MM	STANDARD	METRIC
49-66-6376	38MM	STANDARD	METRIC
49-66-6377	39MM	STANDARD	METRIC
49-66-6378	40MM	STANDARD	METRIC
49-66-6379	41MM	STANDARD	METRIC
49-66-6380	42MM	STANDARD	METRIC
49-66-6381	43MM	STANDARD	METRIC
49-66-6382	44MM	STANDARD	METRIC
49-66-6383	45MM	STANDARD	METRIC
49-66-6384	46MM	STANDARD	METRIC
49-66-6385	47MM	STANDARD	METRIC

Milwaukee #	Size	Socket Depth	Socket Type
49-66-6386	48MM	STANDARD	METRIC
49-66-6387	49MM	STANDARD	METRIC
49-66-6388	50MM	STANDARD	METRIC
49-66-6392	60MM	STANDARD	METRIC
49-66-6393	17MM	STANDARD	METRIC
49-66-6394	19MM	STANDARD	METRIC
49-66-6395	20MM	STANDARD	METRIC
49-66-6396	21MM	STANDARD	METRIC
49-66-6397	22MM	STANDARD	METRIC
49-66-6398	23MM	STANDARD	METRIC
49-66-6399	24MM	STANDARD	METRIC
49-66-6400	25MM	STANDARD	METRIC
49-66-6401	26MM	STANDARD	METRIC
49-66-6402	27MM	STANDARD	METRIC
49-66-6403	28MM	STANDARD	METRIC
49-66-6404	29MM	STANDARD	METRIC
49-66-6405	30MM	STANDARD	METRIC
49-66-6406	31MM	STANDARD	METRIC
49-66-6407	32MM	STANDARD	METRIC
49-66-6408	33MM	STANDARD	METRIC
49-66-6409	34MM	STANDARD	METRIC
49-66-6410	35MM	STANDARD	METRIC
49-66-6411	36MM	STANDARD	METRIC
49-66-6412	37MM	STANDARD	METRIC
49-66-6413	38MM	STANDARD	METRIC
49-66-6414	39MM	STANDARD	METRIC
49-66-6415	40MM	STANDARD	METRIC
49-66-6416	41MM	STANDARD	METRIC
49-66-6417	42MM	DEEP	METRIC
49-66-6418	43MM	DEEP	METRIC
49-66-6419	44MM	DEEP	METRIC
49-66-6420	45MM	DEEP	METRIC
49-66-6421	46MM	DEEP	METRIC
49-66-6422	47MM	DEEP	METRIC
49-66-6423	48MM	DEEP	METRIC
49-66-6424	49MM	DEEP	METRIC
49-66-6425	50MM	DEEP	METRIC



1" DRIVE 6 POINT SOCKETS

Milwaukee #	Size	Socket Type
49-66-6571	3/4"	SAE
49-66-6502	7/8"	SAE
49-66-6503	15/16"	SAE
49-66-6504	1"	SAE
49-66-6505	1-1/16"	SAE
49-66-6506	1-1/8"	SAE
49-66-6507	1-3/16"	SAE
49-66-6508	1-1/4"	SAE
49-66-6509	1-5/16"	SAE
49-66-6510	1-3/8"	SAE
49-66-6511	1-7/16"	SAE
49-66-6512	1-1/2"	SAE

Milwaukee #	Size	Socket Type
49-66-6513	1-9/16"	SAE
49-66-6514	1-5/8"	SAE
49-66-6515	1-11/16"	SAE
49-66-6516	1-3/4"	SAE
49-66-6517	1-13/16"	SAE
49-66-6518	1-7/8"	SAE
49-66-6519	1-15/16"	SAE
49-66-6520	2"	SAE
49-66-6521	2-1/4"	SAE
49-66-6592	27MM	METRIC
49-66-6593	28MM	METRIC
49-66-6594	29MM	METRIC

Milwaukee #	Size	Socket Type
49-66-6595	30MM	METRIC
49-66-6596	31MM	METRIC
49-66-6597	32MM	METRIC
49-66-6598	33MM	METRIC
49-66-6599	34MM	METRIC
49-66-6600	35MM	METRIC
49-66-6601	36MM	METRIC
49-66-6602	38MM	METRIC
49-66-6603	40MM	METRIC
49-66-6604	41MM	METRIC
49-66-6605	42MM	METRIC
49-66-6606	46MM	METRIC

Milwaukee #	Size	Socket Type
49-66-6607	50MM	METRIC
49-66-6608	52MM	METRIC
49-66-6609	54MM	METRIC
49-66-6610	55MM	METRIC
49-66-6611	56MM	METRIC
49-66-6612	58MM	METRIC
49-66-6613	58MM	METRIC
49-66-6614	65MM	METRIC
49-66-6615	67MM	METRIC
49-66-6616	70MM	METRIC

SHOCKWAVE IMPACT DUTY™ SOCKETS AND ADAPTERS

SOCKET SETS

Milwaukee #	Description
49-66-6806	31PC SHOCKWAVE IMPACT DUTY™ SOCKET 1/2" DR PACKOUT SET
49-66-7000	10PC SHOCKWAVE IMPACT DUTY™ 1/4" DRIVE SAE STANDARD 6 POINT SOCKET SET
49-66-7001	10PC SHOCKWAVE IMPACT DUTY™ 1/4" DRIVE SAE DEEP 6 POINT SOCKET SET
49-66-7002	14PC SHOCKWAVE IMPACT DUTY™ 1/4" DRIVE METRIC STANDARD 6 POINT SOCKET SET
49-66-7003	14PC SHOCKWAVE IMPACT DUTY™ 1/4" DRIVE METRIC DEEP 6 POINT SOCKET SET
49-66-7005	12PC SHOCKWAVE IMPACT DUTY™ 3/8" DRIVE SAE STANDARD 6 POINT SOCKET SET
49-66-7006	12PC SHOCKWAVE IMPACT DUTY™ 3/8" DRIVE SAE DEEP 6 POINT SOCKET SET
49-66-7007	14PC SHOCKWAVE IMPACT DUTY™ 3/8" DRIVE METRIC STANDARD 6 POINT SOCKET SET
49-66-7008	14PC SHOCKWAVE IMPACT DUTY™ 3/8" DRIVE METRIC DEEP 6 POINT SOCKET SET
49-66-7009	43PC SHOCKWAVE IMPACT DUTY™ 3/8" DRIVE SAE & METRIC DEEP 6 POINT SOCKET SET
49-66-7010	12PC SHOCKWAVE IMPACT DUTY™ 1/2" DRIVE SAE STANDARD 6 POINT SOCKET SET
49-66-7011	12PC SHOCKWAVE IMPACT DUTY™ 1/2" DRIVE SAE DEEP 6 POINT SOCKET SET
49-66-7012	19PC SHOCKWAVE IMPACT DUTY™ 1/2" DRIVE SAE DEEP 6 POINT SOCKET SET
49-66-7013	14PC SHOCKWAVE IMPACT DUTY™ 1/2" DRIVE METRIC STANDARD 6 POINT SOCKET SET
49-66-7014	14PC SHOCKWAVE IMPACT DUTY™ 1/2" DRIVE METRIC DEEP 6 POINT SOCKET SET
49-66-7015	29PC SHOCKWAVE IMPACT DUTY™ 1/2" DRIVE METRIC DEEP 6 POINT SOCKET SET
49-66-7016	29PC SHOCKWAVE IMPACT DUTY™ 1/2" DRIVE SAE & METRIC DEEP 6 POINT SOCKET SET
49-66-7017	8PC SHOCKWAVE IMPACT DUTY™ 3/4" DRIVE SAE STANDARD 6 POINT SOCKET SET
49-66-7018	8PC SHOCKWAVE IMPACT DUTY™ 3/4" DRIVE SAE DEEP 6 POINT SOCKET SET
49-66-7019	8PC SHOCKWAVE IMPACT DUTY™ 3/4" DRIVE METRIC STANDARD 6 POINT SOCKET SET
49-66-7020	8PC SHOCKWAVE IMPACT DUTY™ 3/4" DRIVE METRIC DEEP 6 POINT SOCKET SET
49-66-7021	8PC SHOCKWAVE IMPACT DUTY™ 3/8" DRIVE METRIC DEEP 6 POINT SOCKET SET
49-66-7022	9PC SHOCKWAVE IMPACT DUTY™ 1/2" DRIVE SAE DEEP 6 POINT SOCKET SET
49-66-7024	8PC SHOCKWAVE IMPACT DUTY™ 3/8" DRIVE SAE DEEP 6 POINT SOCKET SET
49-66-7025	3PC SHOCKWAVE IMPACT DUTY™ 1/2" DRIVE METRIC DEEP 6 POINT SOCKET SET



SOCKET EXTENSIONS

Milwaukee #	Drive Size	Length
49-66-6700	1/4"	3"
49-66-6701	1/4"	6"
49-66-6702	1/4"	10"
49-66-6703	3/8"	3"

Milwaukee #	Drive Size	Length
49-66-6704	3/8"	6"
49-66-6705	3/8"	10"
49-66-6706	1/2"	3"
49-66-6707	1/2"	6"

Milwaukee #	Drive Size	Length
49-66-6708	1/2"	10"
49-66-6709	3/4"	4"
49-66-6710	3/4"	7"
49-66-6711	3/4"	10"

Milwaukee #	Drive Size	Length
49-66-6712	1"	7"
49-66-6713	1"	10"

REDUCERS

Milwaukee #	Drive Size	Output Drive
49-66-6722	3/8"	1/4"
49-66-6725	1/2"	3/8"
49-66-6728	3/4"	1/2"



SOCKET UNIVERSAL JOINTS

Milwaukee #	Drive Size
49-66-6721	1/4"
49-66-6724	3/8"
49-66-6727	1/2"

Milwaukee #	Drive Size
49-66-6730	3/4"
49-66-6733	1"



SOCKET ADAPTERS

Milwaukee #	Drive Size	Output Drive
49-66-6720	1/4"	3/8"
49-66-6723	3/8"	1/2"
49-66-6726	1/2"	3/4"
49-66-6729	3/4"	1"



49-66-6742
SHOCKWAVE Impact Duty™
1/4"-1/2" Drive Adapter Set



TOOL REPAIR OPTIONS

1

eSERVICE

The 24/7 solution for quick, convenient repairs; best for smaller tool quantities

SUBMIT INFO



Fill out tool and user information at milwaukeetool.com/eservice

PRINT LABEL



Print a free FedEx shipping label for the Milwaukee Tool repair facility

GET TOOL



Your repaired tool will be returned directly to you – no need to pick it up

2

FACTORY SERVICE CENTERS



- Fast turn-around: get your tool back in 7 – 10 business days
- Repairs under warranty are covered at no charge
- Repairs performed by factory-trained technicians are done using only genuine MILWAUKEE® parts
- Refer to back page for Factory Service Center locations

3

AUTHORIZED SERVICE CENTERS

- Hundreds of locations throughout the U.S.
- Repairs under warranty are covered at no charge
- Repairs performed by factory-authorized technicians using only genuine MILWAUKEE® parts
- For Authorized Service Center locations, refer to milwaukeetool.com/Support/Find-A-Service-Center

AUTHORIZED SERVICE CENTERSwww.milwaukeetool.com/Support/Find-A-Service-Center

FACTORY SERVICE CENTERS

Benefit from a face-to-face experience with professional representatives and service technicians, whether your repair needs are large or small. Factory Service Centers also carry the widest variety of MILWAUKEE® Tools and Accessories for all your needs.

1-800-SAWDUST (1-800-729-3878)

Anaheim

1130 N Magnolia
Anaheim, CA 92801

Atlanta

6155 Jimmy Carter Blvd
Suite F2
Norcross, GA 30071

Boston

949 Providence Hwy
Norwood, MA 02062

Charlotte

510 Eagleton Downs
Suite A
Pineville, NC 28134

Chicago

6310 Gross Point Road
Niles, IL 60714

Cleveland

8200 Sweet Valley Drive
Suite 108
Valley View, OH 44125

Dallas

1625 W Mockingbird Lane
Unit 205
Dallas, TX 75235

Denver

2500 W 8th Avenue
Unit E
Denver, CO 80204

Greenwood

2198 Southtech Drive
Greenwood, IN 46143

Houston

3566 West T.C. Jester Blvd
Houston, TX 77018

Las Vegas

6738 W Sunset Road
Bldg A, Suite 170
Las Vegas, NV 89118

Miami

8840 NW 24th Ter
Doral, FL 33172

Minneapolis/St. Paul

9705 Valley View Road
Eden Prairie, MN 55344

Milwaukee

13145 W Lisbon Road
Brookfield, WI 53005

New York City

30-68 Whitestone Expressway
Flushing, NY 11354

Philadelphia

711 – 713 West Chester Pike
Havertown, PA 19083

San Antonio

14329 San Pedro Avenue
Suite D
San Antonio, TX 78232

San Diego

4229 Ponderosa Avenue
Suite A
San Diego, CA 92123

SF/Oakland Bay Area

2341 Lincoln Avenue
Hayward, CA 94545

Seattle

5963 Corson Avenue South
Suite 104
Seattle, WA 98108

Washington D.C.

11900 Baltimore Avenue
Suite B
Beltsville, MD 20705

WARRANTY REPAIR

Free repairs for MILWAUKEE® products defective in material or workmanship and within their warranty period.

- Date code of product will be used to determine if product is within warranty period
- Proof of purchase from an authorized MILWAUKEE® distributor will be required for warranty verification if date code is over warranty period

Product Warranties

Warranty Period	Product Covered
5-Year Limited	Portable Power Tools, Test & Measurement, Air Nailer, Stapler
3-Year Limited	Outdoor Power Equipment
2-Year Limited	Airless Paint Sprayer, Portable Generator, Light Equipment, MX FUEL™ Equipment
1-Year Limited	M12™ Heated Gear, Hoist, Reconditioned Product, Jobsite Radios, Sprayers
Lifetime Limited	Hand Tools

Battery Warranties

Warranty Period	Product Covered
3-Year	M12™, M18™ and M28™ REDLITHIUM™ XC Battery Packs M28™ XC Lithium-Ion Battery Packs
2-Year	M4™, M12™ and M18™ REDLITHIUM™ CP2.0 Battery Packs, M12™ and M18™ REDLITHIUM™ CP1.5 Battery Packs, M12™ and M18™ Compact Lithium-Ion Battery Packs, V4 Lithium-Ion Battery Packs, MX FUEL™ Battery Packs
2-Year – Plus, 3-Year Prorated	V18 V-Technology Lithium-Ion Battery Packs Serial # Prefix "A95", V28 V-Technology Lithium-Ion Battery Packs
1-Year	Ni-Cd, Ni-Cd Super Tough, Ni-Cd Power-Plus, Ni-MH Battery Packs, V18 V-Technology Lithium-Ion Battery Packs Serial # Prefix "E95"

Products not covered under 30-Day Satisfaction Policy:

- Panel Saws
- Mag Stands
- Diamond Drilling Equipment
- Sprayers
- Breaker/Demo Hammers
- Obsolete Tools
- Drain Cleaning
- Reconditioned Tools
- Accessories
- FORCE LOGIC™
- Hoist and Trolleys
- Service Parts
- Batteries (unless part of eligible tool kit)

IS MY TOOL COVERED UNDER WARRANTY?

YES	NO
WARRANTY SERVICE: ■ Free repairs or replacements for MILWAUKEE® products defective in material or workmanship ■ Qualifying products must be within their specific warranty period	LIGHTNING MAX REPAIR: Speed: Repairs in 7 – 10 business days Pay Less Not More: Guaranteed to never pay more than the quoted Lightning Max Repair price Reliability: All repairs are serviced by experienced, certified factory technicians Quality: Only genuine MILWAUKEE® parts used

BEST WARRANTY IN INDUSTRY



*Warranty varies based upon product category



Nothing but **HEAVY DUTY.**