




THE CORE 250-E(T)

TECHNICAL DATA SHEET

Technical data

Model / Type	CORE250-E	CORE250-E(T)
Reference	8520-E	8525-E
Tank	9-10 litres	9-10 litres
Dimensions*	See drawing	See drawing
Baskets*	202x285x135	202x285x135
Production capacity	20-26kg/h	28-36kg/h
Voltage	3N400V	3N400V
Heating power	7.2 kW	11 kW
Current	10A	16A
Heating element	1	1
Temperature range	95°C – 190°C	95°C – 190°C
Protection index	IPX4	IPX4
Net weight	35kg	35kg
Power cable	5m	5m
Remark	Supplied without plug	Supplied without plug



* Width x Depth x height (mm)

More information on valentine.ch

THE CORE 250-E(T)

TECHNICAL DATA SHEET

Features and benefits

- Electromechanical thermostat
- Temperature control knob
- Integrated Sicotronic interface
- Intelligent adjustment for optimized performance and precise temperature control.
- Maximum insulation to optimize efficiency and heat retention, with minimal energy loss.
- Fry tank with a cold zone for waste collection below the heating element, slowing down oil degradation.
- Thermostat suitable for cleaning with water (95°C). Rounded corners and a pivoting heating element with an intermediate stop position allow for easy cleaning.
- «MELT» Position: melts solid fat without burning it.
- High-quality components and finishes to meet the highest standards.
- Fully stainless steel, strong and durable
- Turbo option, ideal for frying frozen foods.
- Swiss Made: manufactured at our factory in Romanel-sur-Morges.
- IPX4 Rating / 2-year warranty / 20-year availability of spare parts.

Options

- Turbo
- Voltage 1N230V

Accessories

- Fine meshed basket
- Microfilter with support
- Fish grid
- Draining rack

Certifications

- CB, UL

Technical drawings (mm)

