



STUART, FLORIDA

4406 SE Commerce Ave

Stuart, FL. 34997

Office: 772-210-5832

Joe@CMEFL.Com

Cell: 772-486-6650

David@CMEFL.Com

Cell: 561-951-8997

61' GARLINGTON - RAINMAKER — EQUIPMENT

GARMIN NAVIGATION

- 3 GPSMAP 8622 w/ US Charts
GPSMAP 8622 Display, MFG# 010-01511-01, 22" Multi-touch MFD w/ US coastal charts. Built-In. Built-In Garmin WiFi. Optional AIS, radar, satellite weather and audio, systems monitoring, and remote keypad.
- 1 Garmin GPSMAP 8616 (Forward Overhead Box)
GPSMAP 8616 Display, MFG# 010-02093-01, 16" Multi-touch MFD w/ US coastal charts. Built-In. Built-In Garmin WiFi. 2 SD Card Slots, Optional AIS, radar, satellite weather and audio, systems monitoring, and remote keypad.
- 1 Garmin GPSMAP 8610 (Teaser Box Aft)
Garmin 8610 GPSMAP 010-02091-01, 10.25" x 8.0625" x 2.95", Built in GPS, Preloaded with Coastal US Charts.

RADAR

- 1 Furuno NavNet TZtouch Black Box
NavNet TZtouch 2 Black Box System, MFG# TZT2BB, Multi-Touch navigation system. External monitor and GPS antenna required. Supports multiple DVI multi-touch monitors. Optional radar, sounder, AIS, and satellite weather. With the ability to drive multiple monitors with full HD HDMI video output in any combination of monitor
- 1 Furuno UHD X-Class Radar 25kW 96 nm
25kW, 96 n.m. Radar Antenna for TZtouch & TZtouch2 with choice of stylish 4' or 6' Open Array Ultra High Definition (UHD™) Digital Radar offers crystal clear, noise-free target presentation with automatic real-time digital signal processing. Simultaneous scanning technology drives our powerful dual-range radar, providing unsurpassed target detection in Short & Long Range

ECHOSOUNDER

- 2 Garmin GSD 26 Sounder Module 3KW CHIRP
GSD 26, MFG# 010-00958-00, Digital Black Box Network Sounder with Spread Spectrum Sonar (CHIRP) Technology, 300-3,000 Watts (adjustable), 25-210KHz (adjustable). Transducers (2 req.) sold separately.
- 1 Airmar PM411 Ultra Wide Broadband CHIRP, D/T
- 1 Airmar Bronze B275 Wide CHIRP Transducer

SONAR

- 1 Furuno CSH 8L OMNI Sonar
The CSH8LMK2 is a full-circle scanning sonar that can rapidly detect schools, individual fish and changing underwater conditions around a vessel. Fish distribution and seabed conditions are displayed in 16 colors, 360 degrees around your vessel. The CSH8LMK2 is considered a mid- frequency sonar at 85 KHz. On a 1000ft range CSH8LMK2 updates the display 360 degrees every 0.54 seconds, while the conventional PPI sonar takes 32 seconds to train full circle under the same range/conditions

AUTOPILOT

- 1 Simrad AP44 Pilot Head

VHF

- 2 Standard Horizon GX6000 VHF

SAFETY

- 1 FLIR M364C Premium Multispectral Thermal Cameras
FLIR M364C, NTSC, 30Hz. Includes 640 x 512. HD Thermal imager with 1x to 4x Optical Zoom, NO JoystickControl Unit, Top-Down Riser, Two payload system: uncooled camera with zoom, HD Long range color daylight and low light camera with 30X Optical Zoom, with active gyro-stabilization. Both cameras use multispectral imaging to deliver exclusive FLIR Color Thermal Vision™ (CTV) technology. Color Thermal Vision blends visible camera details with a thermal image, overlaying vital color imagery
- 1 Carlisle & Finch 200W Xenon Spotlight, 15 Mill. Candela
115V, Outdoor Controller, Standard Mount, Standard Powder Coated Color, Includes Additional 75' of Proprietary cable. 15 Million Candela, 3km / 1.8Miles.
- 1 Garmin AIS 800 Class B AIS Black Box
AIS 600 complete system, MFG# 010-02087-00, Allows you to receive AIS target data as well as transmit your own vessel information to other AIS receivers in your area. Built-in GPS antenna & VHF Splitter. Requires VHF antenna (not incl.). NMEA 2000/0183 interface.

WEATHER SYSTEM

- 1 Garmin GXM 53 Sirius/XM receiver
GXM 53, MFG# 010-01734-00, Sirius/XM satellite receiver for weather and audio services (subscription required). Network interface, pole or surface mount.

SATELLITE TV

- 1 KVH TracVision UHD7, 28" Dome
TracVision UHD7 Tri-Americas, 28" dome, MFG# 01-0323-03SL, 24" dish, tracks N. America sats 93, 101 & 103 simultaneously, Ku & Ka bands for full HD. 28"H x 28" Dia. Handles up to 26 receivers or 13 DVRs. ACU included.

BRIDGE STEREO

- 1 Fusion RA770 Apollo 4.3" Display AM/FM/, w/Bluetooth
Marine AM/FM/iPod/iPhone/USB player, MFG# MS-RA770, AM/FM/ Bluetooth / Wi-Fi audio streaming / digital optical input / USB audio / AUX x2 / UPnP / MTP / SiriusXM-Ready (USA only, requires optional SiriusXM Connect vehicle tuner) / 4 Zone Audio control
- 2 JL Audio MHD 600 Amplifier (24v)

JL Audio M6 Series 770 Marine Speakers

ENGINE ROOM

- 2 Garmin Compact GC12 Camera
Ultra-Compact IP67, 625TVG, Low Light IR. 95 Degree viewing angle

TOWER BOX

- 2 Garmin GPSMAP 8616 w/US Charting 2@\$5,000.45
GPSMAP 8616 Display, MFG# 010-02093-01, 16" Multi-touch MFD w/ US coastal charts. Built-In. Built-In Garmin WiFi. 2 SD Card Slots, Optional AIS, radar, satellite weather and audio, systems monitoring, and remote keypad.
- 1 Simrad AP44 Pilot Head
- 2 Standard Horizon RAM4 Remote Control/Mic, Black

- 1 Samsung 55" 4K UHD Series Smart TV
- 1 Integra DTR DRX5.3 AV Receiver 120w Per Channel
Dual Zone, 120w Per channel, Bi-Directional Ethernet and RS232 Port for Control. Zone 2 Independent Bass and Treble controls. Built-In BlueTooth.
- 1 Apple TV w/32GB
Full Functionality of the Apple TV is only acheived with Full Internet access. This Apple TV will be used to "Sling" or "Mirror" Local Content. Such as Music/Movies you have on Your Iphone of Ipad. This Apple TV will Have Limited Capabilities
- 1 DirecTV HR24 HD/DVR Sat TV Receiver
DirecTV HR24 Sat TV Receiver/DVR, MFG# 19-0660, 500GB hard drive (400hrs SD, 100hrs HD record time), 2.8"H x15.2"W x 11.8"D, 8 lb, includes RF Remote control, HDMI, comp., S-video, A/V cables, supports MPEG 2&4, has multi-unit interface.
- 5 Speaker Craft Accufit CRS7 Three
Depth 2 3/4"
- 1 Sunfire ATMOS XT Subwoofer 1400 watts
The True Subwoofer ATMOS is another example of why you should never judge a book by its cover. At just 9" subwoofers
- 1 Universal TRC1080 Remote Control
Wi-Fi: IEEE 802.11b/g/n operation provides up to 100' range through walls, floors & doors. Can control up to 20 components.