

RACK MOUNT CASES



INTRODUCING THE PELI™ V-SERIES



**THE OFF-THE-SHELF
RACK MOUNT
CASE WITH PRO-GRADE
FEATURES**

**VIBRATION IS YOUR
ENEMY**





CLASSIC-V OR SUPER-V?

**SO WHAT'S THE
DIFFERENCE?**



**PELI™ CLASSIC-V
RACK MOUNT CASE**

**PELI™ SUPER-V
RACK MOUNT CASE**



CLASSIC-V 7U & 9U
cases have moulded
in edge casters

PELI™ CLASSIC-V RACK MOUNT CASE

1. DOUBLE-WALLED RIM

2. STAINLESS-STEEL HANDLES

3. LID HANGER


4. COUPLING CATCHES

5. PRESSURE RELEASE VALVE

6. LOCKING CABLE LATCHES

7. MOULDED-IN STACKING RIBS

8. SHOCK MOUNTS



9. RECESSED HARDWARE

10. POSITIVE ANTI-SHEAR LOCKS

11. BLACK HARDWARE

12. COLUMNAR STRENGTH

13. PATENTED METAL INSERTS

14. HEAVY-DUTY CASTERS

cases have moulded in edge casters).

15. SQUARE HOLE

16. REINFORCED CORNERS AND EDGES

CLASSIC-V 7U & 9U

CATALOGUE	U SIZE	RACK HEIGHT (MM)	RACK LENGTH (MM)	RACK WIDTH (MM)	LID I.D. FRONT/ BACK ¹ (MM)	LENGTH O.D. ² (MM)	WIDTH O.D. ² (MM)	HEIGHT O.D. ² (MM)	WEIGHT (KG)	SHIPPING CUBE (M ³)
CLASSIC-V-3U										
CLASSIC-V-4U										
CLASSIC-V-5U										
CLASSIC-V-7U										
CLASSIC-V-9U										

CLASSIC-V RACK MOUNT CASES

RACK HEIGHT

3U



4U



WEIGHT CAPACITY




RACK HEIGHT


5U



7U



9U




WEIGHT CAPACITY



PELI™ SUPER-V RACK MOUNT CASE

1. POSITIVE ANTI-SHEAR LOCKS
2. PRESSURE RELEASE VALVE
3. LID HANGER
4. MOULDED-IN STACKING RIBS
5. SHOCK MOUNTS
6. RECESSED HARDWARE
7. COMFORT-GRIP PLASTIC HANDLES






8. REINFORCED CORNERS AND EDGES
9. DOUBLE-WALLED RIM
10. MOULDED-IN REAR EDGE CASTERS
11. COUPLING CATCHES
12. PATENTED METAL INSERTS
13. SQUARE HOLE
14. BLACK HARDWARE
15. COLUMNAR STRENGTH

CATALOGUE	U SIZE	RACK HEIGHT (MM)	RACK LENGTH (MM)	RACK WIDTH (MM)	LID I.D. FRONT/BACK ¹ (MM)	LENGTH O.D. ² (MM)	WIDTH O.D. ⁴ (MM)	HEIGHT O.D. ² (MM)	WEIGHT (KG)	SHIPPING CUBE (M ³)
SUPER-V-3U										
SUPER-V-4U										
SUPER-V-5U										
SUPER-V-7U										
SUPER-V-9U										
SUPER-V-11U										
SUPER-V-14U										

¹Lid Outside Dimensions (O.D.) = Lid I.D. plus 31.8 mm per lid, ²Length Includes Stacking Ribs, ³Height Excludes 25.4mm Stacking Ribs 11.2 mm on Super-V, ⁴Width of all cases includes attached standard handles.

SUPER-V RACK MOUNT CASES

RACK HEIGHT	3U	4U	5U
			
WEIGHT CAPACITY			
RACK HEIGHT	7U	9U	11U
			
WEIGHT CAPACITY			
RACK HEIGHT	14U		
			
WEIGHT CAPACITY			

SAME PROTECTION - NEW 30" DEEP FRAME

[illegible]

BLACKBOX



*Not intended for high-end sensitive electronics.
Made from recycled plastic materials as part of
Peli-Hardigg's commitment to reduce waste and
protect the environment.*

FEATURES

APPLICATION EXAMPLES

[illegible]

BLACKBOX 30"

[illegible]

RACK & ROLL





PELI PRODUCTS (UK) LTD

