



References: Randomization

Updated May 30, 2025 .

Alandra, K. (2023). *Introductory Statistics*. Bentham Science Publishers; eBook

Academic Collection (EBSCOhost).

<https://research.ebsco.com/linkprocessor/plink?id=f370fade-dbfd-34bc-bfe1-164c0d49d614>

Albrechet-Souza, L., Cristina De Carvalho, M., Rodrigues Franci, C., & Brandão, M. L.

(2007). Increases in plasma corticosterone and stretched-attend postures in rats

naive and previously exposed to the elevated plus-maze are sensitive to the

anxiolytic-like effects of midazolam. *Hormones and Behavior*, 52(2), 267–273.

<https://doi.org/10.1016/j.yhbeh.2007.05.002>

APA Dictionary of Psychology. (n.d.). Retrieved May 23, 2025, from

<https://dictionary.apa.org/>

Athey, S., Imbens, G. W., & Wager, S. (2018). Approximate Residual Balancing: Debiased

Inference of Average Treatment Effects in High Dimensions. *Journal of the Royal*

Statistical Society Series B: Statistical Methodology, 80(4), 597–623.

<https://doi.org/10.1111/rssb.12268>

Bobbitt, Z. (2022, August 16). How (And When) to Use set.seed in R. *Statology*.

<https://www.statology.org/set-seed-in-r/>

Broglio, K. (2018). Randomization in Clinical Trials: Permuted Blocks and Stratification.

JAMA, 319(21), 2223–2224. <https://doi.org/10.1001/jama.2018.6360>

Chan, A.-W., Tetzlaff, J. M., Altman, D. G., Laupacis, A., Gøtzsche, P. C., Krleža-Jerić, K.,

Hróbjartsson, A., Mann, H., Dickersin, K., Berlin, J. A., Doré, C. J., Parulekar, W. R.,

Summerskill, W. S. M., Groves, T., Schulz, K. F., Sox, H. C., Rockhold, F. W., Rennie, D., &

Moher, D. (2013). SPIRIT 2013 Statement: Defining Standard Protocol Items for Clinical

Trials. *Annals of Internal Medicine*, 158(3), 200–207.

<https://doi.org/10.7326/0003-4819-158-3-201302050-00583>

Cramer, D., & Howitt, D. (2004). *The SAGE Dictionary of Statistics*. SAGE Publications,

Ltd. <https://doi.org/10.4135/9780857020123>

Create a blocked randomisation list | Sealed Envelope. (n.d.). Retrieved May 13, 2025,

from <https://www.sealedenvelope.com/simple-randomiser/v1/lists>

EQUATOR Network | Enhancing the QUALity and Transparency Of Health Research.

(n.d.). Retrieved May 23, 2025, from <https://www.equator-network.org/>

Fornai, F., Longone, P., Cafaro, L., Kastsiuchenka, O., Ferrucci, M., Manca, M. L., Lazzeri, G.,

Spalloni, A., Bellio, N., Lenzi, P., Modugno, N., Siciliano, G., Isidoro, C., Murri, L., Ruggieri,

S., & Paparelli, A. (2008). Lithium delays progression of amyotrophic lateral

sclerosis. *Proceedings of the National Academy of Sciences*, 105(6), 2052–2057.

<https://doi.org/10.1073/pnas.0708022105>

- Hilgers, R.-D., Manolov, M., Heussen, N., & Rosenberger, W. F. (2020). Design and analysis of stratified clinical trials in the presence of bias. *Statistical Methods in Medical Research*, 29(6), 1715–1727. <https://doi.org/10.1177/0962280219846146>
- Huang, W., Percie Du Sert, N., Vollert, J., & Rice, A. S. C. (2019). General Principles of Preclinical Study Design. In A. Bernal, M. C. Michel, & T. Steckler (Eds.), *Good Research Practice in Non-Clinical Pharmacology and Biomedicine* (Vol. 257, pp. 55–69). Springer International Publishing. https://doi.org/10.1007/164_2019_277
- Imbens, G. W. (2020). Potential Outcome and Directed Acyclic Graph Approaches to Causality: Relevance for Empirical Practice in Economics. *Journal of Economic Literature*, 58(4), 1129–1179. <https://doi.org/10.1257/jel.20191597>
- Kang, M., Ragan, B. G., & Park, J.-H. (2008). Issues in Outcomes Research: An Overview of Randomization Techniques for Clinical Trials. *Journal of Athletic Training*, 43(2), 215–221. <https://doi.org/10.4085/1062-6050-43.2.215>
- Kernan, W. N., Viscoli, C. M., Makuch, R. W., Brass, L. M., & Horwitz, R. I. (1999). Stratified randomization for clinical trials. *Journal of Clinical Epidemiology*, 52(1), 19–26. [https://doi.org/10.1016/s0895-4356\(98\)00138-3](https://doi.org/10.1016/s0895-4356(98)00138-3)
- Kilkenny, C., Browne, W. J., Cuthill, I. C., Emerson, M., & Altman, D. G. (2010). Improving Bioscience Research Reporting: The ARRIVE Guidelines for Reporting Animal Research. *PLoS Biology*, 8(6), e1000412. <https://doi.org/10.1371/journal.pbio.1000412>

Knippenberg, S., Thau, N., Dengler, R., & Petri, S. (2010). Significance of behavioural tests in a transgenic mouse model of amyotrophic lateral sclerosis (ALS).

Behavioural Brain Research, 213(1), 82–87. <https://doi.org/10.1016/j.bbr.2010.04.042>

Korngreen, A., Ma, W., Priel, Z., & Silberberg, S. D. (1998). Extracellular ATP directly gates a cation-selective channel in rabbit airway ciliated epithelial cells. *The Journal of Physiology*, 508(3), 703–720. <https://doi.org/10.1111/j.1469-7793.1998.703bp.x>

Lachin, J. M. (1988a). Properties of simple randomization in clinical trials. *Controlled Clinical Trials*, 9(4), 312–326. [https://doi.org/10.1016/0197-2456\(88\)90046-3](https://doi.org/10.1016/0197-2456(88)90046-3)

Lachin, J. M. (1988b). Statistical properties of randomization in clinical trials. *Controlled Clinical Trials*, 9(4), 289–311. [https://doi.org/10.1016/0197-2456\(88\)90045-1](https://doi.org/10.1016/0197-2456(88)90045-1)

Lachin, J. M., Matts, J. P., & Wei, L. J. (1988). Randomization in clinical trials: conclusions and recommendations. *Controlled Clinical Trials*, 9(4), 365–374. [https://doi.org/10.1016/0197-2456\(88\)90049-9](https://doi.org/10.1016/0197-2456(88)90049-9)

Law, J. (n.d.). *A Dictionary of Science (Oxford Paperback Reference) 6th edition by Martin, Elizabeth A. (2010) Paperback*. Oxford University Press.

Matts, J. P., & Lachin, J. M. (1988). Properties of permuted-block randomization in clinical trials. *Controlled Clinical Trials*, 9(4), 327–344. [https://doi.org/10.1016/0197-2456\(88\)90047-5](https://doi.org/10.1016/0197-2456(88)90047-5)

Monaghan, T. F., Agudelo, C. W., Rahman, S. N., Wein, A. J., Lazar, J. M., Everaert, K., &

Dmochowski, R. R. (2021). Blinding in Clinical Trials: Seeing the Big Picture. *Medicina (Kaunas, Lithuania)*, 57(7), 647. <https://doi.org/10.3390/medicina57070647>

Moraes, A. B., Giacomini, A. C. V. V., Genario, R., Marcon, L., Scolari, N., Bueno, B. W.,

Demin, K. A., Amstislavskaya, T. G., Strekalova, T., Soares, M. C., De Abreu, M. S., &

Kalueff, A. V. (2021). Pro-social and anxiolytic-like behavior following a single 24-h exposure to 17 β -estradiol in adult male zebrafish. *Neuroscience Letters*, 747, 135591.

<https://doi.org/10.1016/j.neulet.2020.135591>

Nevalainen, T. (2014). Animal Husbandry and Experimental Design. *ILAR Journal*, 55(3),

392–398. <https://doi.org/10.1093/ilar/ilu035>

Percie du Sert, N., Hurst, V., Ahluwalia, A., Alam, S., Avey, M. T., Baker, M., Browne, W. J.,

Clark, A., Cuthill, I. C., Dirnagl, U., Emerson, M., Garner, P., Holgate, S. T., Howells, D. W.,

Karp, N. A., Lazic, S. E., Lidster, K., MacCallum, C. J., Macleod, M., ... Würbel, H. (2020).

The ARRIVE guidelines 2.0: Updated guidelines for reporting animal research. *BMC Veterinary Research*, 16(1), 242. <https://doi.org/10.1186/s12917-020-02451-y>

Retraction: “An Overview of Randomization Techniques: An Unbiased Assessment of

Outcome in Clinical Research.” (2023). *Journal of Human Reproductive Sciences*,

16(1), 87. <https://doi.org/10.4103/0974-1208.170593>

Rubin, D. B. (1974). Estimating causal effects of treatments in randomized and

nonrandomized studies. *Journal of Educational Psychology*, 66(5), 688–701.

<https://doi.org/10.1037/h0037350>

Schulz, K. F., Altman, D. G., Moher, D., & for the CONSORT Group. (2010). CONSORT 2010

Statement: Updated Guidelines for Reporting Parallel Group Randomised Trials.

PLoS Medicine, 7(3), e1000251. <https://doi.org/10.1371/journal.pmed.1000251>

Schulz, K. F., Chalmers, I., Altman, D. G., Grimes, D. A., Moher, D., & Hayes, R. J. (2018).

“Allocation concealment”: the evolution and adoption of a methodological term.

Journal of the Royal Society of Medicine, 111(6), 216–224.

<https://doi.org/10.1177/0141076818776604>

Schulz, K. F., & Grimes, D. A. (2002). Generation of allocation sequences in randomised

trials: chance, not choice. *The Lancet*, 359(9305), 515–519.

[https://doi.org/10.1016/S0140-6736\(02\)07683-3](https://doi.org/10.1016/S0140-6736(02)07683-3)

Silcocks, P. (2012). How many strata in an RCT? A flexible approach. *British Journal of*

Cancer, 106(7), 1259–1261. <https://doi.org/10.1038/bjc.2012.84>

Sorge, R. E., Martin, L. J., Isbester, K. A., Sotocinal, S. G., Rosen, S., Tuttle, A. H., Wieskopf, J.

S., Acland, E. L., Dokova, A., Kadoura, B., Leger, P., Mapplebeck, J. C. S., McPhail, M.,

Delaney, A., Wigerblad, G., Schumann, A. P., Quinn, T., Frasnelli, J., Svensson, C. I., ...

Mogil, J. S. (2014). Olfactory exposure to males, including men, causes stress and

related analgesia in rodents. *Nature Methods*, 11(6), 629–632.

<https://doi.org/10.1038/nmeth.2935>

Suresh, K. (2011). An overview of randomization techniques: An unbiased assessment

of outcome in clinical research. *Journal of Human Reproductive Sciences*, 4(1), 8.

<https://doi.org/10.4103/0974-1208.82352>

Verhave, P. S., van Eenige, R., & Tiebosch, I. (2024). Methods for applying blinding and randomisation in animal experiments. *Laboratory Animals*, 58(5), 419–426.

<https://doi.org/10.1177/00236772241272991>