# G4 DIAPHRAGM SMART MODULAR GAS METER

SGM101 SMART GAS METER



### Efficiency, Accuracy, and Safety for Smart Gas Management

The Smart Gas Meter is an advanced IoT-enabled solution designed to enhance accuracy, efficiency, and safety in gas metering. It is ideal for residential, commercial, and industrial applications, ensuring precise consumption tracking, real-time monitoring, and seamless integration with modern utility networks. With plug and play communication modules, smart gas meters eliminate manual readings, reduce errors, and optimize gas distribution, making them a cornerstone of smart energy management.

#### **KEY FEATURES & BENEFITS**

Improved Meter Reading Efficiency & Accuracy

Automatically collects daily consumption data, eliminating human errors and reducing manual meter reading costs. Shortens billing cycles and supports big data analysis for optimized utility operations

Real-Time & Complex Pricing Capabilities

Enables flexible and dynamic pricing models, helping utilities manage gas demand efficiently while promoting energy conservation and optimizing revenue.

Remote Monitoring of Meter Status & Gas Usage

Provides real-time gas consumption insights, supports peak demand management, and enables data-driven business decisions.

**Enhanced Home Gas Safety** 

**Opportunities for Business Expansion** 

**Convenient User Experience** 

Built-in safety monitoring features, including automatic valve control and gas leak detection, ensure reliable and secure gas usage.

Gas Theft & Leakage Detection


Utilizes big data analytics to identify gas theft or pipeline leaks, ensuring precise monitoring of supplied and consumed gas

The smart gas meter ecosystem enables new business opportunities, such as gas-related smart

home devices, insurance services, and ecommerce integrations.

Supports online billing and payments, offering consumers greater control over their gas usage and spending..

## **SMART GAS SOLUTION STRUCTURE**



## **MODULAR SMART GAS METER**

## A Future-Proof, High-Performance Solution for Utility Companies

The Modular Smart Gas Meter is an advanced metering device designed to meet the rigorous smart metering standards of the European Union, Russian Federation, and other global markets. Built on a modular design philosophy, it features a fully separable communication module and smart controller, allowing on-site upgrades to accommodate evolving communication technologies. This future-ready architecture enables long-term stability, adaptability, and high-value services for gas companies. Utility providers can modernize their infrastructure cost-effectively by transitioning from traditional to smart metering without replacing the entire meter.

## **KEY COMPONENTS & HOW IT WORKS**

#### **BASE UNIT**

THE DIGITAL GAS METER

#### **ACCURATE MEASUREMENT**

Ensures precise gas consumption tracking, eliminating billing discrepancies

#### **Modular Design**

The core meter remains unchanged, while communication modules can be upgraded or replaced as technology evolves.

#### **Investment Flexibility**

Utility companies can begin with a basic meter and upgrade over time, spreading investment costs efficiently

## COMMUNICATION MODULES

(OPTIONAL ADD-ONS)

#### **Supported Technologies**


NB-IoT, LTE-M, LoRaWAN, Sigfox, and GPRS.

#### **Functionality**

Enables wireless data transmission to a central system for remote monitoring and smart gas management.

#### **Seamless Integration**

Communication modules can be replaced or upgraded on-site without dismounting the meter or updating firmware.



## **BENEFITS**



#### **Smart Meter Conversion: Start Simple, Upgrade Later**

Start with a basic digital meter and upgrade to a smart meter by adding a communication module. This modular approach minimizes costs, prevents service disruption, and allows utilities to modernize at their own pace.



### **Unified System Management**

Seamlessly integrates gas, water, and electricity meters into a centralized Platform enabling efficient monitoring, streamlined operations, and improved resource allocation.



## **Cost Efficiency & Energy-Saving Operation**

Gradual upgrades reduce initial investment, while automated data collection and improved billing accuracy lead to longterm cost savings. Low power consumption extends battery life, reducing maintenance costs.



### **Modular Communication Design & Extensive Connectivity Options**

Supports NB-IoT, LTE-M, LoRaWAN, LoRa Mesh, and Sigfox, ensuring low power, long-range, and secure communication. The modular design allows easy adaptation to evolving technologies without replacing the meter



#### Future-Proof & Scalable Design

Modular architecture allows for easy integration of emerging technologies, ensuring long-term adaptability and effortless expansion from small-scale to nationwide deployments





### **Easy Installation & Seamless Integration**

Standard fittings plug-and-play communication modules simplify installation, reduce setup time, and ensure effortless integration with existing utility infrastructure.



#### **High-Accuracy Measurement**

Triple Hall sensors provide precise gas pulse readings, ensuring accurate consumption tracking for billing and data analysis.



#### **Advanced Tamper Detection & Security**

Built-in tamper detection mechanisms identify unauthorized access, reverse flow, and manipulation attempts, enhancing security and regulatory compliance..



#### Remote Monitoring & Over-the-Air (OTA) Updates

Real-time data transmission and OTA firmware updates enable proactive diagnostics, seamless software upgrades, and enhanced service reliability with minimal manual intervention



### **Wide Operating Temperature Range**

Built for extreme conditions, the meter operates reliably in  $-50^{\circ}$ C to  $+60^{\circ}$ C ( $-58^{\circ}$ F to  $+140^{\circ}$ F), making it ideal for harsh environments.

## **Features**



#### Versatile replaceable communication modules

The single base meter supports multiple interchangeable communication modules, including GPRS, NB-IoT, LoRaWAN, Sigfox, and more. Modules can be replaced on-site without dismounting the meter or updating firmware, ensuring seamless network adaptation. The meter integrates with IoT platforms, allowing efficient remote management and connectivity.



#### Flexible and Convenient Payment Options

Supports prepayment and post-payment methods, allowing customers to pay online, via mobile apps, or directly from their smartphones. Compatible with IC card functions for secure access and payment flexibility.



#### Remote Management and Upgradability

#### • Remote Control:

Allows operators to manage meter settings and functions remotely, minimizing on-site visits

#### • Remote Upgrade (FOTA):

Supports firmware updates over the air, keeping the system up to date without manual intervention.



### **Robust Communication and Connectivity**

#### High Penetration:

Strong signal penetration for stable connectivity, even in dense urban or underground environments.

#### • Wide Coverage:

Supports long-range communication protocols, ensuring reliable data transmission in remote areas.



### **Advanced safety features**

Equipped with gas usage monitoring, reverse flow detection, and overflow protection, ensuring enhanced safety and operational reliability. The integrated valve control system offers multiple control logics, providing greater flexibility and security in gas distribution.



#### **Low Power Consumption**

Designed for energy efficiency, reducing battery drain and extending operational life, making it ideal for long-term installations.



#### **Intelligent Monitoring and Diagnostics**

#### • Electronic Temperature Compensation:

Automatically adjusts gas flow measurements for temperature variations, maintaining accuracy under different conditions.

#### • Detailed Metering:

Provides high-precision gas usage data, supporting accurate billing and consumption analysis.

#### • Automatic Meter Reading:

Enables data collection without manual intervention, improving accuracy and reducing labor costs.

#### Real-Time Self-Diagnostics:


Continuously monitors system performance, detecting anomalies and potential issues for proactive maintenance.

#### • Remote Alarm:

Provides high-precision gas usage data, supporting accurate billing and consumption analysis.

#### • Optical Port Local Communication:


Facilitates on-site maintenance and troubleshooting without network connectivity.



## Why Choose the Modular Smart Gas Meter?

The Modular Smart Gas Meter from SenseMi provides unmatched adaptability, cost efficiency, and future-proof performance for utility companies. Its modular design supports seamless upgrades with evolving communication technologies like GPRS, NB-IoT, LoRaWAN, and Sigfox. With its robust security features, IoT integration, and remote management capabilities, it ensures efficient gas distribution, real-time monitoring, and flexible billing options.

## **SOLUTION ARCHITECTURE**



## **TECHNICAL PARAMETERS**

Technical Parameters												
Туре	G1.6	G2.5	G4	G4W	G6	G10	G10W	G16	G16W	G25	G40	G40W
Qmax(m2/h)	2.5	4	6	6	10	16	16	25	65	40	65	65
Qmin (m2/h)	0.016	0.025	0.04	0.016	0.06	0.1	0.06	0.16	0.1	0.25	0.4	0.25
Accuracy Class	1.5											
MPE	Qmin Q <q: +1.5%<="" -1.5%="" :="" <="" e="" q="" q1="" qmax="" qt="" th="" «q="" ±1.5%="" ±3%;=""></q:>											
Max. Working Pressure (kPa)		50										
Pressure Absorption (Pa)	< 250 <375											
Working Temperature (°C)	-25-+55											
Ingress Protection level		IP65										
communication mode	NB-IoT/GPRS/Sigfox/LoRaWAN						NB-IoT/GPRS					
Valve Lifetime (time)	>10000											
Battery Life (year)	>10						>10					

## **SPECIFICATIONS**

Forton	D
Feature	Description
Meter Sizes	Available in G4 and G6 sizes to suit different flow rate requirements
Gas Pulse Reading	Triple Hall sensor configuration for high-precision monitoring
Tamper Detection	Integrated mechanisms for detecting unauthorized access or interference
Communication Modules	Modular design supporting various communication modules
Wireless Connectivity	Compatible with LoRaWAN, LoRa Mesh, NB-IoT, and other communication protocols
Power Supply	Low-power consumption design with long-lasting battery life
Operating Temperature	-30°C to +55°C
Environmental Protection	IP66-rated enclosure for protection against dust and water ingress, suitable for outdoor installations
Dimensions	G4 Meter: [182×95×136mm), G6 Meter: [200×113×160mm]
Flow Rate Capacity	G4: Qmax 6 m3/h, G6: Qmax 10 m3/h (or specify actual flow rates)
Compliance Standards	Compliant with [List relevant certifications and standards, e.g., MID, ATEX,IECEX]
Installation	Compatible with standard gas meter fittings; easy to install
Display	Optional LCD display for local readings (if applicable)
Data Logging	Internal memory for data storage and logging
Firmware Updates	Supports over-the-air (OTA) firmware updates
Battery Life	Up to [Insert battery life, e.g., 10 years], depending on usage a communication frequency
Security	Data encryption and secure communication protocols to protect data transmission
Diagnostic Features	Remote diagnostics and monitoring capabilities
Material Construction	Durable materials suitable for various environmental conditions
Mounting Options	Wall-mounted or pipe-mounted configurations available
Alarm Notifications	Configurable alerts for tampering, low battery, and other critical events
User Interface	Web-based and mobile applications for monitoring and management (if applicable)

## ADVANCED SMART CONVERSION OF MECHANICAL **METERS**

## **Elevate Your Utility Management with Smartization!**

Our cost-effective, retrofit solution modernizes mechanical gas meters, enabling real-time data management, remote monitoring, and automated billing. By integrating advanced smart modules, utility companies can enhance operational efficiency, streamline resource management, and optimize service delivery—all without replacing existing infrastructure

## **Transforming Mechanical Meters into Smart Meters**

The Gas Meter Module converts traditional mechanical gas meters into intelligent, connected devices, eliminating the need for a full system replacement. Equipped with NB-IoT and LoRaWAN communication, it automates meter reading, improves billing accuracy, and enables remote management. Ideal for gas distribution networks, submetering applications, and institutions requiring precise consumption tracking, this module provides a seamless solution for hard-to-reach areas where manual readings are impractical. Its flexible installation allows for effortless retrofitting onto existing meters or integration into new deployments, ensuring a smooth transition to smart metering technology

## **KEY COMPONENTS & HOW GAS METER READER MODULE WORKS**

#### 1. Mechanical Meter Base


The mechanical meter base retains its primary function of measuring gas consumption while utilizing existing infrastructure. When integrated with the smart module, its readings are digitally calibrated, ensuring higher accuracy and more precise billing. This enhancement allows utility companies to modernize their metering systems without replacing the entire meter, making the transition to smart technology cost-effective and efficient


### 2. Smart Module (NB-IoT/LoRaWAN Communication Unit)


The smart module is a compact, attachable device that seamlessly upgrades mechanical meters into intelligent, connected systems. Equipped with advanced communication technologies such as NB-IoT and LoRaWAN, it enables wireless data transmission, sending real-time gas usage information to a central management system. This integration allows for remote monitoring, automated billing, and enhanced anomaly detection, significantly improving operational efficiency. The module is designed to be scalable, supporting future upgrades and new communication technologies, ensuring long-term adaptability for utility providers.


## **DIMENSIONS**

#### SGM101 G4 SMART GAS METER










### METER BODY SIZES COMPARISON



	Type	G1.6~		
	A(mm)	110/152.4		
	B(mm)	227		
	C(mm)	68.8		
<b></b>	D(mm)	236.5		
HIII	E(mm)	171.5		
	Thread	G1 M30x2,		

Type	G1.6	r~4	G4/G6	G6	G10	G16	G25
A(mm)	110/152.4	130	250	152.4	200	240	300
B(mm)	227	224.4	260	272	327.5	375.5	437
C(mm)	68.8	67.5	77	85	96	107	132
D(mm)	236.5	204	329	254.5	316	355.5	438.8
E(mm)	171.5	170.2	202	197.1	224	244	294
Thread	G1¼"; G3/4"; M30x2, or customized			G1¼"	G2"	G2"	G2½"

\*ALL UNITS ARE IN MM (MILIMETER