

**7 RIGHTS of Bexsero
vaccine administration**
ALWAYS CHECK:
1 RIGHT Person

- Check name, age and obtain informed consent
- Check past vaccine history on NIR and PMS (check Immunisation Schedule, and All Immunisations tab for Medtech.) Check Bexsero selected, in date
- Check correct age, appropriate interval, and expiry date
- 2nd checker to check vaccine and spacing of dose
- Check the volume and colour of vaccine
- Give IM, use correct needle length for age and site
- Vastus Lateralis <11 months; VL or Deltoid ≥12 -3 year; Deltoid 3 years and over. Use separate limb if possible
- Correct details recorded e.g. vaccine, diluent, batch, expiry, date and time administered, dose, route and consent details

2 RIGHT Vaccine and diluent
3 RIGHT Time
4 RIGHT Dosage
**5 RIGHT Route, needle length
and technique**
6 RIGHT Injection site
7 RIGHT Documentation
CALL 0800 IMMUNE (466 863) FOR CLINICAL ADVICE
immune.org.nz
**7 RIGHTS of Bexsero
vaccine administration**
ALWAYS CHECK:
1 RIGHT Person

- Check name, age and obtain informed consent
- Check past vaccine history on NIR and PMS (check Immunisation Schedule, and All Immunisations tab for Medtech.) Check Bexsero selected, in date
- Check correct age, appropriate interval, and expiry date
- 2nd checker to check vaccine and spacing of dose
- Check the volume and colour of vaccine
- Give IM, use correct needle length for age and site
- Vastus Lateralis <11 months; VL or Deltoid ≥12 -3 year; Deltoid 3 years and over. Use separate limb if possible
- Correct details recorded e.g. vaccine, diluent, batch, expiry, date and time administered, dose, route and consent details

2 RIGHT Vaccine and diluent
3 RIGHT Time
4 RIGHT Dosage
**5 RIGHT Route, needle length
and technique**
6 RIGHT Injection site
7 RIGHT Documentation
CALL 0800 IMMUNE (466 863) FOR CLINICAL ADVICE
immune.org.nz
**7 RIGHTS of Bexsero
vaccine administration**
ALWAYS CHECK:
1 RIGHT Person

- Check name, age and obtain informed consent
- Check past vaccine history on NIR and PMS (check Immunisation Schedule, and All Immunisations tab for Medtech.) Check Bexsero selected, in date
- Check correct age, appropriate interval, and expiry date
- 2nd checker to check vaccine and spacing of dose
- Check the volume and colour of vaccine
- Give IM, use correct needle length for age and site
- Vastus Lateralis <11 months; VL or Deltoid ≥12 -3 year; Deltoid 3 years and over. Use separate limb if possible
- Correct details recorded e.g. vaccine, diluent, batch, expiry, date and time administered, dose, route and consent details

2 RIGHT Vaccine and diluent
3 RIGHT Time
4 RIGHT Dosage
**5 RIGHT Route, needle length
and technique**
6 RIGHT Injection site
7 RIGHT Documentation
CALL 0800 IMMUNE (466 863) FOR CLINICAL ADVICE
immune.org.nz
**7 RIGHTS of Bexsero
vaccine administration**
ALWAYS CHECK:
1 RIGHT Person

- Check name, age and obtain informed consent
- Check past vaccine history on NIR and PMS (check Immunisation Schedule, and All Immunisations tab for Medtech.) Check Bexsero selected, in date
- Check correct age, appropriate interval, and expiry date
- 2nd checker to check vaccine and spacing of dose
- Check the volume and colour of vaccine
- Give IM, use correct needle length for age and site
- Vastus Lateralis <11 months; VL or Deltoid ≥12 -3 year; Deltoid 3 years and over. Use separate limb if possible
- Correct details recorded e.g. vaccine, diluent, batch, expiry, date and time administered, dose, route and consent details

2 RIGHT Vaccine and diluent
3 RIGHT Time
4 RIGHT Dosage
**5 RIGHT Route, needle length
and technique**
6 RIGHT Injection site
7 RIGHT Documentation
CALL 0800 IMMUNE (466 863) FOR CLINICAL ADVICE
immune.org.nz