

Manual **API Custody - Participants**

Julio 2025

Este documento tiene como objetivo brindar una guía práctica para integrar y utilizar la API Custody Participants, facilitando el acceso a la información de participantes y emisores en operaciones de custodia.

Este documento pertenece a BYMA - Bolsas y Mercados Argentinos S.A. - Mercado registrado bajo el N° 639 de la CNV.

Con dirección 25 de Mayo 359 - C10024BG - Ciudad Autónoma de Buenos Aires - Argentina - Tel: (54-11) 4316-6000 - BYMA - Argentine Stock Exchanges and Markets - BYMA

Para BYMA la sustentabilidad es una prioridad. Por eso, trabaja para generar impacto económico, social y ambiental positivo en el ecosistema local.

Si bien este manual de usuario está diseñado para impresión, te pedimos evitar la impresión en papel en la mayor medida posible, para contribuir al cuidado del medio ambiente.

Ante cualquier feedback, sugerencia o informe de errores respecto al manual, te pedimos que te comuniques a ux.ui@byma.com.ar para que podamos revisarlo y responder a la brevedad.

Historial de versiones

Fecha	Versión	Descripción	Autor
31/07/25	0.1	-	BYMA

Tabla de contenido

1.	Descripción General de la Api	2
2.	Autenticación de la API REST	2
3.	Entornos Disponibles	2
4.	/issuer.....	2
4.1.	URLs:.....	2
4.2.	Método HTTP	2
5.	Ejemplo /issuer	3
6.	Diccionario de Datos.....	5
7.	/participants	6
7.1.	URLs:.....	6
7.2.	Método HTTP	7
8.	Ejemplo /participants.....	7
9.	Diccionario de Datos.....	9

1. Descripción General de la API

La API Custody Participants tiene como propósito gestionar la información de participantes y emisores relacionados con operaciones de custodia. A través de sus métodos, proporciona acceso estructurado a los datos necesarios para administrar y consultar tanto los participantes como los emisores registrados en el sistema.

2. Autenticación de la API REST

La autenticación de una API es un proceso fundamental para garantizar que solo los usuarios o sistemas autorizados tengan acceso a los recursos y datos protegidos por la API. Hay varias formas de autenticar una API, y la elección de la técnica de autenticación dependerá de los requisitos de seguridad y de la infraestructura de la aplicación. La API REST se autenticará utilizando la siguiente técnica:

- 🌱 **OAuth 2.0:** es un protocolo de autorización ampliamente utilizado para permitir a las aplicaciones acceder a recursos en nombre de los usuarios sin compartir sus credenciales directamente. Los flujos de OAuth 2.0, como el flujo de concesión de código, permiten que las aplicaciones obtengan tokens de acceso para autenticarse ante la API.

3. Entornos Disponibles

Las siguientes URL, apuntan al Portal de Desarrolladores ByMA.

- 🌱 **Homologación:** <https://hs-desarrolladores.byma.com.ar>
- 🌱 **Producción:** <https://desarrolladores.byma.com.ar>

4. /issuer

Permite consultar la información específica de emisores, facilitando la integración con sistemas que requieran identificar y trabajar con estas entidades. Se listan los EndPoint de cada uno de los entornos.

4.1 URLs:

- 🌱 **Homologación:** <https://hs-api.byma.com.ar/custody-participants/v1/issuers.json/>
- 🌱 **Producción:** <https://api.byma.com.ar/custody-participants/v1/issuers.json/>

4.2 Método HTTP

GET.

5. Ejemplo /issuer

EndPoint:

```
1. https://hs-api.byma.com.ar/custody-participants/v1/issuers.json/
```

Headers:

```
1. 'Authorization: Bearer {{access_token}}'
```

Request:

```
1. curl --location 'https://hs-api.byma.com.ar/custody-participants/v1/issuers.json/' \
2. --header 'Authorization: Bearer
eyJraWQiOiJYQmwwNmJVS2hSeU9pWjNvTzZsSUZ3TTZUNVZuVGpKUThNSUhYZ3AyZXVjIiwiaWxnbG9kaWkiOiJodHRwc
zovL3RlY3ZhbC1zYW5kYm94Lm9rdGFwcmV2aWV3LmNvbS9vYXV0aDIvYXVzYzlvcmZ1bFLOQTFVbEoxZDciLCJhdWQiOiJ2b
3J0ZXgtag9tby12cG4iLCJpYXQiOiJlbnR5bG9keXBhcnR5Y2lwYW50cy5yZWFiIiwiaWF0IjE6IjBvYWNjMXVscXBtQ21tdjN2MmWQ3In0.R
6Q_pwJ8ogunC19ud_8HjFXZPMOPswWXDVhEpNDk-kwJoEvy4j_j8ervN-E3_-
yrmeF9ZuoMSB_wEREUyFq3P_B7pXPvzJwFvWPOkJqKWA-L9Y21B-
nUU7azWP80ixJE0cyp_sidgz2ASAt9SQU1ZnBCtP0GpIcvSYJD_7A2toAIR_gLo2-
qZQFdTYJwqlKGq0GSme3sDzpeSrBtZXFir3nA-
nAJJhx5U871T_x6m1mAAT1mMfgqjp_XjMNDR8FCL3B7ne9DhuC4xzJxv0338uhwp9Q9DUD9pVud1oe03a9a2biZGUVm4q0R
9aOgank7RLZBswZxjj3td0DARdEdw'
```

Response:

```
1. {
2.   "meta": {
3.     "path": "http://hs-api.byma.com.ar/custody-participants/v1/issuers.json/",
4.     "date": "2025-07-31T13:50:17",
5.     "count": 151
6.   },
7.   "result": [
8.     {
9.       "issuerCode": "DUMMY_ISSUER",
10.      "identStakeholder": 1,
11.      "taxpayerIdentifier": null,
12.      "longName": "DUMMY_ISSUER",
13.      "mainId": 0,
14.      "firstName": null,
15.      "shortName": null,
16.      "englishLongName": null,
17.      "issuerFisnShortName": null,
18.      "identActivationType": 1,
19.      "identMaster": null,
20.      "identRevision": null,
21.      "identIndustryClassification1": 16,
22.      "identIndustryClassification2": 1,
23.      "identRevisionState": 1,
24.      "identPrefCommunicationMethod": null,
25.      "identPrefCommunicationLang": null,
26.      "identRegistrationCountry": 105,
```

```

27.         "revisionEffectiveFrom": null,
28.         "revisionEffectiveTo": null,
29.         "identLastUpdateUser": null,
30.         "comments": null,
31.         "requestedActivationDate": null,
32.         "dateOfInception": null,
33.         "lastUpdateTime": null
34.     },
35.     {
36.         "issuerCode": "BYIN",
37.         "identStakeholder": 3354,
38.         "taxpayerIdentifier": 33716276509,
39.         "longName": "BYMA INVERSORA S.A.",
40.         "mainId": "IGJ N*23532, LIBRO 92",
41.         "firstName": null,
42.         "shortName": null,
43.         "englishLongName": null,
44.         "issuerFisnShortName": "BYMA",
45.         "identActivationType": 1,
46.         "identMaster": null,
47.         "identRevision": 3856,
48.         "identIndustryClassification1": null,
49.         "identIndustryClassification2": null,
50.         "identRevisionState": 1,
51.         "identPrefCommunicationMethod": null,
52.         "identPrefCommunicationLang": null,
53.         "identRegistrationCountry": 105,
54.         "revisionEffectiveFrom": "2023-07-24 15:50:19.576691",
55.         "revisionEffectiveTo": null,
56.         "identLastUpdateUser": 1041,
57.         "comments": null,
58.         "requestedActivationDate": null,
59.         "dateOfInception": "2019-01-18 00:00:00.0",
60.         "lastUpdateTime": "2023-07-24 15:50:19.540828"
61.     },
62.     {
63.         "issuerCode": "BICE",
64.         "identStakeholder": 3404,
65.         "taxpayerIdentifier": 30651129083,
66.         "longName": "BANCO DE INVERSION Y COMERCIO EXTERIOR S.A.",
67.         "mainId": 1,
68.         "firstName": null,
69.         "shortName": null,
70.         "englishLongName": null,
71.         "issuerFisnShortName": "BICE",
72.         "identActivationType": 1,
73.         "identMaster": null,
74.         "identRevision": 3461,
75.         "identIndustryClassification1": null,
76.         "identIndustryClassification2": null,
77.         "identRevisionState": 1,
78.         "identPrefCommunicationMethod": null,
79.         "identPrefCommunicationLang": null,
80.         "identRegistrationCountry": 105,
81.         "revisionEffectiveFrom": "2023-07-10 10:49:44.118029",
82.         "revisionEffectiveTo": null,
83.         "identLastUpdateUser": 1048,
84.         "comments": null,
85.         "requestedActivationDate": null,
86.         "dateOfInception": "2004-03-25 00:00:00.0",
87.         "lastUpdateTime": "2023-07-10 10:49:44.098832"

```

```

88.     },
89.     {
90.         "issuerCode": "ARGE",
91.         "identStakeholder": 3409,
92.         "taxpayerIdentifier": 30546676117,
93.         "longName": "REPUBLICA ARGENTINA",
94.         "mainId": 3,
95.         "firstName": null,
96.         "shortName": null,
97.         "englishLongName": null,
98.         "issuerFisnShortName": "REP.ARGENTINA/",
99.         "identActivationType": 1,
100.        "identMaster": null,
101.        "identRevision": 3704,
102.        "identIndustryClassification1": null,
103.        "identIndustryClassification2": null,
104.        "identRevisionState": 1,
105.        "identPrefCommunicationMethod": null,
106.        "identPrefCommunicationLang": null,
107.        "identRegistrationCountry": 105,
108.        "revisionEffectiveFrom": "2023-07-13 15:53:46.165339",
109.        "revisionEffectiveTo": null,
110.        "identLastUpdateUser": 1120,
111.        "comments": null,
112.        "requestedActivationDate": null,
113.        "dateOfInception": "2001-11-26 00:00:00.0",
114.        "lastUpdateTime": "2023-07-13 15:53:46.011505"
115.    },
116.

```

6. Diccionario de Datos

Columnas	Tipo de Dato	Descripción
issuerCode	string	Unique identifier for the issuing entity, often assigned by a central registry or regulatory body
identStakeholder	string	Unique identifier for the primary stakeholder involved in transactions or relationships
taxpayerIdentifier	string	Official tax identification number assigned by a national tax authority (e.g., TIN, VAT ID)
longName	string	Full legal or registered name of the entity or individual, as used in official documentation
mainId	string	Primary identifier within the system, typically the main reference ID for the entity across records
firstName	string	Given name of the individual associated with the entity or record
shortName	string	Abbreviated or shorter name for the entity, used for concise referencing
englishLongName	string	Abbreviated or shorter name for the entity, used for concise referencing
issuerFisnShortName	string	Abbreviated financial institution identifier name, possibly used in official registrations

identActivationType	string	Code specifying the type of activation for the identifier, possibly indicating initial issuance or reactivation
identMaster	string	Master identifier associated with the entity, often a primary ID for grouped or hierarchical records
identRevision	string	Unique identifier for the record revision, used to track changes or updates to the original record
identIndustryClassification1	string	Industry classification code for the entity, aligned with a recognized classification standard (e.g., NAICS, GICS)
identIndustryClassification2	string	Secondary industry classification code, offering additional classification information for the entity
identRevisionState	string	Status code representing the current state of the identifier's revision (e.g., active, pending, inactive)
identPrefCommunicationMethod	string	Preferred method of communication for the entity (e.g., email, phone, postal)
identPrefCommunicationLang	string	Preferred communication language for the entity
identRegistrationCountry	string	Country where the entity is officially registered
revisionEffectiveFrom	string	Date from which the current revision of the identifier is effective
revisionEffectiveTo	string	Date until which the current revision of the identifier is effective
identLastUpdateUser	string	Identifier of the user or system that last updated the record
comments	string	Additional information or notes related to the entity or record
requestedActivationDate	string	Date when activation of the entity or record was requested
dateOfInception	string	Original date of establishment or creation of the entity
lastUpdateTime	string	Timestamp indicating the most recent update to the record, used for auditing or synchronization

7. /participants

Proporciona un listado completo de los participantes, incluyendo detalles relevantes como identificación, estado, tipo, y fecha de creación.

7.1 URLs:

 Homologación:

<https://hs-api.byma.com.ar/custody-participants/v1/participants.json/>

Producción:

<https://api.byma.com.ar/custody-participants/v1/participants.json/>

7.2 Método HTTP

GET.

8. Ejemplo **/participants**

EndPoint:

```
1. https://hs-api.byma.com.ar/custody-participants/v1/participants.json/
```

Headers:

```
1. 'Authorization: Bearer {{access_token}}'
```

Request:

```
1. curl --location 'https://hs-api.byma.com.ar/custody-participants/v1/participants.json/' \
2. --header 'Authorization: Bearer
eyJraWQiOiJYQmwwNmJVS2hSeU9pWjNvTzZsSUZ3TTZUNVZuVGpKUThNSUhyZ3AyZXVjIiwiaWxnbG9kaWkiOiJlMyNTYifQ.eyJ2Z2
XIiOiJEsImp0aSI6IkFULmJYODJVVzlkUUpzZTRYbW0aHFsRG5CMDZ5eGVpaTEtYnB1SWxlQVp6UmMiLCJpc3MiOiJodHRwc
zovL3R1Y3ZhbC1zYW5kYm94Lm9rdGFwcmV2aWV3LmNvbS9vYXV0aDIvYXVzYzlkcmZ1bF10QTFVbEoxZDciLCJhdWQiOiJ2b
3J0ZXgtag9tby12cG4iLCJpYXQiOiJlM5ODc1MTQsImV4cCI6MTc1NDA3MzkxNCwiY2lkIjoiaW9yY2MxdWxzcG1DbW12M
1kxZDciLCJzY3AiOiJlM5VzZG9keXBhcnRyY2lwYW50cy5yZWZkIiwiaWF0IjoiIjBvYWNjMXVscXBtQ21tdjN2MWQ3In0.N
_kiEEaOL20vMgHQglf0w0P1TXxovNOTTd7VdbBga-z5CZF2U1PRE4Ho0vCD-
gjqmuIDoEmBIAx3R_EsSL47DfNddbJUULC1NWwyuV5amdLGWHN87PBQsUpE2kTF50LfDdbYUo9dxrxxXvQWdvesvTQHbjfrf
sq2mGd4N3lu3DP64QyhPnCN0Qu4p33WaRajJW0HV-AqwF8jn-fANlvyceF0n62aED0cN1c3-
MeNM5qFvSEmyZ_9dLJdNlVt6F5sN-
ypzvdH6ycDJ3hyfYaLLAemsm7IJjw1sfnCr04SIU0um1xhUFnEBVG5_MhRJyw0xI_gH-zzqYrcv2sxP-oSCA'
```

Response:

```
1. {
2.   "meta": {
3.     "path": "http://hs-api.byma.com.ar/custody-participants/v1/participants.json/",
4.     "date": "2025-07-31T15:45:38",
5.     "count": 665
6.   },
7.   "result": [
8.     {
9.       "participantCode": "CVSA",
10.      "identStakeholder": 1,
11.      "identInvestor": 1,
12.      "taxPayerIdentifien": 30554475910,
13.      "longName": "Caja de valores",
14.      "mainId": "CAVLARB0XXX",
```

```

15.         "identStakeholderidTypeMain": 9,
16.         "lastUpdateTime": "2024-03-05 15:10:25.596006"
17.     },
18.     {
19.         "participantCode": "B3",
20.         "identStakeholder": 3,
21.         "identInvestor": 53,
22.         "taxPayerIdentifier": 1234,
23.         "longName": "B3",
24.         "mainId": "CLCBRRJXXX",
25.         "identStakeholderidTypeMain": 9,
26.         "lastUpdateTime": "2023-09-17 01:13:06.159653"
27.     },
28.     {
29.         "participantCode": "CRYL",
30.         "identStakeholder": 5,
31.         "identInvestor": 55,
32.         "taxPayerIdentifier": "123456789ar",
33.         "longName": "Central de Registro y Liquidacion",
34.         "mainId": "BCRAARB0XXX",
35.         "identStakeholderidTypeMain": 9,
36.         "lastUpdateTime": "2024-03-05 15:08:14.760589"
37.     },
38.     {
39.         "participantCode": "DTCC",
40.         "identStakeholder": 7,
41.         "identInvestor": 57,
42.         "taxPayerIdentifier": 30712217681,
43.         "longName": "DTCC",
44.         "mainId": "DTCCUS30SET",
45.         "identStakeholderidTypeMain": 9,
46.         "lastUpdateTime": "2024-03-05 15:12:19.411072"
47.     },
48.     {
49.         "participantCode": "EUROCLEAR BANK",
50.         "identStakeholder": 9,
51.         "identInvestor": 59,
52.         "taxPayerIdentifier": 30712234357,
53.         "longName": "EUROCLEAR BANK",
54.         "mainId": "ZYASBEB0XXX",
55.         "identStakeholderidTypeMain": 9,
56.         "lastUpdateTime": "2024-03-05 11:48:40.432648"
57.     },
58.     {
59.         "participantCode": 8888,
60.         "identStakeholder": 11,
61.         "identInvestor": 61,
62.         "taxPayerIdentifier": 30554475910,
63.         "longName": "CAJA DE VALORES - REGISTRO",
64.         "mainId": null,
65.         "identStakeholderidTypeMain": null,
66.         "lastUpdateTime": "2023-06-09 11:51:14.720355"
67.     },
68.     {
69.         "participantCode": 306,
70.         "identStakeholder": 354,
71.         "identInvestor": 404,
72.         "taxPayerIdentifier": 30554475910,
73.         "longName": "Caja de Valores Cuenta Terceros",
74.         "mainId": null,
75.         "identStakeholderidTypeMain": null,

```

```

76.         "lastUpdateTime": "2023-06-23 13:08:41.807466"
77.     },
78.     {
79.         "participantCode": 309,
80.         "identStakeholder": 1354,
81.         "identInvestor": 1404,
82.         "taxPayerIdentifier": 30715471953,
83.         "longName": "BOLSAS Y MERCADOS ARG.SERV.LIQ.",
84.         "mainId": null,
85.         "identStakeholderidTypeMain": null,
86.         "lastUpdateTime": "2023-09-04 11:13:53.950287"
87.     },
88.     {
89.         "participantCode": 9999,
90.         "identStakeholder": 3556,
91.         "identInvestor": 3604,
92.         "taxPayerIdentifier": 30715471953,
93.         "longName": "BYMA (RESERVA DE NRO PARA SLIQ)",
94.         "mainId": null,
95.         "identStakeholderidTypeMain": null,
96.         "lastUpdateTime": "2023-07-12 16:30:54.770665"
97.     },
98.     {
99.         "participantCode": "CLEARSTREAM BANKING",
100.        "identStakeholder": 3706,
101.        "identInvestor": 3755,
102.        "taxPayerIdentifier": 30712217681,
103.        "longName": "CLEARSTREAM BANKING",
104.        "mainId": "CEDELUL0XXX",
105.        "identStakeholderidTypeMain": 9,
106.        "lastUpdateTime": "2023-09-19 12:40:50.922358"
107.    },

```

9. Diccionario de Datos

Columnas	Tipo de Dato	Descripción
participantCode	string	Identifier issued to a party assigned by the CVSA generating identification scheme for participants.
identStakeholder	string	Unique identifier for the primary stakeholder involved in financial transactions or relationships
taxpayerIdentifier	string	Official tax identification number assigned to an entity by a national tax authority (e.g., CUIT)
identInvestor	string	Unique identifier for an investor, typically used to track investment holdings or associated accounts
mainId	string	Primary identifier within the system, often the main identifier for referencing the entity across records
longName	string	Full legal or registered name of the entity or individual, as used in official documentation
identStakeholderidTypeMain	string	Code representing the type of main identifier for the stakeholder (e.g., national ID type, passport)
lastUpdateTime	string	Timestamp indicating the most recent update to the record, used for auditing or synchronization



BYMA

Bolsas y Mercados
Argentinos