




powerlogic
SA (Pty) Ltd
innovative power technologies

Powerdock MK1.



MANUALLY RETRACTABLE

Manually retracts
below the surface

SAFETY FEATURE

Splash proof
when closed

DURABLE CONSTRUCT

Premium aluminum
construction

Powerdock MK1.



Description

Elevate your space with the MK1, a sleek and discreet power outlet unit designed for convenience and style. With three concealed power outlets, it blends seamlessly into any setting. Fold-flat chrome handles allow for easy manual raising and lowering, while the premium aluminum construction ensures lasting durability. Built for safety, the MK1 features overload protection, splash resistance when closed, and spill resistance when open.

Features

- Fold-flat chrome handles for raising and lowering the unit into position
- Splash resistance when closed and spill resistance when open
- Premium aluminum construction
- Tamper-Resistant (TR) power outlets
- Overload protection
- Easy installation
- 9 ft. input power cord

Technical Specifications

Voltage	110V – 125V AC @ 60Hz
Current	15A (Max.)
Power	1875W

Dimensions

- Length: 392 mm × 103 mm (15.43 in × 4.06 in)
- Cut-Out Diameter: 80 mm (3.15 in)

Applications

- Kitchens
- Meeting areas
- Workshops
- Office desks

Colour Options



Power Configuration

3 x NEMA 5-15 (3-PRONG) receptacles (above desk)
1 x Reset switch (above desk)
1 x NEMA 5-15 (3-PRONG) receptacle (below desk)


Approximate Weight

- 1.5Kg

All our products carry a 24-month warranty. Extended

Powerdock

MK1.



Contact Us

powerlogic.net

info@powerlogic.co.za

(+27) 21 704 1450