

Oblique Power Outlet

Customisable Power Solutions



3X

Mounting
options


CUSTOMISABLE POWER

Tailor to your power
and data needs

2X

Connect two
units together

Oblique Power Outlet



Description

The Oblique Workstation Power Outlet System is designed to meet the dynamic needs of modern office environments. Available in two- or four-way outlet configurations, with a limited three-way option, each unit is constructed from high-grade plastic. The Oblique range stands out for its customisable simplicity, offering various switch options—no switch, a single master switch, or individual switches for full control. Non-fused or individually fused for BS-spec versions provide enhanced flexibility and safety. With the ability to directly connect two units without additional leads and eight adjustable orientation angles, the Oblique range meets various regulatory requirements. It supports a wide selection of international power outlets and dual circuits for both clean and normal power sources, integrating both power and data into one system. Advanced protection features—such as power filters, circuit breakers, and earth leakage devices—ensure reliable and secure operation.

Power Configuration

The Oblique range offers extensive power configuration options for complete customisation to fit your specific needs. With two or four-way outlet configurations and the ability to choose from 24 international power outlet options for global compatibility, users benefit from dual circuits for clean/dedicated and normal power sources. This hybrid solution integrates power and data in one unit while allowing seamless connection of two units without additional leads. Featuring protection modules like power filters and circuit breakers, the Oblique range ensures safe and efficient operation.

Technical Specifications

Voltage	110V – 250V AC @ 50Hz – 60Hz
Current	15A (20A with upgraded wiring)
Power	1800W @ 110V – 125V AC 3000W @ 220V – 250V AC

Applications

- Office desks
- Call centres
- Coffee shop
- Laboratories
- Meeting areas
- Workshops
- Waiting areas
- Co-working areas

Approximate Weight

- Depends on configuration

Dimensions

- 60mm (W) X 42mm (H)
Length: Variable (Depends on configuration)

Features

- **Durable Construction:** Made from high-grade plastic.
- **Customisable Switches:** Options for no switch, a master switch, or individual switches.
- **Easy Connection:** Join two units without extra leads.
- **International Compatibility:** Supports 24 international power outlet options.
- **Dual Circuits:** Combines clean/dedicated and normal power.
- **Hybrid Power:** Integrates power and data in one unit.
- **Advanced Protection:** Includes power filters, circuit breakers, and earth leakage devices.


Colour Options



Mounting Options

Free-standing, surface-mounted, desk clamp-on and panel-mounted.

The desk clamp-on option features power units with a T-channel running along the bottom of the extrusion, designed for pre-fitting desk clamps upon request. These desk clamps enable each power outlet to have eight angles of orientation in 45-degree intervals.



All our products carry a 24-month warranty. Extended warranties are available by request

Oblique Power Outlet



MODERN

FUNCTIONAL

ELEGANT

Contact Us

powerlogic.net

info@powerlogic.co.za

(+27) 21 704 1450