

**Calling all
attention-seekers.**



IND Slim

LED DISPLAY

COMMERCIAL
DESIGN INDOOR



IND Slim

Key Features



Full Front & Rear Maintenance



Dust-free Module Surface



Black Screen Energy-Saving



Calibration



High Brightness 3000nits




Multi Sizes, Flexible Splicing



Intelligent Module Optional




Lightweight, Thin




Convenient And Maintenance

IND series LED displays, crafted with a focus on Commercial Design, provide comprehensive front and rear maintenance access in its compact cabinet, simplifying both installation and upkeep. This thoughtful design ensures quick servicing and reduces downtime, making it perfect for environments that demand reliable and efficient display performance.



Full Front Maintenance



Full Rear Maintenance

Multiple Sizes to Meet Different Needs

Created for free splicing and installation

Free Splicing


Cabinets of 5 sizes:

- 500x250 mm
- 500x500 mm
- 750x250 mm
- 1000x250 mm
- 1000x500 mm

Supporting misalignment and rotation installation

Realizing various kinds of shapes and sizes


Front Rear



Back Rear



Endless Shapes, Boundless Creativity



Right Angle Splicing L shape

With right-angle splicing offer seamless corner integration. This innovative design allows for unique, eye-catching installations that enhance spatial aesthetics.




Right Angle Splicing Column

IND CDI series enable cubic splicing, forming a three-dimensional box structure. This design offers a captivating 360-degree viewing experience.



Concave and Convex

IND CDI series support both inner and outer curved splicing. This flexibility is ideal for creating immersive environments and captivating displays.



Flexible Module, Allowing for More Creative Shapes


IND CDI series feature flexible modules, enabling creative and custom-shaped splicing, making it perfect for artistic installations and dynamic advertising.

Endless Shapes, Boundless Creativity

250x1000, 250x750, 250x500mm cabinets can be rotated by 90° for installation.

Step 1 Cabinet rotates 90° clockwise.

Step 2 LED modules rotate 90° counterclockwise.




Versatile Mounting Limitless Display Options




IND Slim series offers versatile mounting options to meet diverse installation needs across various environments. Whether wall-mounting, hanging, or stacking, these displays provide flexibility and adaptability, ensuring seamless integration into any space. Ideal for retail, corporate, and public venues


Flexible mounting solutions for every display need




Stacking Installation



Hanging Installation



Wall Mounting



Trim Parts

IND Slim Display Product Specs

Item	IND 1.2	IND 1.5	IND 1.9	IND 2.6	IND 2.9	IND 3.9
LED Package	SMD	SMD	SMD	SMD	SMD	SMD
Pixel Pitch (mm)	1.25	1.5625	1.953	2.604	2.907	3.906
Module Resolution	200x200	160x160	128x128	96x96	84x84	64x64
Module Size (mm)	250x250	250x250	250x250	250x250	250x250	250x250
Pixel Density (Point/m ²)	640,000	409,600	262,144	147,456	112,896	65,536
Cabinet Dimension (WxHxD)mm	250x500x39.5 250x750x39.5 250x1000x39.5 500X250x39.5 750X250x39.5 1000X250x39.5 500X500X39.5			250x500x39.5 250x750x39.5 250x1000x39.5 500X250x39.5 750X250x39.5 1000X250x39.5 500X500x39.5 500X1000x39.5		
Brightness Max Calibrated (nit)	600	600	1000	1000	1000	1000
Max Power Consumption (W/m ²)	480	480	560	560	560	560
Average Power Consumption (W/m ²)	160	160	187	187	187	187
Refresh Rate (Hz)	3840	3840	7680	7680	7680	7680

Weight per sqm (Kg)
20

Cabinet Material
Die casting aluminum

Protection Level
IP30

Colour Temperature
3000 to 10000

Viewing Angle (Horizontal)°
160

Viewing Angle (Vertical)°
140

Contrast Ratio
4000:1

Grayscale (bits)
14

Frame Rate (Hz)
50&60

Lifetime (hrs)
100,000

Installation Access
Front/Rear


Operating Temperature (°C)
-20~40


Storage Temperature (°C)
-30~60

Operating Humidity (%RH)
10~80%

**We look forward to
working with you soon.**



1300 125 635 

sales@onq.digital 

Level 10, 650 Chapel Street, South Yarra VIC 3141 