

# PRODUCT INFO

## VARIO JIB PRO

02 / 2025



### NEW JIBS

**Part number:** 314725  
**Designation:** Vario Jib PRO S  
**Length:** 0,59 m - 0,75 m



**Part number:** 314726  
**Designation:** Vario Jib PRO M  
**Length:** 1,21 m - 1,77 m



**Part number:** 314727  
**Designation:** Vario Jib PRO L  
**Length:** 1,74 m - 2,78 m



### NEW EXTENSIONS

**Part number:** 314728  
**Designation:** Extension 0,5 m



**Part number:** 314729  
**Designation:** Extension 1 m



**Part number:** 314580  
**Designation:** Extension 1,5 m





**Front end with new design**  
less weight, ergonomic design


**Tension lock on outrigger connection**  
more stability, easier handling

**New turnbuckle**  
for easier and more precise adjustment of the front end

**New support mechanism**  
for more stability, especially when attaching extensions

**Elimination of separate, exposed lever**  
damage due to incorrect operation is not possible

**New tension bolt**  
form- and force fitting connection, no tolerance gap/wobble



**new clamping mechanism**

**Outrigger profiles with radius**  
more ergonomic, less weight

**VARIO JIB PRO L**

**Integrated 3/8 inch thread in main beam**  
mounting option for various accessories (monitor etc.)

**Bigger brake lever**  
easier handling, better braking force

**Hex key with parking holder**  
more stability, easier handling

**Central Locking screw without clamping lever**  
more ergonomic, damage due to incorrect operation is not possible

# PRODUCT INFO

## VARIO JIB PRO

## Further Improvements:

The newly designed Vario Jib Pro is the successor to the very popular Panther Vario Jib, and was, in many ways, improved:

1. The lengths are telescopic adjustable (for more details see overview)
2. The overall length can be increased by adding our new extensions (new: supporting rod)
3. The counterweight outrigger is telescopic adjustable
4. The payload is up to 80 kgs (176 lbs)
5. Max counterweight: 12 Weights (104378)
6. The new Vario Jib PRO is very light, despite maximum stability

### New QUICK TENSION LOCK:

Especially when using the extension and with high loads, the tension hook is a significant product improvement!




### New TENSION BOLT:

All connections on the new Vario Jib Pro have integrated tensioning bolts to ensure maximum stability.




### New TURNBUCKLE:

Our newly engineered turnbuckle allows more precise adjustment.



### New SUPPORT MECHANISM:

For more stability, especially when attaching extensions.
















# PRODUCT INFO

## VARIO JIB PRO

02 / 2025



### LENGTHS & COMBINATIONS

		length max. payload
VARIO JIB PRO S		retracted 58,6 cm / 23" 50 kg / 110 lbs
		extended 74,6 cm / 29,4" 50 kg / 110 lbs
		extended + 0,5 m Extension 124,6 cm / 49" 50 kg / 110 lbs
VARIO JIB PRO M		retracted 120,5 cm / 47,5" 80 kg / 176 lbs
		extended 176,5 cm / 69,5" 80 kg / 176 lbs
		extended + 0,5 m Extension 226,5 cm / 89,1" 50 kg / 110 lbs
		extended + 1 m Extension 276,5 cm / 108,9" 50 kg / 110 lbs
		extended + 1,5 m Extension 326,5 cm / 128,5" 40kg / 88 lbs
VARIO JIB PRO L		retracted 173,5 cm / 68,3" 80 kg / 176 lbs
		extended 277,5 cm / 109,3" 50 kg / 110 lbs
		extended + 0,5 m Extension 327,5 cm / 128,9" 40kg / 88 lbs
		extended + 1 m Extension 377,5 cm / 148,6" 30 kg / 66 lbs
		extended + 1,5 m Extension 427,5 cm / 168,3" 20 kg / 44 lbs

# PRODUCT INFO

## VARIO JIB PRO



02 / 2025


### JIB SLIDER

**The most impressive novelty is the Jib Slider, a very useful piece of accessory, which allows 100% linear movements.**



#### All you need:

- 2x Slider Tracks 50cm: 313068
- 2x Quick change adapter female: 301731
- Quick Change Bridge (25cm): 313886
- Slider Sledge (25cm): 228119
- Extension tube (80mm) 16cm: 176612
- Extension tube (80mm) 32cm: 177515
- Euro Offset Bracket (short): 107407
- Bowl 150mm: 107374
- Tube Flange: 228122
- Clamping for Bridge: 311636



### JIB AROUND KIT

**The Vario Jib can be operated manually or electrically with the Jib-A-Round Kit (108660).**



#### All you need:

- Jib Around Kit: 108660

