



RESTRUCTURE YOUR BACKYARD | ESTABLISHED 1981



1 See the difference

Our simple process, personal service, and attention to detail make getting your ideal shed as seamless as possible.

Premium Build Features	4
Triple Layer Door	5
Structure Comparison	6-7

A Seamless Process

Our catalog is organized to walk you through the steps of the buying process, from initial consideration to final delivery.

2 Select your style

Find the style that fits your taste and budget, always with excellent service and genuine Amish craftsmanship.

Alpine Series	8-25
2000 Series	26-31
Large Structures	32-41
Small Structures	42-43



3 Configuration & delivery

Configure to your preferences, or buy off a lot. Whichever you choose, we'll guide you from site prep to final delivery.

Purchase & Delivery Options	44-45
Floor & Siding Options	46-47
Roof & Paint Options	48-49
Windows, Doors & Accessories	50-51

4 You're all set

With this investment, you increase the value of your property while adding needed space for storage, hobbies, or anything else.

We hope you enjoy it!



Who we are

In the winter of 1981, our founder Mose Miller realized a growing need for quality storage buildings. He decided to build his own out of the small workshop on his property. This is where Alpine Structures was born. As Alpine has grown since, we've stayed humbly dedicated to providing an excellent shed-buying experience: offering high-quality products with the most helpful service possible.

We credit our success first and foremost to God who has blessed us abundantly with wonderful employees and loyal customers.

— Javan Miller, owner



Warranty?

Yes! All of our structures are covered by a 5-year limited warranty. We also have 25+ year manufacturer's warranties on all shingles and siding!

Premium Build Features



LP Smartside Siding

Premium siding engineered for lasting beauty and durability.


Strongback Nailer

A unique Alpine feature, this nailer allows for straighter and stronger walls and siding.

LP Smartside Trim

Decay resistant, primed trim that is ready to face the outdoors.

Triple-Layer Door System



Structure Comparison

Alpine Series



Features and specs can be found on each individual style page, noted by the page number in the bottom right corner of each.

Easily compare our shed series and find the style that's right for you!

Features	Alpine Series	2000 Series
Premium Materials & Service	✓	✓
Economical Pricing		✓
Premium Build Features	✓	
Full Customization Options	✓	

2000 Series



OTHER STRUCTURES



Large Structures



Alpine Series

Our Flagship Shed Series


The Alpine Series are our top of the line sheds, with standard features for elevated quality and design. Each offers a wide variety of size and configuration options.

Every style highlights premium build details.

Some examples are:

- Gable Overhangs
- Transom Doors
- Timber Frames
- Double 2x8" Top Plate
- Shutters
- Storage Lofts
- Multiple Windows
- Enclosed Soffits
- Frieze Board
- Treated Decks
- And more!

FLOOR & WALL MODELS:




Deluxe

Tougher applications, treated for lasting durability

Specs:

- ¾" ProStruct Flooring
- 16" O.C. Treated Floor Joists
- 4x4" Treated Skids
- Walls: 16" O.C. wall studs



Supreme

Heavy-duty applications and higher weight capacity

Specs:

- 2x6" Treated, Solid Tongue & Groove Flooring
- 4x4" Treated Skids
- Walls: 16" O.C. Wall Studs






10x16' Skyview

Options shown: craftsman doors, 1 extra window, roof awning, flowerboxes, painted clay with navajo white trim

STANDARD FEATURES

Floor Models see page 8
Available in Deluxe or Supreme

Sidewall Height
6'6" sidewalls
7' and 8' sidewalls optional


Roof
8 pitch roof
(9 pitch roof on 8x12' Skyview)
8' dormer with transom windows
Enclosed soffits
Frieze board
Aluminum dripedge
30 year dimensional shingles

Construction
Strongback Nailer
Primed Smartside Siding
2x4" wall framing
2x4" single top-plate
4" fascia trim
Air vents

Lofts
2-4' lofts in buildings over 10' long

Doors
60" double doors; USA made lockset
30" single door; USA made lockset

Windows
2 - 24x36" windows; 1 set bar shutters



16x32' with 8' walls and numerous options



10x16' with lap siding and transom windows



Alpine Gable

with 12" overhang



10x14' Alpine Gable

Options shown: elite package, 1-30x36", 1-24x36" window with shutters & flowerbox, painted dark grey with white trim, black shutters

STANDARD FEATURES

Floor Models see page 8
Available in Deluxe or Supreme

Sidewall Height
6'6" sidewalls
(7'1" inside headroom)
7' and 8' sidewalls optional

Roof
4 pitch roof
Aluminum dripedge
30 year dimensional shingles

Construction
Strongback Nailer
Primed Smartside Siding
2x4" wall framing
2x4" single top-plate
4" fascia trim
Air vents

Doors
60" double doors;
USA made lockset

Windows
1 - 24x36" window;
bar shutters

BUILDING SIZES


WIDTH	DEPTH									REG. HEIGHT	ELITE HEIGHT	42" HEIGHT	42" ELITE HEIGHT
	8'	10'	12'	14'	16'	20'	24'	28'	32'				
8'	•	•	•							8' 8"	10'2"	9'	10'8"
10'		•	•	•	•	•	•			9'	10'8"	9' 4"	11'2"
12'			•	•	•	•	•	•		9' 4"	11'2"	9' 8"	11'8"
14'					•	•	•	•	•	9' 8"	11'8"	-	-
16'						•	•	•	•	10"	12'2"	-	-

ELITE PACKAGE INCLUDES

7' sidewalls | 6 pitch roof


Lofts

4' loft in buildings up to 10' long
2-4' lofts in buildings over 10' long



42" OVERHANG

Standard: same features as 12"
Elite Package: same features as 12" elite package
Sizes: 8x8' - 12x24'



10x20' Elite Gable with options



8x12' Alpine Gable



16x24' Elite Gable with options



14x20' with elite package, vinyl siding and steel roof



8x12' 42" Elite Gable

Alpine Woodsman



10x10' Woodsman, 10x10' room with a 10x6' porch, timber frame posts and gable end
Options shown: painted buckskin with navajo white trim

STANDARD FEATURES

Floor Models see page 8
Available in Deluxe or Supreme

Sidewall Height
7' sidewalls

Roof
6 pitch roof
Enclosed soffits
Frieze board
Aluminum drip edge
30 year dimensional shingles

Construction
Strongback Nailer
Primed Smartside Siding
2x4" wall framing

Construction Cont'd
2x4" single top-plate
4" Fascia trim
Air vents

6' treated deck; timber frame posts
Timber frame gable end

Doors

60" double doors; USA made lockset
30" single door; USA made lockset

Windows

2 - 24"x36" windows


Lofts

4' loft in buildings up to 10' long
2- 4' lofts in buildings over 10' long



BUILDING SIZES

WIDTH	DEPTH								REG. HEIGHT
8'	10'	12'	14'	16'	20'	24'	28'		10'2"
•									10'2"
	•								10'8"
		•							11'2"
			•						11'8"
				•					12'2"



Sizes listed are room dimensions; add 6' for total size. Example: 10x10 = 10x16'

Alpine A-Frame with 4' overhang



10x14' A-Frame
Options shown: 7' sidewalls, painted avocado green with buckskin trim

STANDARD FEATURES

Floor Models see page 8
Available in Deluxe or Supreme

Sidewall Height
6'6" sidewalls
7' and 8' sidewalls optional

Roof
12 pitch roof
Aluminum dripedge
30 year dimensional shingles
4' overhang

Construction
Strongback Nailer
Primed Smartside Siding
2x4" wall framing

Construction Cont'd
2x4" single top-plate
6" fascia trim
Air vents
4' treated deck with posts and 'Y' braces

Lofts
2-4' lofts in buildings over 10' long

Doors
60" double doors; USA made lockset
30" single door; USA made lockset

Windows
1 - 24x36" window with bar shutters



12x24' with options




12x16' with options



12x20' w/7' sidewalls; transom windows

BUILDING SIZES

WIDTH	DEPTH	HEIGHT	LOFTS					
10'	14'	16'	20'	24'	28'	32'		13' two-4'
	•	•	•					13' two-4'
		•	•	•				14' two-4'
			•	•				15' two-4'
				•	•	•	•	16' two-4'



Alpine Cottage



10x16' Cottage

Options shown: elite package, double 30x36", window with shutters, transom windows, metal roof, 6" posts, painted dark grey with white trim, black shutters

STANDARD FEATURES

Floor Models see page 8
Available in Deluxe or Supreme

Sidewall Height
6'6" sidewalls
(7' 1" inside headroom)
7' and 8' sidewalls optional

Roof
6 pitch roof
Aluminum dripedge
30 year dimensional shingles

Construction
Strongback Nailer
Primed Smartside Siding
2x4" wall framing
2x4" single top-plate
4" fascia trim
Air vents
4' treated deck; posts and 'Y' braces

Doors
60" double doors; USA made lockset
30" single door; USA made lockset


Windows
1 - 24x36" window with bar shutters

ELITE PACKAGE INCLUDES

7' sidewalls | 6 pitch roof

Lofts

4' loft in buildings up to 10' long
2-4' lofts in buildings over 10' long



NOTE

Gable style buildings with 12" and 42" overhangs do not include a porch floor.

Cottage style buildings include a porch floor.

12x16' Elite Cottage with 8/12 pitch roof and many options




10x20' Elite Cottage, 6' porch, and many options



16x24' Elite Cottage, roof awning, cupola, and many options

BUILDING SIZES

WIDTH	DEPTH								REG. HEIGHT	ELITE HEIGHT
	10'	12'	14'	16'	20'	24'	28'	32'		
8'		•							10' 5"	11' 1"
10'	•	•	•	•	•				10' 11"	11' 7"
12'		•	•	•	•	•			11' 5"	12' 1"
14'				•	•	•	•	•	12' 1"	12' 9"
16'					•	•	•	•	12' 5"	13' 3"



12x20' with vinyl siding and other options

Alpine Cabana



10x14' Alpine Cabana
Options shown: transom windows, ramp, painted white with light grey trim, dark grey doors

STANDARD FEATURES

Floor Models see page 8
Available in Deluxe or Supreme

Sidewall Height
6'6" sidewalls
on 10' and 12' wide buildings
7' sidewalls on 8' wide buildings

Roof
3 pitch roof
2x6" rafters
Enclosed soffits
Frieze board
Metal roof
16" front overhang
with rough sawn rafters


Construction
Strongback Nailer
Primed Smartside Siding
2x4" wall framing
2x4" single top-plate
6" Fascia trim
Air vents

Doors
60" double doors; USA made lockset
30" single door; USA made lockset

Windows
2 - 24"x47" windows with trim

BUILDING SIZES

WIDTH	DEPTH					REG. HEIGHT
	12'	14'	16'	20'	24'	
8'	•					10' 4"
10'	•	•	•	•	•	10' 1"
12'			•	•	•	10' 7"



10x14' with transom windows
Options shown: transom windows, painted clay with white trim

STANDARD FEATURES

Floor Models see page 8
Available in Deluxe or Supreme


Sidewall Height
6'6" sidewalls
7' and 8' sidewalls optional

Roof
6 pitch roof
Enclosed soffits
Frieze board
Aluminum dripedge
30 year dimensional shingles

Construction
Strongback Nailer
Primed Smartside Siding

BUILDING SIZES

WIDTH	DEPTH							REG. HEIGHT
	12'	14'	16'	20'	24'	28'	32'	
8'	•							9' 9"
10'		•	•	•	•			10' 3"
12'			•	•	•			10' 9"
14'				•	•	•	•	11' 3"
16'					•	•	•	10' 9"



Alpine Cove



Alpine Farmstead



10x18' Farmstead
10x10 storage, 6x8 greenhouse, painted clay with burnished slate trim

STANDARD FEATURES

Floor Models see page 8
Available in Deluxe or Supreme

Sidewall Height
6'6" sidewalls on storage area
Slightly taller walls on greenhouse

Roof
Storage Area:
7 pitch roof
Metal roof on storage area

Greenhouse:
6 pitch roof
Sun Sky roofing

Enclosed soffits
12" roof awning with
galvalume metal

Construction
Strongback nailer
Primed Smartside Siding
2x4" double top-plate
air vents
4x8' treated deck; timber frame post
shown with optional Venture Decking
Timber frame porch beams

Lofts & Shelving

4' loft
24" wide molded greenhouse shelving

Doors

30" Craftsman door with window
60" double Craftsman doors with window

Windows

1 - 24x36" window
7 - 24x47" windows

BUILDING SIZES

OVERALL SIZES	HEIGHT	
	Storage Area	Greenhouse
8x16'	8x8'	4x8'
10x18'	10x10'	6x8'
12x20'	12x12'	8x8'
		10' 3"
		10' 10"
		11' 5"



8x12' Greenhouse
Options shown: roof awning, painted white with black trim

STANDARD FEATURES

Floor Models see page 8
Available in Deluxe or Supreme

Sidewall Height
7' sidewalls
8' sidewalls optional

Roof
6 pitch roof
Sun Sky roofing

Construction
Strongback nailer
Primed Smartside Siding

Construction Cont'd
2x4" double top-plate
air vents

Shelving
24" wide molded greenhouse shelving


Doors
30" Craftsman door

Windows
24x47" windows, number varies by
greenhouse size. See chart below.



GREENHOUSE SIZES

WIDTH	DEPTH							HEIGHT
	8'	10'	12'	14'	16'	20'	24'	
8' Wide	•	•	•					9' 9"
WINDOWS PER BUILDING	9	11	13					
10' Wide			•	•	•			10' 3"
WINDOWS PER BUILDING			14	14	16			
12' Wide					•	•	•	10' 9"
WINDOWS PER BUILDING					17	21	25	
WINDOWS PER LENGTH OF WALL	3	4	5	5	6	8	10	



Alpine Riverside



10x14' Riverside
Options shown: transom windows, vinyl flowerboxes, 16" cupola, weathervane, treated ramp, painted avocado green with beige trim

STANDARD FEATURES

Floor Models see page 8
Available in Deluxe or Supreme

Sidewall Height
6'6" sidewalls
7' and 8' sidewalls optional

Roof
6 pitch roof
Aluminum dripedge
30 year dimensional shingles

Construction
Strongback Nailer
Primed Smartside Siding
2x4" double top-plate
6" fascia trim
Air vents

Lofts

4' loft in buildings up to 10' long
2-4' lofts in buildings over 10' long

Doors

60" double doors; USA made lockset
30" single door; USA made lockset
12" decorative hinges


Windows

2 - 24x36" windows with "Z" Shutters



BUILDING SIZES

WIDTH	8'	10'	12'	14'	16'	20'	24'	DEPTH	9' 9"
8'	•	•	•						
10'		•	•	•	•	•	•		10' 3"
12'					•	•	•		10' 9"



Alpine Homestead



10x12' Homestead
Options shown: transom windows, vinyl flowerboxes, 16" cupola, horse weathervane, painted red with white trim

STANDARD FEATURES

Floor Models see page 8
Available in Deluxe or Supreme

Sidewall Height
6'6" sidewalls
7' and 8' sidewalls optional

Roof
6 pitch roof
Aluminum dripedge
30 year dimensional shingles

Construction
Strongback Nailer
Primed Smartside Siding
2x4" double top-plate
6" fascia trim
Air vents

Lofts
4' loft in buildings up to 10' long
2-4' lofts in buildings over 10' long


Doors
60" double doors; USA made lockset
12" decorative hinges

Windows
1 - 30x36" double window
with "Z" Shutters



BUILDING SIZES

WIDTH	8'	10'	12'	14'	16'	20'	24'	DEPTH	9' 9"
8'	•	•	•						
10'		•	•	•	•	•	•		10' 3"
12'					•	•	•		10' 9"



WHAT THEY'RE SAYING

"From start to finish, the process was seamless and professional."

Adam from Clinton, PA
September 2025

Alpine Barnstyle

with 4' sidewalls



10x12' Alpine Barnstyle 4'

Options shown: painted clay with navajo white trim

STANDARD FEATURES

Floor Models see page 8
Available in Deluxe or Supreme

Sidewall Height
4' sidewalls

Roof
Aluminum dripedge
30 year dimensional shingles

Construction
Primed Smartside Siding
2x4" wall framing
2x8" double top-plate
Air vents

Lofts
see chart below


Doors
60" double doors; USA made lockset

POPULAR OPTIONS

Cupola
Double door threshold
Ramp

BUILDING SIZES

WIDTH	DEPTH							REG. HEIGHT	LOFT(S)
	8'	10'	12'	14'	16'	20'	24'		
8'	•	•	•					8' 6"	2'
10'		•	•	•	•	•		9' 5"	4'
12'			•	•	•	•	•	9' 8"	two 4'
14'					•	•	•	10'	two 4'



Alpine Barnstyle

with 6'6" sidewalls



12x16' Alpine Barnstyle 6'6"

Options shown: treated ramp, painted avocado green with buckskin trim

STANDARD FEATURES

Floor Models see page 8
Available in Deluxe or Supreme

Sidewall Height
6'6" sidewalls
7' and 8' sidewalls optional

Roof
Aluminum dripedge
30 year dimensional shingles

Construction
Strongback Nailer
Primed Smartside Siding
2x4" wall framing
2x8" double top-plate
Air vents

Lofts
see chart below


Doors
60" double doors; USA made lockset

POPULAR OPTIONS

Windows
Cupola
Weathervane
Ramp

BUILDING SIZES

WIDTH	DEPTH							REG. HEIGHT	LOFT(S)
	8'	10'	12'	14'	16'	20'	24'		
8'	•	•	•					11' 2"	2'
10'		•	•	•	•	•		11' 10"	4'
12'			•	•	•	•	•	12' 2"	two 4'
14'					•	•	•	12' 5"	two 4'
16'						•	•	12' 8"	two 4'



16x24' garage door, 8' sidewalls, window



16x24' with windows, shutters, loft door, 10' ridgelite, ridgevent, and custom ramp



14x28' with windows and shutters, transom windows, and custom ramps

Alpine Barnstyle

with 6'6" sidewalls & 4' overhang



12x20' Barnstyle

Options shown: transom windows in double doors, 36" single door with transom window, 2 windows, 7' walls, metal roof, treated deck, 6" posts, stained driftwood with black trim

STANDARD FEATURES

Floor Models see page 8
Available in Deluxe or Supreme

Sidewall Height
6'6" sidewalls
7' and 8' sidewalls optional

Roof
Aluminum dripedge
30 year dimensional shingles
4' self-supporting overhang
6' overhang optional
2x6" rafters

Construction
Strongback Nailer
Primed Smartside Siding
2x4" wall framing

Construction Cont'd
2x8" double top-plate
6" fascia trim
Air vents below

Lofts
see chart below


Doors
60" double doors; USA made lockset

POPULAR OPTIONS


- Treated deck
- 7' sidewalls
- Posts with 'Y' braces
- Windows
- Entrance door

BUILDING SIZES

WIDTH	DEPTH						REG. HEIGHT	LOFT(S)
	12'	14'	16'	20'	24'	28'		
10'	•	•	•	•			11' 10"	4'
12'	•	•	•	•	•		12' 2"	two 4'
14'			•	•	•	•	12' 5"	two 4'
16'				•	•	•	12' 8"	two 4'



Alpine Frontier



12x16' Frontier

Options shown: carriage house garage door, 7' sidewalls, shake siding on gable, vinyl siding: alpine clay with white trim

STANDARD FEATURES

Floor Models see page 8
Available in Deluxe or Supreme

Sidewall Height
6'6" sidewalls
7' and 8' sidewalls optional


Roof
4' loft in buildings up to 10' long
2-4' lofts in buildings over 10' long

Doors
60" double doors; USA made lockset
30" single door; USA made lockset

Windows
1-24x36" window with bar shutters
1-18x27" window with bar shutters in front gable

BUILDING SIZES

WIDTH	DEPTH						REG. HEIGHT
	14'	16'	20'	24'	28'	32'	
10'	•	•	•				13'
12'		•	•	•	•		14'
14'			•	•	•	•	15'
16'				•	•	•	16'



12x20' with options




12x16' with an extra window and ramp

2000 Series

Our Economy Shed Series

The 2000 Series are our more accessibly priced sheds, with high-quality build features on more minimalist designs. 2000 Series sheds come with less standard features, but still have a variety of configuration options.

FLOOR & WALL MODELS:




Standard

Standard applications

Specs:

- 3/4" CDX Plywood Floor Panels
- 16" O.C. SPF Floor Joists
- 4x4" Treated Skids
- Walls: 24" O.C. wall studs




Deluxe

Tougher applications,
treated for lasting durability

Specs:

- 3/4" ProStruct Flooring
- 16" O.C. Treated Floor Joists
- 4x4" Treated Skids
- Walls: 16" O.C. wall studs



Supreme

Heavy-duty applications
and higher weight
capacity

Specs:

- 2x6" Treated, Solid Tongue & Groove Flooring
- 4x4" Treated Skids
- Walls: 16" O.C. Wall Studs



2000 Series
with 4' sidewalls

STANDARD FEATURES

Floor Models see page 26
3/4" C.D.X. plywood floor

Sidewall Height
4' sidewalls

Roof
Aluminum dripedge
30 year dimensional shingles
6" roof overhang front and back


Construction
Primed Smartside Siding
2x4" wall framing
2x4" single top-plate
Wall framing 24" o.c.
Air vents

Doors
60" double doors; USA made lockset

BUILDING SIZES

	WIDTH	8'	10'	12'	14'	16'	20'	24'	DEPTH	HEIGHT
8'	•	•	•	•						7' 10"
10'			•	•	•	•	•	•		8' 3"
12' *						•	•	•		8' 7"

*12' wide 2000 Series floor width: 11' 6"



2000 Series

with 6'6" sidewalls



10x16' 2000 Series 6'6"

Options shown: door magnets, painted clay with navajo white trim

STANDARD FEATURES

Floor Models

see page 26
3/4" C.D.X. plywood floor
Available in Standard, Deluxe, or Supreme

Sidewall Height

6'6" sidewalls

Roof

Aluminum dripedge
30 year dimensional shingles
6" roof overhang front and back


Construction

Strongback Nailer
Primed Smartsid Siding

BUILDING SIZES

WIDTH	DEPTH							HEIGHT
	8'	10'	12'	14'	16'	20'	24'	
8'	•	•	•					10' 5"
10'		•	•	•	•	•		10' 8"
12' *					•	•	•	10' 11"


*12' wide 2000 Series floor width: 11' 6"



10x14' with transom windows



10x20' with numerous options



10x12' with ramp and ridgelight



10x12' 2000 Series Gable

Options shown: transom windows, painted light grey with white trim

STANDARD FEATURES

Floor Models

see page 26
3/4" C.D.X. plywood floor
Available in Standard, Deluxe, or Supreme

Sidewall Height

6'6" sidewalls


Roof

6 pitch roof
Aluminum dripedge
30 year dimensional shingles
6" roof overhang front and back

BUILDING SIZES

WIDTH	DEPTH							HEIGHT
	8'	10'	12'	14'	16'	20'	24'	
8'		•						9' 1"
10'			•	•	•	•	•	9' 7"
12' *						•	•	10'

*12' wide 2000 Series floor width: 11' 6"



8x10' with metal roof



10x14' with air vents and ramp



12x20' with options



2000 Series

Barnstyle Garage



12x20' 2000 Series Garage

Options shown: standard features, painted buckskin with white trim

STANDARD FEATURES

Floor Models

see page 26
Available in Deluxe or Supreme
2x4" treated floor joists 12" o.c.
3/4" ProStruct floor

Sidewall Height

6'6" sidewalls

Roof

6" roof overhang front and back
Aluminum dripedge
30 year dimensional shingles

Construction

Strongback Nailer
Primed Smartside Siding
2x4" wall framing

Construction Cont'd

2x4" single top-plate
Air vents

Lofts


4' loft in back of building

Doors

36" single door; USA made lockset
8'x6'6" non-insulated garage door
Metal garage door threshold

Windows

1 - 24x36" aluminum window



BUILDING SIZES

WIDTH	DEPTH	HEIGHT		
16'	20'	24'	28'	
12'*	•	•	•	10' 11"

*2000 Series Garage floor width: 11' 6"

2000 Series

Gable Garage



12x20' 2000 Series Gable Garage

Options shown: roof awning, painted clay with white trim

STANDARD FEATURES

Floor Models

see page 26
Available in Deluxe or Supreme
2x4" treated floor joists 12" o.c.
3/4" ProStruct floor

Sidewall Height

7' sidewalls

Roof

6 pitch roof
6" roof overhang front and back
Aluminum dripedge
30 year dimensional shingles

Construction

Strongback Nailer
Primed Smartside Siding
2x4" wall framing

BUILDING SIZES

WIDTH	DEPTH	HEIGHT		
16'	20'	24'	28'	
12'*	•	•	•	10' 9"

*2000 Series Garage floor width: 11' 6"

12x20' with vinyl siding and options



WHAT THEY'RE SAYING

"The installer was professional and very detailed in getting the shed level and in place."

Lou from Youngstown, Ohio
October 2025



Large Structures

Garages, Loft Barns & Cabins

Looking for an easier process to build a larger structure?

Find a the right space for your needs, whether for your vehicles, recreation, a second space, or whatever else you may need!



First steps to your Large Structure


1. SELECT A BASE STYLE

See the following pages (34-41) for details on our base styles.


2. CHOOSE THE RIGHT SIZE

Depending on the space you need, we've got flexible sizing options:


20x24' One Car Garage



24x32' Two Car Garage



30x40' Three Car Garage




3. CHOOSE THE RIGHT FOUNDATION

Select the foundation that fits your site.




BLOCK FOUNDATION

Solid frost protected foundation with the best longevity. Necessary for garages and larger buildings with more weight.



MONPOUR FOUNDATION

A similar method to the block foundation can be slightly more cost-effective. Site needs to be totally level.



POST & RIM FOUNDATION

Economy grade foundation that works in some applications.



POST & BEAM FOUNDATION

Ideal foundation for uneven ground that is sloped more than 2'. Works well for A-Frame and Barn style cabins.

Barnstyle Cabin

with 6' overhang



16x28' Barnstyle Cabin

Options shown: windows, metal roof, roof awning, venture decking, painted driftwood with black trim

STANDARD FEATURES

Floor Models see page 8
see price list for flooring options


Sidewall Height
9' sidewalls
(8' first floor headroom)
6' rafter
(6'7" second floor headroom)

Roof
2x6" rafters
Enclosed soffits
Frieze board
Aluminum dripedge
30 year dimensional shingles
6' overhang in front
12" overhang in back

Construction
Strongback Nailer
Primed Smartside Siding
Treated deck
Posts with 'Y' braces
2x4" wall framing
Air vents
Synthetic felt paper
Truss anchor screws

Lofts
Full loft with steps
2x10" loft joists 16" o.c. below top-plate

Doors
Entrance door with glass



BUILDING SIZES

WIDTH	DEPTH	HEIGHT		
20'	24'	32'	28'	17' 5"

POPULAR OPTIONS

Vinyl insulated windows
Ridgevent and vented soffit



standard feature – full loft with steps and railings



16x24' with vinyl siding



16x24' Barnstyle Cabin
Options shown: 30x36" windows, 22" cupola, weathervane, metal roof



WHAT THEY'RE SAYING

"Every step from initial discussion to completion of the project was outstanding. Andy Erb answered my many questions and was thorough in helping me design my shed."

James from Westerville, OH
April 2025

"I could not be happier with my experience with Alpine. From picking out my design to delivery and set up."

John from Canton, OH
August 2025

A-Frame Cabin

with 6' overhang



16x24' A-Frame Cabin

Options shown: 30x36" window with shutters, treated porch railing, painted avocado green with buckskin trim

STANDARD FEATURES

Floor Models see page 8
see price list for flooring options

Sidewall Height
9' sidewalls on 16' wide buildings
8' sidewalls on 20 & 24' wide buildings

Roof
12 pitch roof
Enclosed soffits
Frieze board
Aluminum dripedge
30 year dimensional shingles
6' overhang

Construction
Strongback Nailer
Primed Smartside Siding
2x4" wall framing
2x4" double top-plate
Air vents
Wall studs 16" o.c.
6" fascia trim
Synthetic felt paper
Truss anchor screws


Doors
Entrance door with glass

Lofts
Full loft with steps, landing, and railing
Loft below top-plate
2x10" loft joists 16" o.c. 16' wide buildings
14" floor trusses 24" o.c. 20' wide buildings
16" floor trusses 24" o.c. 24' wide buildings

Decks
6' deck and 'Y' posts are standard
on 16' wide cabins
6' deck and posts are optional
on 20' and 24' wide cabins


BUILDING SIZES

WIDTH	DEPTH						HEIGHT
	20'	24'	28'	32'	36'	40'	
16'	•	•	•	•			18' 7"
20'		•	•	•	•	•	19' 9"
24'		•	•	•	•	•	21' 9"



POPULAR OPTIONS

Vinyl insulated windows
Ridgevent and vented soffit
Additional doors



Full loft, standard feature.
Interior finish/work by customer



24x36' with attached garage



20x28' A-Frame Cabin
Numerous options shown



16x20' with vinyl siding



20x28' with options

Garages



24x28' Garage

Options shown: 2 - 9x7' garage doors, 45° garage door corners, 6 pitch roof, cupola & weathervane, gutters

STANDARD FEATURES

Floor Model

Permanent foundation required
– see page 32.

Sidewall Height

8' sidewalls

Roof

4 pitch roof
OSB roof sheathing
Enclosed soffits
Frieze board
Aluminum dripedge
30 year dimensional shingles
12" overhang on all sides

Construction

Strongback Nailer
Primed Smartside Siding
2x4" wall framing
2x4" double top-plate
Wall studs 16" o.c.
Air vents

Synthetic felt paper
Truss Anchor Screws

Doors


Entrance door with glass

POPULAR OPTIONS

Vinyl insulated windows
Ridgevent and vented soffit
8-16' wide garage doors
Vinyl siding
Steeper roof pitch
2x6" walls

BUILDING SIZES

WIDTH	DEPTH					HEIGHT	
	20'	24'	28'	32'	36'	40'	
20'	•	•	•	•	•	•	12'
24'		•	•	•	•	•	12' 10"



Due to variables in the printing process, color samples may vary in color and sheen from the actual materials.



20x24' Garage




24x32' Garage



20x30' Garage

Options shown: Ridgevent, gutters, vinyl siding



28x40' Garage with options



Loft Barns



24x40' Loft Barn

Options shown: 8' overhang, posts with 'Y' braces, garage door, loft door, windows, cupola, painted red with white trim

STANDARD FEATURES

Floor Models

Permanent foundation required
– see page 32.

Sidewall Height

8' sidewalls

Roof

2x6" roof trusses 24" o.c.
OSB roof sheathing

Enclosed soffits

Frieze board

Aluminum dripedge

30 year dimensional shingles

Construction

Strongback Nailer
Primed Smartside Siding
2x4" wall framing
Wall studs 16" o.c.
Air vents

Synthetic felt paper
Steps and railings
Truss anchor screws

Lofts


Full loft (see chart for headroom)
Clearspan floor trusses for loft area

Doors

Entrance door with glass

BUILDING SIZES

WIDTH	DEPTH	BLDG. HEIGHT	LOFT HEIGHT				
20'	24'	28'	32'	36'	40'		
20'	•	•	•	•	•	18'	7' 10"
24'		•	•	•	•	18' 8"	8' 5"



POPULAR OPTIONS


Vinyl insulated windows
Ridgevent and vented soffit
8' Overhang with posts
Porch and railing
8'-16' Wide Garage Doors
2x6" Walls



24x32' Loft Barn with metal roof and options



24x32' Loft Barn



24x48' Loft Barn with options



20x28' Loft Barn



24x40' Loft Barn Interior



Chicken Coop



4x6' Chicken Coop
Options shown: EZ Skid runners, painted red with buckskin trim

STANDARD FEATURES

Floor Models see page 8
Available in Deluxe


Roof
Aluminum dripedge
30 year dimensional shingles

Construction
Primed Smartside Siding
2x4" wall framing

Doors
16x40" single door on 3x4' coop
18x46" single door on 4x6' coop
20x56" single door on 5x8' coop
Chicken door with ramp

POPULAR OPTIONS

- EZ Skid runners



COOP SIZES

SIZE	CHICKENS	HEIGHT
3x4' Coop	6-8 Chickens	5' 2"
4x6' Coop	12-14 Chickens	6' 0"
5x8' Coop	18-22 Chickens	7' 1"

Ez-Skid runners add 10" to height

Dog Kennels

STANDARD FEATURES

Floor Models see page 8
Available in Deluxe

Roof

4 pitch roof
Aluminum dripedge
30 year dimensional shingles

Construction

Primed Smartside Siding
2x4" wall framing
Stainless Steel spring-loaded dog door
Chain link gate



4x7' Kennel



5x8' Kennel



6x10' Kennel

	4x7' Kennel	5x8' Kennel	6x10' Kennel
DOOR SIZE	25 x 41"	25 x 53"	29 x 72"
WINDOWS	2 - 18x27"	2 - 24x27"	2 - 24x36"
KENNEL SIZE	4 x 3'	5 x 4'	6 x 5'
RUN SIZE	4 x 4'	5 x 4'	6 x 5'
SIDEWALL HEIGHT	4' 0"	5' 0"	6' 6"
OVERALL HEIGHT	5' 10"	7' 0"	8' 9"

Playhouse

STANDARD FEATURES

Floor Models see page 8
Available in Deluxe

Roof
Aluminum dripedge
30 year dimensional shingles

Construction
Primed Smartside Siding
2x4" wall framing

Doors & Windows
18x48" Single Door
3 - 14x21" Windows
1 - 18x10" Window

Features
30" x 6' Loft
Loft ladder and railing

Size:
7x6' - Height 7' 1"



Egg collection box



Inside roost; ventilation opening



Predator-resistant wire mesh



7x6' Playhouse

Configuration & Delivery

Flexible Options.

Fast Turnaround & Customization.

At Alpine, you're in control. From colors and roof materials to windows, doors, and accessories, you can configure your structure exactly the way you envision it. And with multiple buying paths – ranging from ready-now models to fully custom builds – you can choose the experience that fits your timeline, budget and style.



Lot Models

Ready for quick delivery through our network of dealers – ideal when you want speed with minimal configuration.

Fully Custom

For the ultimate personalization, we can modify structural elements and craft a design that matches your floor plan, aesthetic or unique vision.



Configured Builds

Use our online visualizer to tailor your structure with your preferred layout, colors, materials and accessory placements.



Built On-Site Structures

- Available in any size building
- Onsite construction eliminates access problems
- Prefabricated panels & trusses are built in our facility
- Optional Painting/Staining
Painted before we deliver!



Prebuilt Structures

- Available in smaller sheds (*contact salesman for size limitations*)
- Access needed to site
- Delivered fully assembled
- Includes Painting (*with Smartside Siding*)
- Mule Delivery available



Built on-site structures are prefabricated in our facility and assembled on the job-site, allowing us to build your shed right on the spot.



Prebuilt structures are assembled in our facility and delivered to your site by truck and trailer. Painting is included on buildings with smartside siding.



Doors Back



Doors Passenger



Mule delivery



Site Prep

We offer several of these site-prep options.
Ask your salesman for availability in your area.



LEVEL LIMESTONE BASE

1. Limestone base should be 12" larger than building on four sides.
2. Remove 3-4" of sod.
3. Fill back in with No. 8 or No. 57 limestone.
4. Make sure entire area of limestone is level.



PATIO BLOCK BASE

8"x16" x 2" thick concrete patio blocks are placed underneath each skid a maximum of 6' on center.



BLOCK / 4X4 FOUNDATION

4x4's are placed crossways underneath building. 4x4" supported with solid concrete blocks on low side and dug into ground (as needed) on high side.

Great for smaller sheds!

LP SmartSide Siding

FEATURES & BENEFITS

A Natural Defense Against the Elements

LP® SmartSide® products are treated through the core with LP's proprietary SmartGuard® process, delivering long-lasting strength and durability. This four-part protection system helps siding stand up to impacts, moisture, humidity, freeze/thaw cycles, termites, and fungal decay. LP SmartSide siding is backed by a 50-year prorated limited warranty.



LP SmartSide Siding



LP SmartSide Lap Siding



ProStruct Flooring

FEATURES & BENEFITS

A Shed Floor With Protection Against Decay & Damage

The shed floor you've been searching for is here, specially treated with SmartGuard® wood strand technology to resist fungal decay and termite damage.

Knot and Void Free

Durable overlay for a professional-grade appearance with no knots or voids so your shed floor is as durable as it is attractive.

Longer-Lasting Performance

SmartFinish® flooring has excellent resistance to warping, splitting and cupping.



Vinyl Siding

STANDARD FEATURES

Double 4" dutchlap siding
OSB subsiding & sheathing
4' Ridgevent
60" Wide Fiberglass Slab Door with transom windows

OPTIONS

Flowerboxes
6 panel and 9 lite doors

BASE COLOR INCLUDES

Siding and Corner Trim

TRIM COLOR INCLUDES

Door Trim, Soffit, and Fascia



Standard Doors



Roof Options



Standard Aluminum Dripedge



Optional Ridgelite



Optional Ridgevent

DIMENSIONAL SHINGLES



Weathered Wood



Heather Blend



Burnt Sienna



Cobblestone Gray



Pewter



Moire Black

METAL ROOF



1. Black



2. Charcoal



3. Bright Red




4. Gallery Blue



5. Copper Metallic




6. Rustic Red



7. Hawaiian Blue



8. Lite Grey



9. Galvalume



10. Brown



11. Green




12. Clay



13. Antique Bronze



14. Bright White



15. Light Stone



16. Burgundy



17. Tan

Paint & Stain Options

STANDARD PAINT & TRIM COLORS

Painting is included with prebuilt structures & optional for built onsite structures.



1. Avocado Green



2. Beige



3. Buckskin



4. Clay



5. Navajo White



6. Dark Grey



7. Hunter Green



8. Red



9. White



10. Light Grey



11. Belmont Blue



12. Olive Green



13. Dark Brown



14. Black



15. Driftwood



16. Burnished Slate




17. Shale




POPULAR OPTIONS

Here's some of our favorite color schemes!



Base
Driftwood
Trim
Black



Base
Shale
Trim
Navajo White



Base
Beige
Trim
Buckskin
Accent
Red



Base
Dark Grey
Trim
White
Accent
Light Grey

Window & Door Options

VINYL SHUTTER & FLOWERBOX COLORS

- 1. White
- 2. Black
- 3. Brown
- 4. Green
- 5. Grey
- 6. Clay



WINDOWS SIZES & STYLES

Aluminum

18x27" | 24x36" | 24x47" | 30x36"

Insulated

24x36" | 36x40"

- 1. Window with trim
- 2. Wooden bar shutters
- 3. Wooden "Z" shutters and vinyl flowerbox
- 4. Vinyl shutters
- 5. 24x47" window with transom
- 6. Black aluminum windows



DOORS

- 1. Plain door
- 2. Diamond bottom (*standard*)
- 3. Decorative hinges (*standard on Riverside and Homestead*)
- 4. Decorative hinges and transom windows
- 5. Craftsman door with window
- 6. Fiberglass with transom windows
- 7. Entrance door with glass
- 8. Entrance door 6 panel



Options & Accessories

ACCESSORIES



Enclosed Smartside Soffit and Frieze board



Steps with Railing



Steps with Landing




Door Magnets



Shelving



Loft Ladder



6" Porch Posts



Single or Double Door Threshold



Decorative Flowerbox Holder



12" Decorative Hinges



Awning Roof



Aluminum Ramp and Threshold



Treated Ramp
Fits 52", 60", and 72" doors

CUPOLAS & WEATHERVANES



Cupolas; painted white 16" or 22"



16" Copper Cupola with weathervane



16" Painted Cupola with weathervane



Eagle Weathervane



Rooster Weathervane



Horse Weathervane



AlpineStructures.net | (330) 359.5708

2675 US 62 · Dundee, OH 44624 | Located 1.5 miles West of Winesburg, Ohio