
Laminated Oak Floor

Tagged text edition of the Havco product brochure. Brochure text, comparisons and diagram information are presented in a linear reading order. The original designed PDF is linked at the end.

LAMINATED OAK FLOOR by HAVCO

100% OAK 100% American made

WE USE 100% OAK IN ALL OUR FLOORING PRODUCTS

Oak is the only high-volume hardwood in North America that combines superior strength and long-lasting durability. It's the most decay-resistant wood among all of North America's high-volume hardwoods.

Superior Laminated Oak Floors Superior Manufacturing Experience

Sourcing the Best Lumber

We exclusively purchase green lumber from the Midwestern and Appalachian regions, known for plentiful stock and the highest quality oak.

In-House Drying

To ensure low variation of moisture, we custom dry lumber in our own dependable dryers and kilns.

Processing Dry Lumber

We accurately machine the lumber into strips and discard parts with knots and/or defects.

Laminating

Using a high-performing melamine glue, we bond lumber strips together in radio-frequency presses to make boards.

Quality Checks at Every Step

We make quality checks throughout the manufacturing process to ensure proper moisture content, strip dimensions, glue application and lamination are exact. Then we finish with a final planing.

Final Strength Testing

Once manufactured, we test our oak floors for strength and glue-bond performance to ensure conformance with rigorous requirements.

ALL HARDWOODS ARE NOT CREATED EQUAL

Through extensive testing and research, we've found that oak is far superior to maple when it comes to the most important elements.

The original comparison chart marks Oak in each category and leaves Maple unmarked. Unmarked means no checkmark is shown; it does not express a numerical test result.

Category	Oak	Maple
Strength	Marked	Unmarked
Rot resistance	Marked	Unmarked
Adhesive bonding	Marked	Unmarked
Nailability	Marked	Unmarked

Oak is the ultimate choice for fleet owners who are conscious of their bottom line over the long-term.

Over 40 Years Serving the Trucking Industry

In 1978, Havco® began operations with one goal: manufacture the finest oak laminated flooring for trailers, truck bodies and domestic containers. Since then, Havco has grown to be the nation's largest, and most trusted supplier.

The experts at Havco are with you during every step to ensure our products always match our promise.

We source only the best materials.

Our products always exceed the highest standards.

We commit to our customers for long-term success.

Sustainability of oak

We exclusively source oak lumber from the Midwestern and Appalachian regions of the United States. Our facilities are strategically located close to oak-producing mills, ensuring we always have a plentiful supply. USDA Forest Service research shows that a higher volume of trees grow every year on what is harvested, resulting in long-term sustainability.[†]

Laminated Hardwood Floorboard

Oak is the only high-volume hardwood in North America that combines superior strength and long-lasting durability.

Black Undercoating

We bond each strip together using high-performing melamine glue in radio-frequency presses.

[†]Oswalt, C. M., & Turner, J. A. (2009). "Status of Hardwood Forest Resources in the Appalachian Region Including Estimates of Growth and Removals" [Resource Bulletin SRS-142]. Asheville, NC: United States Department of Agriculture.

Protect your investment: we offer optional wood coatings

Floor Shield

Floor Shield topcoat extends the service life of all your hardwood flooring. We can apply it to new floors in our factory; you can also apply it to the floors in your fleet's trailers.

HD TopCoat®

HD TopCoat is a hot melt polyurethane coating ideal for laminated oak. By sealing and protecting trailer floors from chemicals, moisture and spills, HD TopCoat keeps floors safer for foot traffic, forklifts and freight transport.

Request a SAMPLE Today

Call [573-334-6024](tel:573-334-6024) to get started. Learn more about [Laminated Oak Floors](#).

RESISTANCE TO HARSH ENVIRONMENTS OAK WINS

Certain environments can greatly affect the service life of wood. This study shows the expected life of various woods when they're exposed to environments that cause wood to decay. **Oak can last up to 30 years**, whereas maple and birch don't even come close.*

SERVICE LiFE of wood

Type of Wood	Life in Wisconsin	Life in Mississippi
White Oak	30 years	20 years
Red Oak	25 years	20 years
Birch	15 years	7 years
Sugar Maple	14 years	6 years

LAMINATED OAK FLOOR by HAVCO

WE PROUDLY MANUFACTURE FUSION FLOOR IN AMERICA.

573-334-6024 800-792-4040

Scott City, Missouri

3422 Oakshire Drive Scott City, MO 63780

Vonore, Tennessee

150 Oak Drive Vonore, TN 37885

Service-life source: T. L. Highley (1995), "Comparative Durability of Untreated Wood in Use Above Ground," International Biodeterioration & Biodegradation, 35(4), pp. 409-419.

[Download the original Laminated Oak Floor PDF](#)