ECLYPSE



Glass and Hull Installation

The ECLYPSE porthole by Amare Group is a next-generation marine window system, launched at METS Amsterdam 2024. Inspired by the Infinity line, it features a sleek, low-profile frame that blends seamlessly into modern yacht glazing.

Equipped with IGU technology, it delivers superior thermal and acoustic insulation, combining high performance with refined aesthetics.

Clean design
Minimal visible Steel




Made entirely from AISI 316L stainless steel, including hinges and levers, ECLYPSE is built to endure—unlike competitors who rely on plastic. It can be bonded directly to glass or installed on fiberglass, and is compatible with Amare's ASW Wireless Automation system.


Available in custom-painted or polished finishes, and fully certified (CE, Pleasure, MCA), ECLYPSE offers unmatched reliability, longevity, and style.


Highlights
- IGU insulated glass for comfort and performance
- Slim, elegant frame with minimal visible components
- Stainless steel AISI 316L hardware—no plastic
- Suitable for curved glass or fiberglass installation
- ASW compatible
- Mirror-polished or custom-painted finish options
- Patented gluing technology for direct-to-glass bonding
- Backed by premium after-sales support


ECLYPSE is where form meets function—perfect for designers, shipyards, and owners seeking a clean, integrated solution for luxury yachts.




SEZIONE C-C












Amare	**Tolerances according to:** **- UNI EN 22768-1** **- UNI EN ISO 22081**			
Dimensioni:	≤30	>30÷120	>120÷400	>400
Tolleranze:	±0,1	±0,15	±0,25	±0,4
Parallelismo/Perpendicolarità:		±0,2%	**Angoli:**	±30'
Se non specificato:	Raggi: 0,5mm	Smussi: 0,5X45°		


The copyright of this drawing is reserved by Amare Group srl.

Drawing Code: AMEY012	Rev. 0	Scale: 1:5	Units: mm	
Description: Porthole Eclypse D.300				**Peso (Kg):** 7.39
Material:				**Page:** 1 di 2 — A3
Note: -		**Drawed by:** Gabriele Luccia		**Approved by:** -
		Date: 10/03/2025		**Date:** -









Amare

Tolerances according to:
- UNI EN 22768-1
- UNI EN ISO 22081

Dimensioni:	≤30	>30÷120	>120÷400	>400
Tolleranze:	±0,1	±0,15	±0,25	±0,4
Parallelismo/Perpendicolarità:		±0,2%	**Angoli:**	±30'


Se non specificato: Raggi: 0,5mm Smussi: 0,5X45°

The copyright of this drawing is reserved by Amare Group srl.

Drawing Code: AMNY047	Rev. 0	Scale: 1:5	Units: mm
Description: Porthole Eclypse VTR			**Peso (Kg):** 10.74
Material:			**Page:** 3 di 3 — A3
Note: -	**Drawed by:** Gabriele Luccia		**Approved by:** -
	Date: 31/01/2025		**Date:** -

Technical Information


for installation on glass



COD	TYPE	A	B	C	D	UNITS
AMEY009	Round porthole Stainless Steel AISI316L CE	136		185		mm
AMEY009_P	Round porthole Stainless Steel AISI316L Pleasure	136		185		mm
AMEY009_MCA	Round porthole Stainless Steel AISI316L MCA	136		185		mm
AMEY011	Round porthole Stainless Steel AISI316L CE	181		235		mm
AMEY011_P	Round porthole Stainless Steel AISI316L Pleasure	181		235		mm
AMEY011_MCA	Round porthole Stainless Steel AISI316L MCA	181		235		mm
AMEY013	Round porthole Stainless Steel AISI316L CE	234		293		mm
AMEY013_P	Round porthole Stainless Steel AISI316L Pleasure	234		293		mm
AMEY013_MCA	Round porthole Stainless Steel AISI316L MCA	234		293		mm
AMEY010	Round porthole Stainless Steel AISI316L CE	288		344		mm
AMEY010_P	Round porthole Stainless Steel AISI316L Pleasure	288		344		mm
AMEY010_MCA	Round porthole Stainless Steel AISI316L MCA	288		344		mm
AMEY012	Round porthole Stainless Steel AISI316L CE	332		392		mm
AMEY012_P	Round porthole Stainless Steel AISI316L Pleasure	332		392		mm
AMEY012_MCA	Round porthole Stainless Steel AISI316L MCA	332		392		mm
AMEY014	Round porthole Stainless Steel AISI316L CE	442		506		mm
AMEY014_P	Round porthole Stainless Steel AISI316L Pleasure	442		506		mm
AMEY014_MCA	Round porthole Stainless Steel AISI316L MCA	442		506		mm
AMEY025	Oval porthole Stainless Steel AISI316L CE	450	200	508	258	mm
AMEY025_P	Oval porthole Stainless Steel AISI316L Pleasure	450	200	508	258	mm
AMEY025_MCA	Oval porthole Stainless Steel AISI316L MCA	450	200	508	258	mm
AMEY041	Rectangular porthole Stainless Steel AISI316L CE	554	396	622	404	mm
AMEY041_P	Rectangular porthole Stainless Steel AISI316L Pleasure	554	396	622	404	mm
AMEY041_MCA	Rectangular porthole Stainless Steel AISI316L MCA	554	396	622	404	mm
AMEY042	Square porthole Stainless Steel AISI316L CE	272	214	322	222	mm
AMEY042_P	Square porthole Stainless Steel AISI316L Pleasure	272	214	322	222	mm
AMEY042_MCA	Square porthole Stainless Steel AISI316L MCA	272	214	322	222	mm

Technical Information


for installation on glass



COD	TYPE	A	B	C	D	UNITS
AMEY043	Rectangular porthole Stainless Steel AISI316L CE	410	190	470	250	mm
AMEY043_P	Rectangular porthole Stainless Steel AISI316L Pleasure	410	190	470	250	mm
AMEY043_MCA	Rectangular porthole Stainless Steel AISI316L MCA	410	190	470	250	mm
AMEY046	Rectangular porthole Stainless Steel AISI316L CE	412	190	470	277	mm
AMEY046_P	Rectangular porthole Stainless Steel AISI316L Pleasure	412	190	470	277	mm
AMEY046_MCA	Rectangular porthole Stainless Steel AISI316L MCA	412	190	470	277	mm
AMEY047	Rectangular porthole Stainless Steel AISI316L CE	532	282	598	348	mm
AMEY047_P	Rectangular porthole Stainless Steel AISI316L Pleasure	532	282	598	348	mm
AMEY047_MCA	Rectangular porthole Stainless Steel AISI316L MCA	532	282	598	348	mm
AMEY051	Oval porthole Stainless Steel AISI316L CE	538	288	600	350	mm
AMEY051_P	Oval porthole Stainless Steel AISI316L Pleasure	538	288	600	350	mm
AMEY051_MCA	Oval porthole Stainless Steel AISI316L MCA	538	288	600	350	mm
AMEY055	Rectangular porthole Stainless Steel AISI316L CE	850	650	900	730	mm
AMEY055_P	Rectangular porthole Stainless Steel AISI316L Pleasure	850	650	900	730	mm
AMEY055_MCA	Rectangular porthole Stainless Steel AISI316L MCA	850	650	900	730	mm
AMEY056	Rectangular porthole Stainless Steel AISI316L CE	562	862	920	620	mm
AMEY056_P	Rectangular porthole Stainless Steel AISI316L Pleasure	562	862	920	620	mm
AMEY056_MCA	Rectangular porthole Stainless Steel AISI316L MCA	562	862	920	620	mm
AMEY061	Rectangular porthole Stainless Steel AISI316L CE	390	125	450	185	mm
AMEY061_P	Rectangular porthole Stainless Steel AISI316L Pleasure	390	125	450	185	mm
AMEY061_MCA	Rectangular porthole Stainless Steel AISI316L MCA	390	125	450	185	mm

Technical Information


for installation on fiberglass



COD	TYPE	A	B	C	D	UNITS
AMNY010	Round porthole Stainless Steel AISI316L CE	288		344		mm
AMNY010_P	Round porthole Stainless Steel AISI316L Pleasure	288		344		mm
AMNY010_MCA	Round porthole Stainless Steel AISI316L MCA	288		344		mm
AMNY011	Round porthole Stainless Steel AISI316L CE	181		235		mm
AMNY011_P	Round porthole Stainless Steel AISI316L Pleasure	181		235		mm
AMNY011_MCA	Round porthole Stainless Steel AISI316L MCA	181		235		mm
AMNY012	Round porthole Stainless Steel AISI316L CE	332		385		mm
AMNY012_P	Round porthole Stainless Steel AISI316L Pleasure	332		385		mm
AMNY012_MCA	Round porthole Stainless Steel AISI316L MCA	332		385		mm
AMNY013	Round porthole Stainless Steel AISI316L CE	234		287		mm
AMNY013_P	Round porthole Stainless Steel AISI316L Pleasure	234		287		mm
AMNY013_MCA	Round porthole Stainless Steel AISI316L MCA	234		287		mm
AMNY015	Round porthole Stainless Steel AISI316L CE	347		409		mm
AMNY015_P	Round porthole Stainless Steel AISI316L Pleasure	347		409		mm
AMNY015_MCA	Round porthole Stainless Steel AISI316L MCA	347		409		mm
AMNY021	Oval porthole Stainless Steel AISI316L CE	423	180	483	240	mm
AMNY021_P	Oval porthole Stainless Steel AISI316L Pleasure	423	180	483	240	mm
AMNY021_MCA	Oval porthole Stainless Steel AISI316L MCA	423	180	483	240	mm
AMNY023	Oval porthole Stainless Steel AISI316L CE	566	266	636	336	mm
AMNY023_P	Oval porthole Stainless Steel AISI316L Pleasure	566	266	636	336	mm
AMNY023_MCA	Oval porthole Stainless Steel AISI316L MCA	566	266	636	336	mm
AMNY024	Oval porthole Stainless Steel AISI316L CE	640	340	720	410	mm
AMNY024_P	Oval porthole Stainless Steel AISI316L Pleasure	640	340	720	410	mm
AMNY024_MCA	Oval porthole Stainless Steel AISI316L MCA	640	340	720	410	mm
AMNY025	Oval porthole Stainless Steel AISI316L CE	450	198	518	268	mm
AMNY025_P	Oval porthole Stainless Steel AISI316L Pleasure	450	198	518	268	mm
AMNY025_MCA	Oval porthole Stainless Steel AISI316L MCA	450	198	518	268	mm

Technical Information


for installation on fiberglass



COD	TYPE	A	B	C	D	UNITS
AMNY026	Oval porthole Stainless Steel AISI316L CE	249	149	300	200	mm
AMNY026_P	Oval porthole Stainless Steel AISI316L Pleasure	249	149	300	200	mm
AMNY026_MCA	Oval porthole Stainless Steel AISI316L MCA	249	149	300	200	mm
AMNY045	Rectangular porthole Stainless Steel AISI316L CE	662	362	710	410	mm
AMNY045_P	Rectangular porthole Stainless Steel AISI316L Pleasure	662	362	710	410	mm
AMNY045_MCA	Rectangular porthole Stainless Steel AISI316L MCA	662	362	710	410	mm
AMNY046	Rectangular porthole Stainless Steel AISI316L CE	449	219	470	240	mm
AMNY046_P	Rectangular porthole Stainless Steel AISI316L Pleasure	449	219	470	240	mm
AMNY046_MCA	Rectangular porthole Stainless Steel AISI316L MCA	449	219	470	240	mm
AMNY047	Rectangular porthole Stainless Steel AISI316L CE	528	278	598	348	mm
AMNY047_P	Rectangular porthole Stainless Steel AISI316L Pleasure	528	278	598	348	mm
AMNY047_MCA	Rectangular porthole Stainless Steel AISI316L MCA	528	278	598	348	mm
AMNY048	Rectangular porthole Stainless Steel AISI316L CE	804	604	870	670	mm
AMNY048_P	Rectangular porthole Stainless Steel AISI316L Pleasure	804	604	870	670	mm
AMNY048_MCA	Rectangular porthole Stainless Steel AISI316L MCA	804	604	870	670	mm
AMNY049	Rectangular porthole Stainless Steel AISI316L CE	528	328	598	398	mm
AMNY049_P	Rectangular porthole Stainless Steel AISI316L Pleasure	528	328	598	398	mm
AMNY049_MCA	Rectangular porthole Stainless Steel AISI316L MCA	528	328	598	398	mm
AMNY050A	Oval porthole Stainless Steel AISI316L CE	368	192	430	254	mm
AMNY050A_P	Oval porthole Stainless Steel AISI316L Pleasure	368	192	430	254	mm
AMNY050A_MCA	Oval porthole Stainless Steel AISI316L MCA	368	192	430	254	mm
AMNY051	Oval porthole Stainless Steel AISI316L CE	546	296	600	350	mm
AMNY051_P	Oval porthole Stainless Steel AISI316L Pleasure	546	296	600	350	mm
AMNY051_MCA	Oval porthole Stainless Steel AISI316L MCA	546	296	600	350	mm
AMNY053	Oval porthole Stainless Steel AISI316L CE	620	248	674	302	mm
AMNY053_P	Oval porthole Stainless Steel AISI316L Pleasure	620	248	674	302	mm
AMNY053_MCA	Oval porthole Stainless Steel AISI316L MCA	620	248	674	302	mm

Technical Information

for installation on fiberglass



COD	TYPE	A	B	C	D	UNITS
AMNY063	Round porthole Stainless Steel AISI316L CE	442		506		mm
AMNY063_P	Round porthole Stainless Steel AISI316L Pleasure	442		506		mm
AMNY063_MCA	Round porthole Stainless Steel AISI316L MCA	442		506		mm
AMNY064	Round porthole Stainless Steel AISI316L CE	234		293		mm
AMNY064_P	Round porthole Stainless Steel AISI316L Pleasure	234		293		mm
AMNY064_MCA	Round porthole Stainless Steel AISI316L MCA	234		293		mm
AMNY065	Round porthole Stainless Steel AISI316L CE	234		293		mm
AMNY065_P	Round porthole Stainless Steel AISI316L Pleasure	234		293		mm
AMNY065_MCA	Round porthole Stainless Steel AISI316L MCA	234		293		mm
AMNY067	Oval porthole Stainless Steel AISI316L CE	576	336	630	390	mm
AMNY067_P	Oval porthole Stainless Steel AISI316L Pleasure	576	336	630	390	mm
AMNY067_MCA	Oval porthole Stainless Steel AISI316L MCA	576	336	630	390	mm
AMNY070	Rectangular porthole Stainless Steel AISI316L CE	436	236	504	304	mm
AMNY070_P	Rectangular porthole Stainless Steel AISI316L Pleasure	436	236	504	304	mm
AMNY070_MCA	Rectangular porthole Stainless Steel AISI316L MCA	436	236	504	304	mm
AMNY066	Oval porthole Stainless Steel AISI316L CE	582	243	640	300	mm
AMNY066_P	Oval porthole Stainless Steel AISI316L Pleasure	582	243	640	300	mm
AMNY066_MCA	Oval porthole Stainless Steel AISI316L MCA	582	243	640	300	mm

Configurator

01 Choose the shape
02 Choose the finish
03 Contact our team
04 Use the 3D model for simulation

FRAME AND COVER FINISH

- Mirror Polished AISI316L Stainless Steel
- Black RAL 9005
- White RAL 9001
- Custom RAL

INTERNAL IGU GLASS FINISH

- Black RAL 9005
- White RAL 9001

GLASS

Special glass colors are available upon request, subject to technical feasibility.

- Europe Grey
- Clear
- Extra Clear