




Rain Cap

Available in Galvanized

Stainless Steel and Carbon Steel

All Rain Caps are 18 gauge or heavier


Rolled Lip 3-24", Angle ring ends 3-60" and in Nominal Ends



| Rain Cap | | | | | | | |
|----------|----|--------|-------|----|----------------|---------------|------------|
| Size Ø " | A | Baffle | C | E | # of standoffs | Rolled Lip PN | Flanged PN |
| 4 | 8 | 4 | 2 | 10 | 3 | RRC04.G | FRC04.G |
| 5 | 10 | 5 | 2 1/2 | 11 | 3 | RRC05.G | FRC05.G |
| 6 | 12 | 6 | 3 | 12 | 3 | RRC06.G | FRC06.G |
| 7 | 14 | 7 | 3 1/2 | 13 | 4 | RRC07.G | FRC07.G |
| 8 | 16 | 8 | 4 | 14 | 4 | RRC08.G | FRC08.G |
| 9 | 18 | 9 | 4 1/2 | 15 | 4 | RRC09.G | FRC09.G |
| 10 | 20 | 10 | 5 | 16 | 4 | RRC10.G | FRC10.G |
| 11 | 22 | 11 | 5 1/2 | 17 | 4 | RRC11.G | FRC11.G |
| 12 | 24 | 12 | 6 | 18 | 4 | RRC12.G | FRC12.G |
| 13 | 26 | 13 | 6 1/2 | 19 | 4 | RRC13.G | FRC13.G |
| 14 | 28 | 14 | 7 | 20 | 4 | RRC14.G | FRC14.G |
| 15 | 30 | 15 | 7 1/2 | 21 | 4 | RRC15.G | FRC15.G |
| 16 | 32 | 16 | 8 | 22 | 4 | RRC16.G | FRC16.G |
| 17 | 34 | 17 | 8 1/2 | 23 | 4 | RRC17.G | FRC17.G |
| 18 | 36 | 18 | 9 | 24 | 4 | RRC18.G | FRC18.G |
| 19 | 38 | 19 | 9 1/2 | 25 | 4 | RRC19.G | FRC19.G |
| 20 | 40 | 20 | 10 | 26 | 4 | RRC20.G | FRC20.G |
| 22 | 44 | 22 | 11 | 28 | 6 | RRC22.G | FRC22.G |
| 24 | 48 | 24 | 12 | 30 | 6 | RRC24.G | FRC24.G |
| 26 | 52 | 26 | 13 | 32 | 6 | NA | FRC26.G |
| 28 | 56 | 28 | 14 | 34 | 6 | NA | FRC28.G |
| 30 | 60 | 30 | 15 | 36 | 6 | NA | FRC30.G |
| 32 | 64 | 32 | 16 | 38 | 6 | NA | FRC32.G |
| 34 | 68 | 34 | 17 | 40 | 8 | NA | FRC34.G |
| 36 | 72 | 36 | 18 | 42 | 8 | NA | FRC36.G |
| 38 | 76 | 38 | 19 | 44 | 8 | NA | FRC38.G |
| 40 | 80 | 40 | 20 | 46 | 8 | NA | FRC40.G |



Rain Cap Standoff Layout



| Rain Cap Standoff Layout | | | | | |
|--------------------------|----------------|---------------|--------------------|------------------------|------------------------|
| Size Ø " | # of standoffs | Flat Bar Size | Offset of Standoff | Top Ang Br. In degrees | Length of standoff OAL |
| 4 | 3 | 1x3/16 | 1 | 123 | 8 1/2 |
| 5 | 3 | 1x3/16 | 1 | 113 | 9 |
| 6 | 3 | 1x3/16 | 1 | 107 | 9 1/2 |
| 7 | 4 | 1x3/16 | 1 | 102 | 10 1/8 |
| 8 | 4 | 1x3/16 | 1 | 98 | 10 3/4 |
| 9 | 4 | 1x3/16 | 1 | 95 | 11 3/8 |
| 10 | 4 | 1 1/2 x3/16 | 1 1/2 | 97 | 12 1/8 |
| 11 | 4 | 1 1/2 x3/16 | 1 1/2 | 94 | 12 3/4 |
| 12 | 4 | 1 1/2 x3/16 | 1 1/2 | 92 | 14 3/8 |
| 13 | 4 | 1 1/2 x3/16 | 1 1/2 | 91 | 14 1/8 |
| 14 | 4 | 1 1/2 x3/16 | 1 1/2 | 89 | 14 3/4 |
| 15 | 4 | 1 1/2 x3/16 | 1 1/2 | 88 | 15 3/8 |
| 16 | 4 | 1 1/2 x3/16 | 1 1/2 | 87 | 16 1/8 |
| 17 | 4 | 1 1/2 x3/16 | 1 1/2 | 86 | 16 3/4 |
| 18 | 4 | 1 1/2 x3/16 | 1 1/2 | 85 | 17 1/2 |
| 19 | 4 | 1 1/2 x3/16 | 1 1/2 | 84 | 18 1/8 |
| 20 | 4 | 1 1/2 x3/16 | 1 1/2 | 84 | 18 7/8 |
| 22 | 6 | 2x3/16 | 2 | 84 | 20 1/8 |
| 24 | 6 | 2x3/16 | 2 | 83 | 21 1/2 |
| 26 | 6 | 2x3/16 | 2 | 82 | 23 |
| 28 | 6 | 2x3/16 | 2 | 82 | 24 3/8 |
| 30 | 6 | 2x3/16 | 2 | 81 | 25 3/4 |
| 32 | 6 | 2x3/16 | 2 | 80 | 27 1/8 |
| 34 | 8 | 2x3/16 | 2 | 80 | 28 1/2 |
| 36 | 8 | 2x3/16 | 2 | 79 | 29 7/8 |
| 38 | 8 | 2x3/16 | 2 | 79 | 31 3/8 |
| 40 | 8 | 2x3/16 | 2 | 78 | 32 3/4 |