



The New Era

Cersaie 2025 Highlights



This edition marks a new chapter in our visual journey
Welcome to the new SQ Mosaic

SQ Mosaic is another step forward in our evolution as a brand. A name change that does not imply a break with the past, but rather opens up new paths to explore new territories.

From technique to design.
From product to experience.
From functional to inspiring.

With this new mindset, we are presenting new collections that explore the limits of glass mosaic.

SQ Mosaic is more than a brand, it is a starting point on the horizon we are looking towards.

SQ Mosaic es un paso más en nuestra evolución como marca. Un cambio de nombre que no implica ruptura con el pasado, sino que abre nuevos caminos para habitar nuevos territorios.

Desde la técnica al diseño.
Desde el producto a la experiencia.
Desde lo funcional a lo inspirador.

Con esta nueva mentalidad, presentamos nuevas colecciones que exploran los límites del mosaico vítreo.

SQ Mosaic es más que una marca, es un punto de partida en el horizonte al que miramos.



We believe that swimming pools are not a privilege reserved for the few, but a vital space that everyone should be able to enjoy.

«The swimming pool, a luxury that is no longer a luxury».


Swimming pools embody health, well-being, community, and design. Our brand is reinventing itself to bring this experience closer to more people, through sustainable solutions that elevate and transform everyday life.

Creemos que la piscina no es un privilegio reservado a unos pocos, sino un espacio vital que todos deberíamos poder disfrutar.

«La piscina, un lujo que ya no es un lujo».

Las piscinas son sinónimo de salud, bienestar, comunidad y diseño. Por eso nuestra marca se reinventa: para acercar este mundo a más personas, con soluciones sostenibles creadas para transformar la vida cotidiana.





Every innovation comes from listening and learning. Our products have evolved with the confidence of decades of experience and the strength of the most advanced technology.

«The technique that inspires, the experience that transforms».

We create solutions that stand the test of time, designed to make every pool and wellness space into a unique, functional and long lasting experience.

Cada innovación nace de la escucha y del aprendizaje. Nuestros productos han evolucionado con la confianza de décadas de experiencia y la solidez de la técnica más avanzada.

«La técnica que inspira, la experiencia que transforma».

Creamos soluciones que resisten el tiempo, pensadas para hacer de cada piscina y espacios una experiencia única, funcional y duradera.

It's not just about products, it's about accompanying you every step of the way. From the initial idea to the final detail, we are by your side to help you build the space of your dreams.

«Together we make your project a reality».

Our mission is not just to design pools, but to make every project reflect what you imagine: a place to live, share and enjoy.


No se trata solo de productos, sino de acompañar cada paso de tu camino. Desde la idea inicial hasta el último detalle, estamos a tu lado para ayudarte a construir el espacio que sueñas.

«Juntos hacemos realidad tu proyecto».

Nuestra misión no es solo diseñar piscinas, sino hacer posible que cada proyecto refleje lo que imaginas: un lugar para vivir, compartir y disfrutar.



MORPHOLOGICAL INDEX
ÍNDICE MORFOLÓGICO



ESSENCE	28
IDENTITY	18
KUBU	38
PEARL	14



IDENTITY	18
----------	----



ESSENCE	28
GENUINE	10
IDENTITY	18
KUBU	38
PEARL	14



IDENTITY	18
----------	----



LITHOS	34
--------	----


ALPHABETICAL INDEX
ÍNDICE ALFABÉTICO

ESSENCE	28
GENUINE	10
IDENTITY	18
KUBU	38
LITHOS	34
PEARL	14

GENUINE

Genuine reinvents the monochromatic mosaic with a vibrant, contemporary spirit. Its five glossy tones, also available in an anti-slip finish, reveal subtle marbling that softens uniformity and adds gentle movement. Offered in Cube and the new Fifty format, the collection captures light with luminous reflections and a clean aesthetic that intensifies underwater.


A timeless choice for those who value understated color, modern elegance and effortless design.



Genuine transforma el concepto de mosaico monocolor con un enfoque dinámico, vibrante y lleno de matices.

Sus cinco referencias en acabado brillo y versión antideslizante destacan por un sutil jaspeado que rompe la uniformidad y genera movimiento visual. Disponible en formatos Cube y Fifty como novedad, es una colección diseñada para aportar profundidad, reflejos vivos y una estética limpia que se intensifica bajo el agua.

Para quienes buscan color sin estridencias y diseño sin complicaciones.



GN104




GN105




GN106




GN201




FIFTY GN104
Ref.7103 - P60



FIFTY GN105
Ref.7102 - P60



FIFTY GN106
Ref.7101 - P60



FIFTY GN201
Ref.7104 - P60

PEARL

Reflections that transform. Pearl elevates glass mosaic with a shimmering finish that reacts to light and water.


Available in Cube and Fifty formats, this monochrome series features an iridescent shine that multiplies colour nuances and brings depth to every surface. Each tessera delicately reflects light, creating a sensation of constant movement.

An ethereal and sophisticated proposal that fills the pool with light and elegance.


Reflejos que transforman. Pearl eleva el mosaico vítreo con un acabado tornasolado que reacciona con la luz y el agua.

Disponible en formatos Cube y Fifty, esta serie monocolor presenta un brillo iridiscente que multiplica los matices cromáticos y aporta profundidad a las superficies. Cada tesela refleja la luz con sutileza, creando una sensación de movimiento fluido y constante.

Una propuesta etérea y sofisticada que convierte la piscina en un espacio lleno de luz y elegancia.



FIFTY



CUBE



PEARL 104





PEARL 105




PEARL 106




PEARL 201




FIFTY PEARL 104
Ref.7107 - D40



FIFTY PEARL 105
Ref.7106 - D40



FIFTY PEARL 106
Ref.7105 - D40



FIFTY PEARL 201
Ref.7095 - D40



PEARL 105
Ref.7113 - P60

IDENTITY

Identity redefines glass mosaic: more graphic, more expressive, more alive.

Inspired by organic forms, this collection unfolds into flowing patterns that bring rhythm and texture to every surface. Available in Cube, Fifty, Round and Rectangle formats, and in gloss, matte, iridescent or luminescent finishes, the series comes alive in contact with water, transforming into a bold decorative statement.

Perfect for projects seeking a strong visual presence and a unique identity that elevates the space.

Identity propone una nueva forma de entender el mosaico vítreo: más gráfica, más expresiva, más viva.

Inspirada en formas orgánicas, esta colección genera patrones envolventes que aportan dinamismo y textura visual. Disponible en formatos Cube, Fifty, Round y Rectangle, y en acabados brillo, matte, iridiscente o luminiscente, la serie cobra fuerza al contacto con el agua y se convierte en un elemento decorativo protagonista.

Ideal para proyectos que buscan una estética con identidad propia y relevante presencia visual.



FIFTY


CUBE

RECTANGLE


CIRCLE




- | | |
|---|---|
|  |  |
| Siroko | Midori |
|  |  |
| kintsugi | Shell |
|  |  |
| Wave | Lagoon |
|  |  |
| Reef | Atai |
|  |  |
| Oranda | Wana |



FIFTY SIROKO
Ref.6822 - P80



FIFTY MIDORI
Ref.6821 - P80




FIFTY KINTSUGI
Ref.6820 - P80



SIROKO
Ref.6825 - P40



MIDORI
Ref.6824 - P40



KINTSUGI
Ref.6823 - P40



RECTANGLE SHELL
Ref.7034 - D40




RECTANGLE LAGOON
Ref.7037 - D40




RECTANGLE WAVE
Ref.7035 - D40




RECTANGLE REEF
Ref.7036 - D40



CIRCLE ATAI
Ref.3737 - D40



CIRCLE ORANDA
Ref.6738 - D40



CIRCLE WANA
Ref.6736 - D40

ESSENCE

ESSENCE captures the calm and depth of the sea, reinterpreting the ocean's beauty through colour and texture.


Available in Cube and Fifty format, this collection features five shades that echo the sea's palette, from serene, soft tones to deep, dramatic hues. Each tessera, with its clean aesthetic and refined texture, reflects light and water in a way that brings surfaces to life.

A contemporary collection that blends elegance, freshness and enduring quality, transforming any pool into a vibrant, inviting space.

Inspirada en la calma y la profundidad del mar, ESSENCE reinterpreta la belleza del océano a través del color y la textura.

Disponible en los formatos Cube y Fifty, esta colección ofrece cinco tonos que evocan los matices del mar, desde los más serenos hasta los más intensos. Las teselas, con una estética limpia y una textura visual cuidada, generan un juego de reflejos que cobra vida al contacto con la luz y el agua.

Una propuesta contemporánea que une elegancia, frescura y resistencia en revestimientos que transforman cualquier piscina en un espacio vivo.



Ocean



Calm




Coast Light




Marine



Posidonia




FIFTY OCEAN
Ref.7097 - P65




FIFTY CALM
Ref.7100 - P65




FIFTY COAST LIGHT
Ref.7096 - P65




FIFTY MARINE
Ref.7099 - P65



FIFTY POSIDONIA
Ref.7098 - P65



OCEAN
Ref.7109 - P20




CALM
Ref.7112 - P20



COAST LIGHT
Ref.7108 - P20



MARINE
Ref.7111 - P20



POSIDONIA
Ref.7110 - P20

LITHOS

Lithos reimagines marble in a contemporary language, with a bold and elegant decorative spirit.

Inspired by marbles of strong character, its designs feature pronounced veining, deep contrasts and striking compositions. Available in Cube, Fifty and the new Hex Tech format, the collection is finished in matte to highlight texture and enhance its refined style.

Created for decorative and aquatic spaces that seek serene elegance and a mineral essence that elevates the space.



Alpha-A



Seth-A



Landa-A



HEX TECH ALPHA-A
Ref.6652 - D50



HEX TECH SETH-A
Ref.6650 - D50





HEX TECH LANDA-A
Ref.6651 - D50

KUBU

Natural stone, refined simplicity, timeless style. Kubu distills the pure beauty of minerals into a serene and sophisticated collection.

Available in Cube and Fifty formats, it comes in a matte finish with a minimalist aesthetic and a palette of neutral tones—ranging from greys and beiges to soft greens and blues. Its surface evokes the authenticity of natural stone, making it the perfect choice for projects seeking harmony with their surroundings.

A discreet yet distinctive mosaic, created for those who appreciate the understated beauty of nature.



Piedra natural, simplicidad y estilo. Kubu recoge la belleza esencial de los minerales en una propuesta sobria, serena y sofisticada.

Disponible en los formatos Cube y Fifty, esta colección apuesta por tonos neutros, como grises y beiges a suaves verdes y azules, se presenta en acabado mate y estética minimalista. Su textura recuerda la pureza de la piedra, ideal para proyectos que buscan una integración natural con el entorno.

Un mosaico con carácter discreto, pensado para quienes valoran la belleza de lo natural.



Ishidai



Akame



SQ Mosaic

Cersaie 2025 Highlights


Kubu
>Matte




FIFTY ISHIDAI
Ref.6787 - D30



FIFTY AKAME
Ref.6788 - D30



ISHIDAI
Ref.6789 - P40



AKAME
Ref.6790 - P40



INSPIRING
POOLS,
DESIGNED FOR LIFE

TECHNICAL CHARACTERISTICS

Serie	Test UNE-EN-ISO 10545-3	Test UNE-EN-ISO 101-92=101	Test UNE-EN-ISO 10545-9	Test UNE-EN-ISO 10545-12	Test UNE-EN-ISO 10545-13:1998 Resistance to chemical attack				Test UNE-EN-ISO 10545-14	Test UNE-EN-ISO 10545-11=1997	DIN 51094	DCOF	DIN	DIN 51097	Test UNE-ENV 12633:2003 (CTE)
	Water Absorption	Surface hardness, Mohs	Resistance to thermal shocks	Frost Resistance	Domestic Products	Pool water additives	Low acid and alkalins	High acid and alkalins	Resistance to staining	Cracking	Colour Stability on exposure to light and UV rays	Wet Dynamic Coefficient of Friction ANSI A 137.1 Standard	SLIP Resistance wearing shoes	SLIP Resistance in bare feet	Anti skid coefficient, suitable for outdoor use and swimming pools
Genuine	None	4	Resistant	Resistant	GA	GA	GLA	GHA	Class 5	Resistant	Resistant				
Pearl	None	4	Resistant	Resistant	GA	GA	GLA	GHA	Class 5	Resistant	Resistant				
Identity — Shiny	None	4	Resistant	Resistant	GA	GA	GLA	GHA	Class 5	Resistant	Resistant				
Identity — Shiny&Iridiscent	None	4	Resistant	Resistant	GA	GA	GLA	GHA	Class 5	Resistant	Resistant				
Essence — Shiny	None	4	Resistant	Resistant	GA	GA	GLA	GHA	Class 5	Resistant	Resistant				
Lithos — Matte Shiny	None	5	Resistant	Resistant	GA	GA	GLA	GHA	Class 5	Resistant	Resistant	≥60	R11	Class C	Class 3
Kubu — Matte	None	5	Resistant	Resistant	GA	GA	GLA	GHA	Class 5	Resistant	Resistant	≥60	R11	Class C	Class 3

Serie	Format	Wall	Floor	Wet Areas	Pool	Materials
Genuine	Fifty	In/Ext	No	Yes	Yes	Glass
Pearl	Fifty	In/Ext	Residential	Yes	Yes	Glass
	Cube	In/Ext	No	Yes	Yes	Glass
Identity	Fifty	In/Ext	No	Yes	Yes	Glass
	Cube	In/Ext	Residential	Yes	Yes	Glass
	Rectangle	In/Ext	No	Yes	Yes	Glass
	Cercle	In/Ext	No	Yes	Yes	Glass
Essence	Fifty	In/Ext	No	Yes	Yes	Glass
	Cube	In/Ext	Residential	Yes	Yes	Glass
Lithos	Hex Tech	In/Ext	Residential	Yes	Yes	Glass
Kubu	Fifty	In/Ext	Residential	Yes	Yes	Glass
	Cube	In/Ext	Residential	Yes	Yes	Glass

PACKING DETAILS

PACKING ONE / CUBE / 25x25mm (1"x1")

Sheet / Hoja	Box / Caja	Pallet / Palet	Euro Pallet / Euro Palet
Size/ Dimensión: 311x467 mm (12.24" x 18.38")	Sheets / Hojas: 14	Boxes / Cajas: 60	Boxes / Cajas: 50
Thickness/ Espesor: 4.5 mm (0,1787")	Quantity / Cantidad: 2.03m2 (21.85 sqf)	Quantity / Cantidad: 121,8m2 (1311 sqf)	Quantity / Cantidad: 101,5m2 (1092.53 sqf)
Weight/ Peso: 1.31kg (2,88 lb)	Weight/ Peso: 18.3kg (40.34 lb)	Gross Weight/ Peso bruto: 1098.3kg (2420.67 lb)	Gross Weight/ Peso bruto: 915kg (2017.23 lb)

PACKING TWO / FIFTY / 50x50mm (2"x2")

Sheet / Hoja	Box / Caja	Pallet / Palet	Euro Pallet / Euro Palet
Size/ Dimensión: 311x311 mm (12.24" x 12.24")	Sheets / Hojas: 10	Boxes / Cajas: 108	Boxes / Cajas: 72
Thickness/ Espesor: 5.5 mm (0.216")	Quantity / Cantidad: 0.98m2 (10.54 sqf)	Quantity / Cantidad: 105.84m2 (1139.25 sqf)	Quantity / Cantidad: 70.56m2 (759.50 sqf)
Weight/ Peso: 1.15kg (2,53 lb)	Weight/ Peso: 11.49kg (25.33 lb)	Gross Weight/ Peso bruto: 1240.75kg (2735.38 lb)	Gross Weight/ Peso bruto: 827.16kg (1823.57 lb)

PACKING THREE / CERCLE / Ø19mm (0,74")

Sheet / Hoja	Box / Caja	Pallet / Palet	Euro Pallet / Euro Palet
Size/ Dimensión: 287x285 mm (11.29" x 11.23")	Sheets / Hojas: 12	Boxes / Cajas: 99	Boxes / Cajas: 54
Thickness/ Espesor: 5,5 mm (0,216")	Quantity / Cantidad: 0,98m² (10.54 sqf)	Quantity / Cantidad: 97,02m² (1044.31 sqf)	Quantity / Cantidad: 52,92m² (568.54 sqf)
Weight/ Peso: 0,96kg (2,11 lb)	Weight/ Peso: 9,6kg (21.16 lb)	Gross Weight/ Peso bruto: 950,4kg (2095.27 lb)	Gross Weight/ Peso bruto: 518,4kg (1142.87 lb)

PACKING FOUR / HEX TECH / Ø51,6mm (2")

Sheet / Hoja	Box / Caja	Pallet / Palet	Euro Pallet / Euro Palet
Size/ Dimensión: 286x284 mm (11.25" x 11.18")	Sheets / Hojas: 6	Boxes / Cajas: 180	Boxes / Cajas: 120
Thickness/ Espesor: 5,6 mm (0,220")	Quantity / Cantidad: 0,49m² (5.27 sqf)	Quantity / Cantidad: 88,20m² (949.37 sqf)	Quantity / Cantidad: 58,80m² (632.92 sqf)
Weight/ Peso: 0,98kg (2,16 lb)	Weight/ Peso: 5,87kg (12.94 lb)	Gross Weight/ Peso bruto: 1054,07kg (2328.23 lb)	Gross Weight/ Peso bruto: 704,40kg (1552,93 lb)

PACKING FIVE / RECTANGLE / 25x50mm (1"x2")

Sheet / Hoja	Box / Caja	Pallet / Palet	Euro Pallet / Euro Palet
Size/ Dimensión: 260x312 mm (10.25" x 12.30")	Sheets / Hojas: 10	Boxes / Cajas: 108	Boxes / Cajas: 72
Thickness/ Espesor: 5,5 mm (0,216")	Quantity / Cantidad: 0,81m² (8.71 sqf)	Quantity / Cantidad: 87,48m² (941.62 sqf)	Quantity / Cantidad: 58,32m² (627.75 sqf)
Weight/ Peso: 0,91kg (2 lb)	Weight/ Peso: 9,11kg (20.08 lb)	Gross Weight/ Peso bruto: 58,32kg (627.75 lb)	Gross Weight/ Peso bruto: 656,10kg (1446.45 lb)

ESPECIAL FINISHES

Sheet / Hoja	Box / Caja	Pallet / Palet	Euro Pallet / Euro Palet
Size/ Dimensión: 311x467 mm (12.24" x 18.38")	Sheets / Hojas: 14	Boxes / Cajas: 60	Boxes / Cajas: 50
Thickness/ Espesor: 4.5 mm (0,1787")	Quantity / Cantidad: 2.03m2 (21.85 sqf)	Quantity / Cantidad: 121,8m2 (1311 sqf)	Quantity / Cantidad: 101,5m2 (1092.53 sqf)
Weight/ Peso: 1.31kg (2,88 lb)	Weight/ Peso: 18.3kg (40.34 lb)	Gross Weight/ Peso bruto: 1098.3kg (2420.67 lb)	Gross Weight/ Peso bruto: 915kg (2017.23 lb)

SYMBOLS LEGEND



MATTE
MATE



SHINY
BRILLO



LUSTER
LUSTRE



IRIDISCENT
IRIDISCENTE



LUMINISCENT
LUMINISCENTE



ANTI-SLIP
ANTIDESLIZANTE



MATTE-SHINY
MATE-BRILLO

ADVANTAGES OF SQ MOSAIC GLASS MOSAIC

Characteristics	SQ Mosaic - Glass Mosaic	Porcelain	PVC	Pebble Tec	Natural Stone
Flexibility to withstand structural change Flexibilidad frente a cambios Estructurales	***	*	***	**	*
Maintenance and Cleaning Mantenimiento y limpieza	***	**	**	*	
Resistance to Aggressive Attacks (UNE EN ISO 1045-13) Resistencia ante ataques agresivos (UNE EN ISO 1045-13)	***	***	**	**	*
Flexibility to Adapt to Any Geometry Flexibilidad para adaptarse a cualquier geometría	***	**	***	**	*
Guaranteed Lifespan Duración Garantizada	***	***	*	*	**
Committed to Sustainability from the Start Compromiso con la sostenibilidad desde el origen	***	**	*	*	*
Variety of Textures and Finishes for Every Project Diversidad en texturas y brillos para cada proyecto	***	**	*	*	*
Endless Possibilities for Design Customization Posibilidades infinitas de personalización en diseño	***	**			

ABOUT THE MOSAIC



MADE
IN SPAIN



100%
RECYCLED
GLASS



ANTISLIP
C3 / R11



0%
WATER
ABSORTION



COLOUR
UNALTERABLE

IMPORTANT NOTICE ON MATERIAL CHARACTERISTICS

All SQ Mosaic series are made from 100% ground recycled glass. This material has unique properties that may result in slight irregularities and minor size imperfections, particularly in the FIFTY format, giving the product a slightly rustic appearance. Size reduction and tone variations may affect the appearance of the grout and alter the natural look of the mosaics.

By using this product, the user acknowledges and accepts this warning.

Todas las series de SQ Mosaic están elaboradas con un 100% de vidrio reciclado molturado. Esta materia posee unas características particulares qie podrían ocasionar ligeras irregularidades y mínimas imperfecciones en el tamaño, en especial en el formato FIFTY, aportando cierta apariencia rústica.

La reducción de tamaño y variaciones de tono podrán afectar al aspecto del rejunte y modificar la apariencia natural de los mosaicos. Su uso constituye la aceptación de esta advertencia.

SQ GLASS MOSAIC

Grout should not be regarded solely as a fixing element, but as a fundamental component of the overall design. The grout color can significantly influence the final aesthetic outcome.

Choosing a grout in a shade similar to the mosaic will create a sense of visual continuity, whereas a contrasting color will emphasize the geometry of each piece.

SQ Mosaic strongly advises against the use of dark-colored grouts on light-toned materials with matte or anti-slip finishes. Should such combinations be considered, a preliminary cleaning test is highly recommended prior to final installation. Please note that no claims will be accepted once the product has been installed.

La junta no debe considerarse como un elemento exclusivo de fijación de piezas, sino como un aspecto clave en el proyecto final. El color de la junta afectará al resultado de la estética deseada en cierta medida.


Emplear una junta de un color similar al mosaico proporcionará un efecto de continuidad mientras que un color contrastado destacará la geometría de las piezas.

SQ Mosaic desaconseja el uso de juntas oscuras en materiales de tonalidades claras con acabados antideslizante o Matte y recomienda en el caso de hacerlo una prueba de limpieza previa a la instalación final del producto. No se aceptará ninguna reclamación una vez colocado el producto.

- GREAT GRIP**
92% of the glass mosaic tile surface stays clean and therefore makes it ideal for glue cement to be applied.
- FAST INSTALLATION**
A 27% time saving in its installation in comparison with its traditional supports
- MAXIMUM FLEXIBILITY**
Full adaptability to any type of surface: corners, curved, irregular finishes...
- HIGH RESISTANCE**
Resistant to weather changing conditions, chemical treatments and unalterable to UV rays.
- MINIMUM THICKNESS**
An even thickness which conceals the surface of the grouting
- VISUAL CONTROL**
Unlike paper support, when you visualize the mosaic in the installation it is possible to create drawings and shapes.



- GRAN AGARRE**
El 92% de la superficie del mosaico queda limpio para un perfecto agarre del cemento cola.
- RÁPIDA COLOCACIÓN**
Ahorro de un 27% del tiempo de colocación frente a soportes tradicionales
- MÁXIMA FLEXIBILIDAD**
Total adaptabilidad a cualquier tipo de superficie: esquinas, curvadas, acabados irregulares...
- ALTA RESISTENCIA**
Resistente a cambios térmicos, tratamientos químicos e inalterable a los rayos solares UV
- MÍNIMO GROSOR**
Un grosor homogéneo que se oculta perfectamente con el rejunte.
- CONTROL VISUAL**
Al contrario del soporte papel, al visualizar el mosaico en la instalación es posible crear dibujos y formas.



- THE GLUEING OPERATION**
White C2 glue, as per EN-12004, must be used. By using the smooth side of the trowel, the glue has to be spread out uniformly on the base (2 sq.m. approximately). By using the jagged side of the trowel (2 or 3 mm.), comb the glue.
- THE LAYING OF MOSAIC TILES**
Adhere the sheet to the surface by pressing with a rubber trowel. It is important to make sure that the distance between one sheet and another is the same as the one among the tesseras so that all the joints look alike. We suggest to join the sheets when it comes to laying.
- GROUTING**
Joints must be clean, dry and free form dust. The remains of adhesive, after laying, must be removed while it is still fresh. Use grouting paste, RG type, as per EN 13888, spread it out with a rubber trowel.
- CLEANING**
Let it dry until the paste gets brightless, superficially, and then proceed to clean it with a sponge soaked in water. Once it gets dry, remove it with a dry cloth.
- OPERACIÓN ENCOLADO**
Usar cemento cola tipo C2 color blanco, según EN-12004. Usando el lado liso de la llana extender el adhesivo uniformemente sobre el soporte (2 m2 aprox). Con el lado dentado de la llana (2 ó 3 mm.), peinar el cemento cola.
- COLOCACIÓN MOSAICO**
Adherir la hoja a la superficie presionando con una llanta de goma. Es importante asegurarse que la distancia entre hoja y hoja es igual a la que hay entre las teselas para que todas las juntas sean iguales entre sí. Aconsejamos trabar las hojas a la hora de su colocación.
- REJUNTADO**
Las juntas deben estar limpias, secas y exentas de polvo. El adhesivo sobrante de la colocación se debe eliminar cuando esté todavía fresco. Utilizar pasta de rejuntar tipo RG según EN 13888, extendiéndola con una llana de goma.
- LIMPIEZA**
Dejar secar hasta que la masa pierda el brillo superficial y proceder a su limpieza con una esponja humedecida en agua. Una vez seco, eliminar con un trapo seco.



Headquarters and Showroom

Travesía 3A Camino Viejo, S/N
12200 Onda, Castellón (Spain)
+34 964 910 910
info@squamers.com

Showroom

9450 NW 12 Street
33172 Miami (USA)
+305 599 5153 — +305 513 4534
info@squamers.com



In the interest of maintaining constant improvements, SQUAMERS reserves the right to delete and amend, either totally or partially, any of the styles, colours, shapes, sizes, references and other technical specifications contained in this catalogue.

Due to the technical process of reproduction, colours printed are approximate, not exact. The photographs included in this catalogue are not contractual. The interpreting of the pictures will be according to designer's judgment.

All the information and texts included in the catalogue keep under the reservation of possible errors. The catalogue is only an informative tool.

Fieles al espíritu de constante mejora, SQUAMERS se reserva el derecho de anular o modificar cualquiera de los modelos, colores, formatos, referencias y especificaciones técnicas contenidas en este catálogo.

Debido a los procesos técnicos de reproducción los colores son aproximados, no exactos. Las fotografías expuestas en este documento y los diseños proporcionados por el cliente, no tienen un carácter contractual; este contenido quedará sujeto a una revisión entre compañía-cliente.

Así mismo, los textos e información presente en este documento informativo serán revisados, pudiendo ser modificados si se detectan errores.

