

**Patient Information**

Name: \_\_\_\_\_ DOB: \_\_\_\_\_  
Address: \_\_\_\_\_ Phone Number: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip Code: \_\_\_\_\_  
Email: \_\_\_\_\_ Weight: \_\_\_\_\_ ☐ lbs ☐ kgs  
Allergies: ☐ NKDA ☐ \_\_\_\_\_

**Required Documentation** Insurance Card | History & Physical | Patient Demographics | Most Recent Labs | Medication List  
Tried and Failed Therapies | Negative TB Results | Liver Enzymes and Bilirubin Levels

**Primary Diagnosis**

- |   |  |
|---|--|
| <input type="checkbox"/> K50.00 Crohn's disease of small intestine without complications          | <input type="checkbox"/> K50.819 Crohn's disease of both small and large int w/unsp comp |
| <input type="checkbox"/> K50.019 Crohn's disease of small intestine with unspecified comps        | <input type="checkbox"/> K50.90 Crohn's disease, without complication                    |
| <input type="checkbox"/> K50.10 Crohn's disease of large intestine without complications          | <input type="checkbox"/> K50.919 Crohn's disease, unspecified, with unspecified comps    |
| <input type="checkbox"/> K50.119 Crohn's disease of large intestine with unspecified comps        | <input type="checkbox"/> K51.00 Ulcerative (chronic) pancolitis without complications    |
| <input type="checkbox"/> K50.80 Crohn's disease of both small and large int without complications | <input type="checkbox"/> K51.90 Ulcerative colitis, unspecified without complications    |
|   | <input type="checkbox"/> Other: _____  |

**Order Information****Lab Orders** (Include frequency)

Please list any labs to be drawn by the infusion clinic: \_\_\_\_\_

**Pre-Medications**

☒ Per infusion clinic protocol: No recommended standard pre-meds for Tremfya

☐ Provider Prescribed: \_\_\_\_\_

**Primary Medication Order****Induction (to be administered in infusion clinic):**

- ☐ Tremfya 200mg IV at Weeks 0, 4, and 8  
☐ Other: \_\_\_\_\_

**Maintenance (to be self-administered by patient):**

- ☐ Tremfya 100mg subQ at Week 16 and every 8 weeks thereafter  
☐ Tremfya 200mg subQ at Week 12, and every 4 weeks thereafter  
☐ Other: \_\_\_\_\_

☐ Infusion Clinic will coordinate initial maintenance dose from Specialty Pharmacy

☐ Provider's Office will coordinate maintenance dose from Specialty Pharmacy

First Dose: ☐ Yes ☐ No ☒ Refill x12 months unless otherwise noted: \_\_\_\_\_

**Line Use/Care Orders**

☒ Start PIV/ACCESS CVC ☒ Flush device per BluHaven Health's protocol (see BluHaven.com for policy)

☐ Other Flush Orders: Please fax other line care orders if checking this box.

**Adverse Reaction & Anaphylaxis Orders**

☒ Administer acute infusion reaction and anaphylaxis medications per BluHaven Health's protocol (see BluHaven.com for policy)

☐ Other: Please fax other reaction orders if checking this box.

**Provider Information**

Name: \_\_\_\_\_ Office Contact: \_\_\_\_\_  
Address: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip Code: \_\_\_\_\_  
Phone Number: \_\_\_\_\_ Fax Number: \_\_\_\_\_  
Email: \_\_\_\_\_ NPI: \_\_\_\_\_

I authorize BluHaven Health and its representatives to act as an agent to initiate and execute the insurance prior authorization process for this order and any future related orders for the patient listed above.

\_\_\_\_\_  
Provider Signature

\_\_\_\_\_  
Date