



Vulcan Seals Type 822
Xylem Lowara®
Technical Data Sheet



Product Description

The Vulcan Seals Type 822 Xylem Lowara® is a step-balanced, robust, ‘O’- ring mounted single spring seal with a positive drive from three drive studs on the coil base, to suit larger models of ITT Lowara® eSVand SV- series centrifugal pumps.

Why Choose the Vulcan Seals Type 822 Xylem Lowara®?

The Vulcan Seals Type 822 Xylem Lowara® is a direct replacement design to suit the original equipment, produced to Vulcan Seals’ manufacturing standards.

Pump Ranges

The Xylem Lowara® pump model includes the following pump ranges: "SV-Series", and "eSV-Series" model sizes "33", "46", "66", "92" and "125".


Standard Face Material Combinations

Elastomers	Rotary Face	Stationary Face	Metals	Complete Seal Code
EP	VSR1 Silicon Carbide	VSR1 Silicon Carbide	316 Stainless Steel	.E.S.
Viton™/FKM	VSR1 Silicon Carbide	VSR1 Silicon Carbide	316 Stainless Steel	.V.S.

Dimensional Data

DØ (Metric)	Seal Size Code	D1 (mm)	D3 (mm)	L1 (mm)	L2 (mm)
26.00	0220	37.00	43.00	38.00	10.00

Dimensions in mm
*Non-stock guarantee



© ™ All product names, brands and trademarks shown are property of their respective owners, are for identification purposes only, and do not imply affiliation nor endorsement.
** All dimensional and identification information shown is given in good faith and is based on extensive experience gained in business. Performance data is not provided for this product range based on the Vulcan Seals design being a replacement of, or an improvement on, a design that has originally proved suitable for the equipment and service concerned.