

Phone: +44 (0) 114 249 3333

Email: contact@vulcanseals.com

## Vulcan Seals Type 191 Wilo®

Technical Data Sheet



### **Product Description**

The Vulcan Seals Type 191 Wilo® range is two sizes of elastomeric bellows seals with boot-mounted stationaries to suit common Wilo® centrifugal pumps, utilized in heating circulation applications.

# Why Choose the Vulcan Seals Type 191 Wilo®

Vulcan Seals stocks the brass shaft sleeves the Vulcan Seals Type 191 Wilo® seals are mounted onto, and gasket sets for the 32mm size pumps are also available.

We also offer other standard range seals, such as 17mm Type 19B, and 18mm, 24mm, or 32mm Type 192B seals, to suit Wilo® pumps.

#### **Pump Ranges**

The Wilo® pump model includes the following pump ranges: "BN-Series", "DPN-Series", "IP-Series", "IPN-Series" models with relevant shaft sizes.


#### **Standard Face Material Combinations**

Elastomers	Rotary Face	Stationary Face	Metals	Complete Seal Code
EP	VCP1 Carbon	VSR1 Silicon Carbide	304 Stainless Steel	.E.D.
Viton™/FKM	VCP1 Carbon	VSR1 Silicon Carbide	304 Stainless Steel	.V.D.
EP	VSS1 Silicon Carbide	VSR1 Silicon Carbide	304 Stainless Steel	.E.SS.

#### **Dimensional Data**

DØ (Metric)	Seal Size Code	D1 (mm)	D3 (mm)	L1 (mm)	L2 (mm)
32.00	0320	50.80	51.00	33.34	11.99
55.00	0550	76.20	78.00	41.00	13.50

Dimensions in mm



<sup>\*</sup>Non-stock guarantee

<sup>® ™</sup> All product names, brands and trademarks shown are property of their respective owners, are for identification purposes only, and do not imply affiliation nor endorsement.

<sup>\*\*</sup> All dimensional and identification information shown is given in good faith and is based on extensive experience gained in business. Performance data is not provided for this product range based on the Vulcan Seals design being a replacement of, or an improvement on, a design that has originally proved suitable for the equipment and service concerned.