



Vulcan Seals Type 66
S.P.X.® A.P.V.®
Technical Data Sheet



Product Description

The **Vulcan Seals Type 66 S.P.X.® A.P.V.®** is a rubber-encased seal to suit APV® agitators, available as rotary part only, or as a complete seal with a Vulcan Seals Type 20 stationary. Rotary part only uses code 0254.66.E.C.SEAL for EP or N.C.SEAL for Nitrile. Used in agitators in food production.

Why Choose the Vulcan Seals Type 66 S.P.X.® A.P.V.®?

The **Vulcan Seals Type 66 S.P.X.® A.P.V.®** is a direct replacement design to suit the original equipment, produced to Vulcan Seals’ manufacturing standards.

Pump Ranges

The S.P.X.® A.P.V.® pump model includes the following pump ranges: Agitators fitted with "6J" type seals.


Standard Face Material Combinations

Elastomers	Rotary Face	Stationary Face	Metals	Complete Seal Code
EP	VCP1 Carbon	VAW1 Ceramic	304 Stainless Steel	.E.C.
Nitrile	VCP1 Carbon	VAW1 Ceramic	304 Stainless Steel	.N.C.

Dimensional Data

DØ (Imperial)	Seal Size Code	D1 (mm)	D3 (mm)	L1 (mm)	L2 (mm)
1.000	0254	47.63	48.50	15.85	11.99

Dimensions in mm
*Non-stock guarantee



® ™ All product names, brands and trademarks shown are property of their respective owners, are for identification purposes only, and do not imply affiliation nor endorsement.
** All dimensional and identification information shown is given in good faith and is based on extensive experience gained in business. Performance data is not provided for this product range based on the Vulcan Seals design being a replacement of, or an improvement on, a design that has originally proved suitable for the equipment and service concerned.