



Vulcan Seals Type 295

S.P.X.® A.P.V.®

Technical Data Sheet



Product Description

The **Vulcan Seals Type 295 S.P.X.® A.P.V.®** is an 'O'-ring mounted wave spring seal to suit former "Pasilac Rosista®" brand ZM® series pumps.

Suitable for food, dairy, and beverage process fluid transfer duties.

The **Vulcan Seals Type 295 S.P.X.® A.P.V.®** is intended as a direct alternative to the original OEM design.

Note: due to the clearance between the shaft and seal faces, the Vulcan Seals size code may not reflect the actual equipment shaft size.

Why Choose the Vulcan Seals Type 295 S.P.X.® A.P.V.®?

The **Vulcan Seals Type 295 S.P.X.® A.P.V.®** is a direct replacement design to suit the original equipment, produced to Vulcan Seals' manufacturing standards.

Pump Ranges

The S.P.X.® A.P.V.® pump model includes the following pump ranges: Former "Pasilac Rosista®" brand "ZM®" series pumps.

Compliance & Certificates



Also available with built materials that adhere to the above compliance standards and certificates. Please enquire about your requirements.

Standard Face Material Combinations


Elastomers	Rotary Face	Stationary Face	Metals	Complete Seal Code
EP	VCP1 Carbon	304 Stainless Steel	304 Stainless Steel	.E.Q.
Nitrile	VCP1 Carbon	304 Stainless Steel	304 Stainless Steel	.N.Q.
EP FDA/EC1935 GRADE	VCD1 Carbon	316 Stainless Steel	304 Stainless Steel	.E.DQ.

Dimensional Data

DØ (Imperial)	Seal Size Code	D1 (mm)	D3 (mm)	L1 (mm)	L2 (mm)	OEM Ref.
1.875	0480	63.50	63.50	23.00	7.90	ZMS5
2.125	0540	73.00	73.00	26.40	7.90	ZMS6

Dimensions in mm

*Non-stock guarantee



^{®™} All product names, brands and trademarks shown are property of their respective owners, are for identification purposes only, and do not imply affiliation nor endorsement.

** All dimensional and identification information shown is given in good faith and is based on extensive experience gained in business. Performance data is not provided for this product range based on the Vulcan Seals design being a replacement of, or an improvement on, a design that has originally proved suitable for the equipment and service concerned.

Embrace Excellence - Service | Quality | Value | Integrity

Mechanical Seals | FEP/PFA Encapsulated 'O'-rings | Gland Packing | Expanded PTFE Gasketing
UK/World: +44 (0) 114 249 3333 | USA: +1 952 955 8800 | www.vulcanseals.com | contact@vulcanseals.com