



## FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC 1570

Certificate only valid if verified on website – [www.ifccertification.com](http://www.ifccertification.com)

Issued by IFC Certification Ltd, part of the Kiwa UK Group

This is to certify that

### VPK Limited

Unit 4, Meridian Business Park  
Fleming Road  
Waltham Cross  
EN9 3BZ  
Tel: 0208 852 8800

Who fabricate the following timber fire doors and or doorsets:

Halspan FD30/S, FD60/S, FD90/S, FD120/S  
Vicaima FD30/S. Flamebreak FD30/S, FD60/S  
Strebord / Stredor / Trisound FD30/S, FD60/S.  
Warmsprings FD60/S, FD90/S, FD120/S.  
Duocore FD30/S. Fibrecore FD60/S.

have satisfied the requirements of the SDP 01 Timber Fire Door scheme v3.9. This includes the testing of products to **BS476: Part 22:1987** and **BS476: Part 31.1: 1983**, the inspection of their Factory Production Control continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed on page 2 of this certificate.

Initial Certification: 07 July 2020  
Re-issued: 11 July 2025  
Valid to: 06 July 2030  
Issue number: 5

David Mowatt  
Head of IFC Certification /  
Kiwa Group Limited

*This certificate consists of 2 pages.  
Publication of this certificate is permitted.*



The production of fire-resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

Doorset Description	Fire Rating	Assessment/Test Report
Halspan Prima	FD30	FEA/F97174
Halspan Prima	FD60	FEA/F96103
Halspan Optima	FD30	Chilt/A01204
Halspan Optima	FD60	FEA/F01205
Halspan 90	FD90	Chilt/A05151
Halspan 120	FD120	BMT/CNA/F15082
Halspan Prima Plus	FD90	WF389581
Halspan Prima Plus	FD120	WF389580
Vicaima	FD30	FEA/F99112
Flamebreak	FD30	FEA/F98164
Flamebreak	FD60	FEA/F02141
Strebord 35	FD30	Chilt/A12137
Strebord 44	FD30	A02066
Strebord 54	FD60	A02067
Stredor 44	FD30	BMT/CNA/F15159
Stredor 54	FD60	WF377027
Duocore 44	FD30	Chilt/A12296
Trisound	FD30	PAR/12033/01
Trisound	FD60	PAR/13088/01
Fibrecore	FD60	PAR/14658/01
Warmsprings	FD60, FD90, FD120	PAR/07019/01
STS ST1009, ST1504, ST422GT	Smoke	BMT/FEP/F15289*
STS ST1009	Smoke	BMT/MTP/F14152/01*
STS ST1009, ST422	Smoke	BMT/MTP/F14152/02*
STS ST1009, ST422FF	Smoke	W18258-4*

Signed on behalf of Kiwa UK



David Mowatt  
Head of IFC Certification /  
Kiwa Group Limited

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

\*Refer to Technical Note TN/25285/01 for comparison between BS EN 1634-3:2004 and BS 476-31.1:1983 testing, allowing smoke seals tested to BS EN 1634-3:2004 to be included within the scope of this certificate.

**It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.**

**Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.**