

Deccox®-M

Medicated Powder for Whole Milk

Product Description

Deccox®-M (decoquinate) Medicated Powder for Whole Milk prevents coccidiosis in calves and provides 3,632 mg (0.8%) of decoquinate per pound of product, formulated for easy mixing into whole milk.

Indications for Use

- To be added to whole milk for the prevention of coccidiosis caused by *Eimeria bovis* and *E. zuernii* in ruminating and non-ruminating calves, including veal calves.

FDA Status

- Category I drug and does not require a feedmill license for manufacture of medicated feeds.
- OTC

Packaging

- 50-pound, multiwall paper bag with protective barrier ply.

Storage

- Store below 25°C (77°F), excursions permitted to 37°C (99°F).

Key Points

- Synthetic coccidiostat developed for coccidiosis prevention in calves.
- Inhibits mitochondrial respiration in coccidia protozoa, halting development before clinical signs appear.
- Prevention of coccidiosis minimizes gut damage, bloody diarrhea, weight loss, immune suppression and secondary infections like bovine respiratory disease.
- Low toxicity and minimal risk of overdose.

See reverse side for complete product use directions, claims and additional information on this product.

Beef and Dairy Information: Deccox®-M — Medicated Powder for Whole Milk

Active Drug Ingredient	Decoquinate (3632 mg/lb) 0.8%																																								
Directions for Use	<p>Dosage: Feed at the rate of 22.7 mg per 100 lb (0.5 mg per kg) body weight daily for at least 28 days.</p> <p>Mixing Directions - Individual Animal Prepare fresh daily as shown below. ½ teaspoon per 60 lb body weight 1 teaspoon per 120 lb body weight 1 ½ teaspoons per 180 lb body weight One level measuring teaspoon contains 28 mg of decoquinate.</p> <p>Important: Completely stir daily dose of decoquinate powder into whole milk. Feed entire portion immediately.</p> <p>Mixing Directions - Continuous Agitation Mix Deccox-M into the total amount of whole milk (0.5 to 1.5 gallon per calf daily) needed for the number of calves to be fed, using level measuring cups, teaspoons (tsp) or tablespoons (TBS). Prepare fresh daily and feed each calf an equal portion of the total amount of medicated whole milk prepared as shown below.</p>																																								
	<table border="1"> <thead> <tr> <th rowspan="2">If Average Calf Weight (lbs) is:</th> <th colspan="5">Amount* of Deccox-M for</th> </tr> <tr> <th>5 Calves</th> <th>10 Calves</th> <th>20 Calves</th> <th>40 Calves</th> <th>80 Calves</th> </tr> </thead> <tbody> <tr> <td>75</td> <td>1 TBS</td> <td>2 TBS</td> <td>¼ cup</td> <td>½ cup</td> <td>1 cup</td> </tr> <tr> <td>100</td> <td>4 tsp</td> <td>8 tsp</td> <td>⅓ cup</td> <td>⅔ cup</td> <td>1⅓ cups</td> </tr> <tr> <td>150</td> <td>2 TBS</td> <td>¼ TBS</td> <td>½ cup</td> <td>1 cup</td> <td>2 cups</td> </tr> <tr> <td>200</td> <td>8 tsp</td> <td>⅓ tsp</td> <td>⅔ cup</td> <td>1⅓ cups</td> <td>2⅔ cups</td> </tr> </tbody> </table>						If Average Calf Weight (lbs) is:	Amount* of Deccox-M for					5 Calves	10 Calves	20 Calves	40 Calves	80 Calves	75	1 TBS	2 TBS	¼ cup	½ cup	1 cup	100	4 tsp	8 tsp	⅓ cup	⅔ cup	1⅓ cups	150	2 TBS	¼ TBS	½ cup	1 cup	2 cups	200	8 tsp	⅓ tsp	⅔ cup	1⅓ cups	2⅔ cups
If Average Calf Weight (lbs) is:	Amount* of Deccox-M for																																								
	5 Calves	10 Calves	20 Calves	40 Calves	80 Calves																																				
75	1 TBS	2 TBS	¼ cup	½ cup	1 cup																																				
100	4 tsp	8 tsp	⅓ cup	⅔ cup	1⅓ cups																																				
150	2 TBS	¼ TBS	½ cup	1 cup	2 cups																																				
200	8 tsp	⅓ tsp	⅔ cup	1⅓ cups	2⅔ cups																																				
	<p>*This is a measurement of volume not weight (do not convert to ounces).</p> <p>Important: Stir or agitate continuously. Feed immediately in containers for individual animals only. Do not use in bulk feeding containers (i.e., Calf-Bars).</p> <p>Failure to properly mix and feed this product may result in underdosing or overdosing of some animals due to settling out of the drug.</p>																																								

Restricted Drug (California) — Use only as directed. Not for human use.

Approved by FDA under NADA # 141-060

Store below 25°C (77°F), excursions permitted to 37°C (99°F).

**To learn more about Deccox-M
talk with a Phibro expert at**

800-677-4623 or visit www.pahc.com