

Aureo® S 700 Granular

Type A Medicated Article

Product Description

Aureo® S 700 (chlortetracycline and sulfamethazine) Type A Medicated Article supports newly weaned, stressed and incoming cattle with the maintenance of weight gains in the presence of respiratory disease. Aureo S 700 contains 35 g chlortetracycline (CTC) and 35 g sulfamethazine per pound of product.

Indications for Use in Cattle

- As an aid in the maintenance of weight gains in the presence of respiratory disease such as shipping fever.

FDA Status

- Category II drug and requires an FDA-approved medicated feed mill license for mixing and manufacturing medicated feeds.
- Veterinary Feed Directive (VFD) required.
- Approved for use in combination with Bovatec®.

Withdrawal Periods and Residue Warnings

- Withdraw 7 days prior to slaughter. A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal.

Packaging

- 50-pound, multiwall paper bag with protective barrier ply.

Key Points

- Combination antibiotic with dual mode of action for effective respiratory disease control.
- Reduces morbidity and maintains weight gain in stressed (lightweight or high-risk) cattle.
- 28-day in-feed treatment window for seamless integration into feeding programs.
- Decreases the need for therapeutic treatments,¹ which helps to lower medication costs.

See reverse side for complete non-combination use directions, product claims and additional information on this product.

¹ Zoetis, 2018. Outcomes Research Study. 17CRGMA-01-03.

Beef Information: Aureo® S 700 — Type A Medicated Article

Active Drug Ingredients	Chlortetracycline calcium complex equivalent to chlortetracycline HCl 35 g/lb, Sulfamethazine 7.7% (35 g/lb)			
For use in the manufacture of medicated beef cattle feeds				
Indication for Use	As an aid in the maintenance of weight gains in the presence of respiratory disease such as shipping fever.			
Mixing Directions	Mix sufficient Aureo S 700 in the feed to supply 350 mg of Aureomycin chlortetracycline and 350 mg of sulfamethazine per head per day. The following table shows the amounts of Aureo S 700 needed for the various quantities of supplement.			
	Chlortetracycline	Sulfamethazine		
	40	1,400	1,400	0.5
	20	700	700	1
	10	350	350	2
	5	175	175	4
	4	140	140	5
	2	70	70	10
1	35	35	20	
Feeding Instructions	Feed for 28 days.			
WITHDRAWAL PERIODS AND RESIDUE WARNINGS - Withdraw 7 days prior to slaughter. A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal.				

Restricted Drug (California) — Use only as directed. Not for human Use.
Store below 25°C (77°F), excursions permitted to 37°C (99°F).
Approved by FDA under NADA # 035-805

**To learn more about Aureo® S 700 Granular
talk with a Phibro expert at**

800-677-4623 or visit www.pahc.com

Caution: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug (Aureo S 700) to use by or on the order of a licensed veterinarian.