



every seat has a story

## general services administration

Federal Supply Service/Authorized | Federal Supply Schedule Price List

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!™, a menu driven database system. The INTERNET address for GSA Advantage!™ is: www.gsaadvantage.gov.

FSC Group 71, Part 1 FSC Class 7110

Contract Number: 47QSCA19D000H

Contract Period: September 11, 2024 – September 10, 2029

Mod # PO-0009

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at: www.gsaadvantage.gov.

Contractor: Seating Inc. CAGE Code: 1NXE5

Manufacturing

PO Box 898, 60 N. State Street Nunda, New York, 14517

t 800.468.2475 | f 585.468.2804 email: sales@seatinginc.com www.seatinginc.com

Business Class:

Economically Disadvantaged Woman Owned Small Business

# **GSA** Raz Product Line





task - 300 lb weight capacity



Pictured Model
RM210 N23 D2
300 lb Mesh Back with Synchro Tilt
Mechanism, and T-style 2 way
adjustable arm

## All in the family

- Raz models available for users up to 300 lbs
- Raz models available for single shift applications
- Raz configurations include task and stool, with either mesh or fully upholstered back

## Raz Task - Standard Features - upholstered & mesh

- Slim profile to fit any office environment
- 3 1/2" thick "pillow seat" provides soft sit and long lasting comfort

- 300 lb weight capacity models are suitable for single shift applications, and users up to 300 lbs.
- Slim profile to fit any office environment
- Avialable in mesh or upholstered back style
- Headrest available on MESH style only
- Height adjustable back
- 3 1/2 thick "pillow seat" provides soft sit and long lasting comfort topstitched cushion
- 21" wide seat
- May be configured as stool
- Lifetime warranty for single shift applications, and users up to 300 lbs.



## raz task pricing - upholstered

All models priced armless - arms, options, & recommended upgrade info follows pricing

## upholstered back - 300 lb - single shift applications, and users up to 300 lbs.

	Model Mech	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	RU210 N23	Synchro Tilt	760	801	842	856	891	935	979	1031	1066	1110
I	RU210 Q28	Multi Function Tilt	910	951	992	1006	1041	1085	1129	1181	1216	1260
不												

#### measurements

Model	Style	Overall	Seat	Back	COM Yardage
RU210	High Back	W 25.75 D 25.5 H 39	SW 21 SD 18 SH 16.5-21	BW 18.75 BH 22	2.00

#### arm choices







T-style, height and width adjustable



T-style, height and width adjustable arm. Arm pads pivot and slide backward & forward.



C-style fixed height arm. WAB NOT available.



PAA - \$210

C-style Polished aluminum with black pad. Fixed height and width.

Code	Description	List Price
SEAT ASD	Adjustable Seat Depth – 2.5" travel; 1.25" forward, 1.25" rearward. Included on Q24 mechanism.	\$82
BASES/GLIDI BSB PAB CAB CAC GLIDES STW SWB	25", 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters. 25", 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet caster, 5 Leg Cast Aluminum Base – Black Finish. 26", 5 Leg Cast Aluminum Base – Chrome finish. 2 1/2" Carpet/Hard Floor Glides. Soft Twin Wheel Casters – For use on hard floors. Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$17 sasters. \$59 \$58 \$58 N/C \$24 \$47
CHAIR HEIG CYLS CYLT	HT Short Cylinder – 15.75" - 18.50" cylinder height. Tall Cylinder – 19.00" - 23.25" cylinder height.	N/C N/C
SPECIALTY CAL 133 SC TRFS TRF	Flame Guard – Chair made to conform to CAL 133 spec.  Semi Custom - moderate modifications to meet specifications  Temperature Regulating Foam - Seat Only  Temperature Regulating Foam - Seat and Back	\$59 per yard used CFP \$47 \$78



task - 300 lb weight capacity



Pictured Model RM210 N23 BSB 300 lb Mesh Back with Synchro Tilt Mechanism, and black spider base

## All in the family

- Raz models available for users up to 300 lbs
- Raz models available for single shift applications
- Raz configurations include task and stool, with either mesh or fully upholstered back

## Raz Task - Standard Features - upholstered & mesh

- Slim profile to fit any office environment
- 3 1/2" thick "pillow seat" provides soft sit and long lasting comfort

- 300 lb weight capacity models are suitable for single shift applications, and users up to 300 lbs
- Slim profile to fit any office environment
- Avialable in mesh or upholstered back style
- Headrest available on MESH style only
- Height adjustable back
- 3 1/2 thick "pillow seat" provides soft sit and long lasting comfort topstitched cushion
- 21" wide seat
- May be configured as stool
- Lifetime warranty for single shift applications, and users up to 300 lbs.





All models priced armless - arms, options, & recommended upgrade info follows pricing

#### mesh back - 300 lb - single shift applications, and users up to 300 lbs.

	Model Mech	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	RM210 N23	Synchro Tilt	750	774	797	805	825	850	875	905	925	950
	RM210 Q28	Multi Function Tilt	900	924	947	955	975	1000	1025	1055	1075	1100
A												

#### measurements

Model	Style	Overall	Seat	Back	COM Yardage
RM210	Mesh Back	W 25.75 D 25.5 H 38.25	SW 21 SD 18 SH 16.5-21	BW 18.75 BH 21	1.00

#### arm choices



Code	Description	List Price
SEAT ASD	Adjustable Seat Depth – 2.5" travel; 1.25" forward, 1.25" rearward. Included on Q24 mechanism.	\$82
BASES/GLID BSB PAB CAB CAC GLIDES STW SWB	ES/CASTERS  25", 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.  25", 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet caste 26", 5 Leg Cast Aluminum Base – Black Finish.  26", 5 Leg Cast Aluminum Base – Chrome finish.  2 1/2" Carpet/Hard Floor Glides.  Soft Twin Wheel Casters – For use on hard floors.  Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$17 \$59 \$58 \$58 N/C \$24 \$47
CHAIR HEIG CYLS CYLT	HT Short Cylinder – 15.75" - 18.50" cylinder height. Tall Cylinder – 19.00" - 23.25" cylinder height.	N/C N/C
SPECIALTY CAL 133 SC TRFS TRF	Flame Guard – Chair made to conform to CAL 133 spec. \$59   Semi Custom - moderate modifications to meet specifications Temperature Regulating Foam - Seat Only Temperature Regulating Foam - Seat and Back	per yard used CFP \$47 \$78







#### Pictured Model RU220 Q22 D3 300 lb Upholstered back stool with Posture back mechanism and T-style 4 way adjustable arms

## All in the family

- Raz models available for users up to 300 lbs
- Raz models available for single shift applications
- Raz configurations include task and stool, with either mesh or fully upholstered back

## Raz Stool - Standard Features - upholstered & mesh

- Slim profile to fit any office environment
- 3 1/2" thick "pillow seat" provides soft sit and long lasting comfort

- 300 lb weight capacity models are suitable for single shift applications, and users up to 300 lbs.
- Slim profile to fit any office environment
- Avialable in mesh or upholstered back style
- Headrest available on MESH style only
- Height adjustable back
- 3 1/2 thick "pillow seat" provides soft sit and long lasting comfort topstitched cushion
- 21" wide seat
- Full height cylinder standard Mid height may be specified
- 20" Non-slip height adjustable foot ring
- Lifetime warranty for single shift applications, and users up to 300 lbs.





All models priced armless - arms, options, & recommended upgrade info follows pricing

## upholstered back - 300 lb - single shift applications, and users up to 300 lbs.

Model Mech	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
RU220 Q22	Posture Back	847	888	929	943	978	1022	1066	1118	1153	1197



#### measurements

Model	Style	Overall	Seat	Back	COM Yardage
RU220	Uph Back	W 25.75 D 25.5 H 44.25	SW 21 SD 18 SH 24.75-34.75	BW 18.75 BH 21	2.00

#### arm choices







T-style, height adjustable arm

T-style, height and width adjustable

T-style, height and width adjusta-ble arm. Arm pads pivot and slide backward &

forward.

Code	Description	List Price
SEAT ASD	Adjustable Seat Depth – 2.5" travel; 1.25" forward, 1.25" rearward.	\$82
BASES/GLIDE BSB PAB CAB CAC GLIDES STW SWB	25", 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters. 25", 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet cas 26", 5 Leg Cast Aluminum Base – Black Finish. 26", 5 Leg Cast Aluminum Base – Chrome finish. 2 1/2" Carpet/Hard Floor Glides. Soft Twin Wheel Casters – For use on hard floors. Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$17 sters. \$59 \$58 \$58 N/C \$24 \$47
CHAIR HEIGI MID	HT Mid height cylinder - 21"- 28.25" seat height	N/C
SPECIALTY CAL 133 SC TRFS TRF	Flame Guard – Chair made to conform to CAL 133 spec. \$5 Semi Custom - moderate modifications to meet specifications Temperature Regulating Foam - Seat Only Temperature Regulating Foam	9 per yard used CFP \$47 \$78



stoo - 300 lb weight capacity



Pictured Model RM220 Q22 D1 300 lb Mesh Back Stool with posture back Mechanism, and T-style height adjustable arm

## All in the family

- Raz models available for users up to 300 lbs
- Raz models available for single shift applications
- Raz configurations include task and stool, with either mesh or fully upholstered back

#### Raz Stool - Standard Features - upholstered & mesh

- Slim profile to fit any office environment
- 3 1/2" thick "pillow seat" provides soft sit and long lasting comfort

- 300 lb weight capacity models are suitable for single shift applications, and users up to 300 lbs.
- Slim profile to fit any office environment
- Avialable in mesh or upholstered back style
- Height adjustable back
- 3 1/2 thick "pillow seat" provides soft sit and long lasting comfort topstitched cushion
- 21" wide seat
- Full height cylinder standard Mid height may be specified
- 20" Non-slip height adjustable foot ring
- Lifetime warranty for single shift applications, and users up to 300 lbs.





All models priced armless - arms, options, & recommended upgrade info follows pricing

## mesh back - 300 lb - single shift applications, and users up to 300 lbs.

Model Mech	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
RM220 Q22	Posture Back	847	888	929	943	978	1022	1066	1118	1153	1197

#### measurements

Model	Style	Overall	Seat	Back	COM Yardage
RM220	Uph Back	W 25.75 D 25.5 H 44.25	SW 21 SD 18 SH 24.75-34.75	BW 18.75 BH 21	21.00

#### arm choices



T-style, height adjustable arm

T-style, height and width adjustable



T-style, height and width adjusta-ble arm. Arm pads pivot and slide backward &

forward.

Code	Description	List Price
SEAT	Adjustable Cost Double - 2 F" turnel 1 2F" formuland 1 2F" recovered	<b>403</b>
<b>AS</b> D	Adjustable Seat Depth – 2.5" travel; 1.25" forward, 1.25" rearward.	\$82
BASES/GLIDI	ES/CASTERS CONTROL CON	
BSB	25", 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
PAB	25", 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet ca	,
CAB	26", 5 Leg Cast Aluminum Base – Black Finish.	\$58
CAC	26", 5 Leg Cast Aluminum Base – Chrome finish.	\$58
GLIDES	2 1/2" Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$24
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$47
CHAIR HEIG	HT	
MID	Mid height cylinder - 21"- 28.25" seat height	N/C
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec. \$5	59 per yard used
SC	Semi Custom - moderate modifications to meet specifications	CFP
TRFS	Temperature Regulating Foam - Seat Only	\$47
TRF	Temperature Regulating Foam	\$78