

advent



task - 300 lb weight capacity



Pictured Model

AD211 Q23 TC

300 lb Mid back task with Basic Synchro Mechanism and T-style height

All in the family

- Advent models available for users up to 300 lbs
- Advent models available for single shift applications
- Advent configurations include task, stool, fixed height stool, guest, and multipurpose
- Advent standard with plastic outer back. Upholstered outer back upgrade available.

Advent Task - Standard Features

- No nonsense seating with plastic outer back
- Seamless upholstery
- May be ordered with upholstered outer back (UOB)

300 lb features

- 300 lb weight capacity models are suitable for single shift applications, and users up to 300 lbs.
- 1.8 lb open cell foam seat
- 1.2lb open cell foam back
- Standard with hard plastic outer back shell (UOB can be ordered)
- 7 ply, simple curved seat
- Waterfall seat
- Lifetime warranty for single shift applications, and users up to 300 lbs.

advent

task pricing

All models priced armless - arms, options, & recommended upgrade info follows pricing pages

high back - 300 lb - single shift applications, and users up to 300 lbs.



Model	Mech	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
AD210 M20		Swivel Only	595	627	658	669	695	729	762	803	830	864
AD210 M22		Manual Back	651	682	713	724	751	784	819	857	885	918
AD210 Q22		Posture Back	703	734	766	776	803	836	870	909	937	970
AD210 Q23		Basic Synchro	722	752	785	794	822	855	888	929	955	988
AD210 Q24		Weight Activated	781	812	844	854	881	914	948	989	1015	1048
AD210 Q25		Deluxe Synchro	803	835	866	876	903	937	970	1011	1037	1070
AD210 Q28		Multi Function	822	854	885	896	922	955	988	1029	1055	1088

medium back - 300 lb - single shift applications, and users up to 300 lbs.



Model	Mech	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
AD211 M20		Swivel Only	556	584	612	621	646	676	705	742	766	796
AD211 M22		Manual Back	611	640	667	677	700	731	761	798	822	851
AD211 Q22		Posture Back	662	690	719	729	752	783	813	849	874	903
AD211 Q23		Basic Synchro	682	709	738	747	772	802	832	867	892	922
AD211 Q24		Weight Activated	741	768	797	807	831	861	891	927	952	981
AD211 Q25		Deluxe Synchro	762	791	819	829	853	883	913	949	974	1003
AD211 Q28		Multi Function	782	809	838	848	872	902	932	969	992	1022

small back - 300 lb - single shift applications, and users up to 300 lbs.



Model	Mech	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
AD212 M20		Swivel Only	528	557	585	595	619	650	679	715	740	770
AD212 M22		Manual Back	583	612	641	650	674	704	734	771	794	825
AD212 Q22		Posture Back	636	664	692	702	726	756	786	823	846	876
AD212 Q23		Basic Synchro	655	683	710	720	745	775	806	841	865	896

For more detailed information on the mechanisms and their functions, please see pages 6-7.

additional option - For ALL Advent back sizes

UOB (Upholstered outer back)	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	13	23	33	62	81	104	125	152	170	193

measurements

Model	Style	Overall	Seat	Back	COM Yardage
AD210	High Back	W 24 D 24 H 41	SW 21 SD 19 SH 16.5-21	BW 19 BH 22	1.25 (add 1.00 UOB)
AD211	Medium Back	W 24 D 24 H 39	SW 21 SD 19 SH 16.5-21	BW 17 BH 19	1.25 (add 1.00 UOB)
AD212	Small Back	W 23 D 23 H 36	SW 19.5 SD 18 SH 16.5-21	BW 16.5 BH 15.5	1.25 (add 1.00 UOB)

All measurements are approximate and can change depending on the configuration chosen.

advent

task - options & upgrades

arm choices - a full list of available arms can be found on page 8



T4 - \$203

T-style, angled, with urethane pad. 4-way adjustable.

TA - \$218

T-style, angled, with urethane pad. Height & Width adjustable.

TC - \$152

T-style with urethane pad. Height adjustable.

TE - \$316

T-style with gel comfort pad. Height adjustable.

TL - \$165

T-style with urethane pad. For lower arm heights. Height adjustable.

TS - \$311

T-style arm with urethane pad and swing back (75°), height adjustable

arm upgrades

Code	Description	List Price
WAB	Width Adjustment Brackets – 2" horizontal arm adjustment. (standard on T4 & TA arms)	\$42
G	Gel Pad Upgrade – (available on all T-Style arms except T4 arms; standard on TE arms)	\$130

options & upgrades

Code	Description	List Price
BACK		
BAA	Q25 Back Angle Adjustment – Allows adjustment 5° forward or 5° rearward on the Q25 deluxe synchro	\$89
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments	N/C
SBS	Schukra® Back Saver – Mechanical adjustable lumbar support.	\$94
SEAT		
ASD	Adjustable Seat Depth – 2.5" travel; 1.25" forward, 1.25" rearward. Included on Q24 mechanism.	\$96
SEF	Molded Foam Seat - 3.2 lb Molded foam seat replaces standard seat	\$67
TLCS	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat	\$101
BASES/GLIDES/CASTERS		
BSB	25", 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$20
PAB	25", 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$113
CAB	26", 5 Leg Cast Aluminum Base – Black Finish.	\$93
CAC	26", 5 Leg Cast Aluminum Base – Chrome finish.	\$79
GLIDES	2 1/2" Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$28
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$61
CHAIR HEIGHT		
CYLS	Short Cylinder – 15.75" - 18.50" cylinder height.	N/C
CYLT	Tall Cylinder – 19.00" - 23.25" cylinder height.	N/C
SIZE		
SE	Small Edition - Seat width and depth are reduced by 1.5". Short Cylinder (CYLS) included	N/C
TSD	Tall Seat Depth - Adds 2.5" to standard task seat. NO ASD. Tall (CYLT) cylinder included	\$138
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$71 per yard used
ESD	Electro Static Discharge - Includes CAB and STW - limited vinyl and fabric choices.	Add \$375 to Grade One Price
SC	Semi Custom - moderate modifications to meet specifications	CFP
TRFS	Temperature Regulating Foam - Seat Only	\$54
TRF	Temperature Regulating Foam - Seat and Back - Not available on Mesh	\$89

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.