SAFETY DATA SHEET

Issuing Date 07-Aug-2013 Revision Date 22-Oct-2022 Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name FREEZER FLOOR CLEANER

Other means of identification

Product Code(s) FFC

Synonyms FFC

Recommended use of the chemical and restrictions on use

Recommended Use Institutional detergent

Uses advised against No information available

Supplier's details

Supplier Address

Envirochem, Inc 425 Whitehead Ave South River, NJ

08882

TEL: 732-238-6700

Emergency telephone number

Emergency Telephone CHEM-TEL, INC.

Number 24 Hour Emergency Contact 1-800-255-3924

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word Warning

Hazard Statements

• Causes skin irritation

Causes serious eye irritation



Appearance Clear

Physical State Liquid.

Odor No information available

Precautionary Statements

Prevention

- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection.

General Advice

None

Eyes

- ÎF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention.

Skin

- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- Take off contaminated clothing and wash before reuse.

Storage

• None

Disposal

• None

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

FFC

Chemical Name	CAS-No	Weight %	Trade secret
Propylene glycol	57-55-6	> 30	*
2-Butoxyethanol	111-76-2	1-5	*
Isopropyl alcohol	67-63-0	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye ContactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention if symptoms occur.

Skin Contact Wash off with warm water and soap. Remove and wash contaminated clothing before

re-use. If symptoms persist, call a physician.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

Ingestion Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. If swallowed, seek medical attention.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray or fog. Carbon dioxide (CO₂). Dry chemical. Foam.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical

No information available.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin,

eyes and clothing. Stop leak if you can do it without risk. If spilled, take caution, as material

can cause surfaces to become very slippery.

Environmental Precautions

Environmental PrecautionsDispose of contents/container to an approved waste disposal plant.

Methods and materials for containment and cleaning up

Methods for Containment Stop leak if you can do it without risk

Methods for Cleaning Up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Use only in area provided with appropriate exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Do not take internally. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Store at room

temperature. Keep container closed when not in use.

Incompatible Products Strong acids. Strong oxidizing agents. Strong bases.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Handling

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m³	IDLH: 2000 ppm 10% LEL TWA: 980 mg/m³ TWA: 400 ppm STEL: 500 ppm STEL: 1225 mg/m³

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face ProtectionSafety glasses with side-shields.Skin and Body ProtectionRubber gloves. Latex glovesRespiratory ProtectionParticle filtering face piece

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid Appearance Clear

Odor No information available Odor Threshold No information available

Property
pHValues
11.0Remarks/ - Method
(4 % solution)Melting Point/RangeNo data availableNone knownBoiling Point/Boiling Range> 100 °CNone known

No data available

No data available

Evaporation rate Flammability (solid, gas) Flammability Limits in Air

Flash Point

upper flammability limit No data available

No data available

None known

None known

None known

lower flammability limit No data available **Vapor Pressure** No data available None known **Vapor Density** No data available None known **Relative Density** No data available None known **Specific Gravity** None known 1.02 **Water Solubility** 100 None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known No data available None known **Autoignition Temperature Decomposition Temperature** No data available None known Viscosity No data available None known

Flammable Properties Not flammable

Explosive Properties No data available Oxidizing Properties No data available

Other information

VOC Content (%) No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Incompatible products.

Incompatible materials

Strong acids. Strong oxidizing agents. Strong bases.

Hazardous decomposition products

Aldehydes. Alcohols. Ether. Organic acids.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract.

Eye Contact Causes serious eye irritation.

Skin Contact Causes skin irritation.

Ingestion May be harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation

Propylene glycol	20000 mg/kg(Rat)	= 20800 mg/kg(Rabbit)	-
2-Butoxyethanol	= 470 mg/kg(Rat)	= 400 mg/kg(Rabbit) = 2270 mg/kg(Rat)	= 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h
Isopropyl alcohol	= 4396 mg/kg (Rat)	12800 mg/kg(Rat) 12870 mg/kg(Rabbit)	72.6 mg/L (Rat)4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization No information available. Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		
Isopropyl alcohol		Group 3		Х

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)
Group 3: Not Classifiable as to its Carcinogenicity to Humans
OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 6566 mg/kg; Acute toxicity estimate **LD50 Dermal** 12950 mg/kg; Acute toxicity estimate

Inhalation

dust/mist 16.9 mg/L; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Propylene glycol 57-55-6	EC50 96 h: = 19000 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas)		EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)
2-Butoxyethanol 111-76-2		LC50 96 h: = 1490 mg/L static (Lepomis macrochirus) LC50 96 h: = 2950 mg/L (Lepomis macrochirus)		EC50 24 h: 1698 - 1940 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L (Daphnia magna)
Isopropyl alcohol 67-63-0	EC50 96 h: > 1000 mg/L (Desmodesmus subspicatus) EC50 72 h: > 1000 mg/L (Desmodesmus subspicatus)	LC50 96 h: = 11130 mg/L static (Pimephales promelas) LC50 96 h: = 9640 mg/L flow-through (Pimephales promelas) LC50 96 h: > 1400000 µg/L (Lepomis macrochirus)		EC50 48 h: = 13299 mg/L (Daphnia magna)

Persistence and Degradability No information available.

Bioaccumulation No information available.

Chemical Name	Log Pow
2-Butoxyethanol	0.81
Isopropyl alcohol	0.05

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations

Contaminated Packaging Do not re-use empty containers.

Chemical Name	California Hazardous Waste
Isopropyl alcohol	Toxic
	Ignitable

14. TRANSPORT INFORMATION

DOT Not regulated

15. REGULATORY INFORMATION

International Inventories

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
2-Butoxyethanol	111-76-2	1-5	1.0
Isopropyl alcohol	67-63-0	1-5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Propylene glycol	X	-	X	-	X
2-Butoxyethanol	X	X	X	Х	Х
Isopropyl alcohol	Х	X	X		Х
Potassium hydroxide	Х	Х	Х		Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health Hazard 2	Flammability 0	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 2	Flammability 0	Physical Hazard 0	Personal Protection X

Prepared By Product Stewardship 23 British American Blvd.

Latham, NY 12110 1-800-572-6501 07-Aug-2013

 Issuing Date
 07-Aug-2013

 Revision Date
 22-Oct-2022

Revision Note

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet