


The Donald Project

**An overview of the
Donald Rare Earth and
Mineral Sands Project**

September 2025



Acknowledgement of Country

The Donald Project acknowledges the five traditional owner groups of the land on which we meet: the Wotjobaluk, Jaadwa, Jadawadjali, Wergaia, and Jupagulk people.

We also acknowledge other Aboriginal and Torres Strait Islander peoples across the region. We pay respect to Elders past, present, and emerging.

Contents

Acknowledgement of Country.....	2
Global context.....	5
The Donald Project.....	5
Location and composition.....	5
What are mineral sands?.....	12
What mineral sands contain.....	14
Rare earth elements.....	15
Mining in Victoria.....	16
Licence types.....	16
Approvals and regulation.....	17
Mining and rehabilitation.....	18
Processing.....	20
Logistics.....	21
Water supply and management.....	22
Transport.....	23
Managing naturally occurring radioactive material.....	24
Rehabilitation.....	24
Shared benefits.....	24
The Donald Project: Investing in the Wimmera.....	25
Community engagement.....	26





The Donald Project will preserve and work around remnant stands of Buloke trees. Buloke woodlands on productive farming land have been cleared over time. The single trunked species, with the hardest wood in the world, currently occupies less than three percent of the area it once did and is nationally listed as an Endangered community. Buloke woodlands offer important habitat for many native plants and animals.

Global context

The global push to electrify and reduce fossil fuel use is among the most significant structural changes in global energy markets since the Industrial Revolution.¹

The transition to a more sustainable world relies increasingly on critical minerals. A single electric vehicle requires six times the mineral inputs of a conventional car, including lithium, nickel, cobalt, and rare earth elements. This unprecedented demand is reshaping global supply chains and international relations, as nations compete to secure access to these essential resources.

The challenge extends beyond supply. Developing sustainable and ethical mining practices, while meeting soaring demand, will be crucial to ensuring the energy transition delivers on its promise of environmental stewardship.

In a sign of the growing importance of sovereign minerals sands deposits, the Victorian Government released its [Critical Minerals Roadmap](#) in December 2024.

"By investing in critical minerals, we're not just building an industry – we're shaping a prosperous, sustainable future for all Victorians, with lasting social and economic benefits for our regional communities and Traditional Owners."

– The Hon. Lily D'Ambrosio MP, Minister for Energy and Resources.

The Donald Project

The Donald Rare Earth and Mineral Sands Project (the Donald Project) is near Minyip, in the Wimmera region of Victoria, about 300 km north-west of Melbourne.

Discovered in the 1980s, the minerals in this globally significant resource are in demand for their applications in everyday life. Those applications span industries and high-tech applications, including:

- Ceramics
- Paints, tiles, toothpaste, cosmetics
- Biomedicine
- Energy generation
- Aerospace

With a multigenerational project lifespan, the Donald Project promises long lasting economic and social benefits to the region, including jobs, investment, and growth.

Estimates suggest the project will:

- Increase net gross regional product by \$200 million a year
- Create more than 600 jobs
- Boost investment in local communities and infrastructure

Astron Limited and US-based critical minerals producer Energy Fuels Inc have formed a joint venture to develop the Donald Project. The joint venture is Donald Project Pty Ltd, trading as Donald Mineral Sands (DMS).

Location and composition

The 28 km² tenement is about 15 kms east of Minyip. The land area is currently arable and mixed-use land.

DMS manages the Donald deposit licences, which include:

- Mining Licence MIN5532 (2,778.54 ha)
- Retention Licence RL2002 (24,371 ha)

DMS will develop the Donald deposit in two phases. Phase 1 is MIN5532. Phase 2 is the potential future development of RL2002 (only the hashed area on the tenement map on page 6; less than half the total Retention Licence area).

To develop RL2002, we would need to convert the Retention Licence to a Mining Licence. That would only happen after securing the necessary extensive planning, environmental and heritage assessment, and approvals. The process is rigorous. Under one per cent of exploration projects become an active mine (Resources Victoria).


A separate entity, wholly owned by Astron Corporation, Jackson Mineral Sands (JMS), will manage the Jackson deposit licences, which include:


- Retention Licence RL2003 (16,230 ha)
- Exploration Licence EL8516

The Jackson deposit is a potential future development opportunity. It, too, would be subject to conversion to a Mining Licence and the necessary planning, environmental and heritage assessment, and approvals.



1. <https://www.weforum.org/stories/2022/04/visualizing-the-history-of-energy-transitions/>





Resource discovery


Conzinc Riotinto of Australia Ltd (CRA, now Rio Tinto) explored the Wimmera in the late 1970s looking for coal. CRA presumed the geology of the Murray Basin would be like the La Trobe Valley and the Gippsland Basin.


Instead of coal, CRA discovered vast mineral sands deposits containing titanium, zircon, and rare earth elements, including neodymium and praseodymium. Of these, only titanium was a well-known commodity with a stable market. So, CRA relinquished the tenements in late 1990 following its merger with Rio Tinto.

In the 2000s, the global trends of urbanisation, and later, electrification, increased the market for zircon and rare earth minerals.

Astron acquired the rights to the tenements in 2004.

After 20 years, and significant investment (more than \$100m) in engineering, design, land, water acquisition and environment and heritage studies, Phase 1 of the Donald Project (MIN5532) is now on the cusp of development.







Legend


Receptors

-  Dwelling
-  Tailings storage facility
-  Plant layout
-  Mining blocks
-  Road
-  Existing water pipeline
-  Proposed water pipeline
-  Property parcel
-  Mining Licence MIN5532



The Donald Project Mining licence area






Legend

- Tree to be retained
- Environment & Heritage Protection no go areas
- Site access points
- Plant layout
- Starter pit
- Mining Unit Plant pad
- Earthen bund
- Bunds
- Tailings storage facility
- Vegetation screening
- Conceptual GWM supply line
- Drains
- Dams
- Existing driveway
- Roads to be removed
- Mining blocks

SOURCE:
 Work plan area and mine layout from DMS.
 No go zones from AECOM.
 Heritage sites from Landskape Heritage Management (2013).
 Imagery from Aerometrex (05/02/2023).



The Donald Project

Site layout

topsoil, subsoil locations and mobile refueling will change footprint and will not be located within or adjacent to any

What are mineral sands?

Mineral sands are ancient beach, river, dune sands or seabeds containing valuable mineral deposits. They originally formed as crystals in igneous rocks, such as granite or basalt and some metamorphic rocks.



Wind, rain, and rivers eroded these minerals over millions of years. The resulting grains washed down to the sea to become part of the coastal sands of ancient beaches.

When the world's oceans receded, including the prehistoric seas that covered vast stretches of Victoria, they left these deposits exposed far from today's coastlines.

Two major geological basins shaped where we find mineral sands today. The Murray Basin stretches across north-western Victoria from the South Australian border towards Echuca and Shepparton, with the western Victorian highlands marking

its southern edge. This basin continues north into New South Wales and west into South Australia. The Gippsland Basin lies in Victoria's south-east, extending from east of Melbourne to the state border and south into Bass Strait, with the Great Dividing Range forming its northern boundary.

These ancient seabeds host significant mineral sand deposits. In the Murray Basin, Wimmera-style (WIM-style) deposits like the Donald Project are large deposits of fine-grained minerals that formed 7.2 to 4.5 million years ago during the late Miocene to Pliocene ages. They are different from the smaller, typically higher grade and coarser grained strandline (shoreline or beach) or dunal (dune) deposits.



Not to scale

Heavy minerals from mineral sands are essential in everyday products - from paint, paper and plastics to electronics, and medical devices. And our demand for them is only growing. This means we need to find new resources, which is why exploration is increasing across our state, the country, and the world.

Minerals exploration has been part of our economy for almost 200 years. Finding, extracting, and processing minerals boosts economies and opportunities in our towns and regions. You can search resource licences in Victoria here: <https://earthresources.vic.gov.au/licensing-approvals/location-of-licences/licences-near-me>

Wimmera Intermodal Freight Terminal (at Dooen)

WIM Resource Pty Ltd Avonbank

Stavely Minerals Carrols Copper

Horsham

Iluka Resources Ltd WIM 50/100

WIM Resource Pty Ltd Bungallally

Hamilton

Stavely Min Thursday's

Port of Portland

Warrnambool

Ouyen

Swan Hill

VHM Ltd Goshen Project

ACDC Metals Goschen Central Project

DMS Donald Project & Jackson Project

Bendigo

Port of Geelong

-  Mineral sands deposit
-  Proposed water
-  Proposed power
-  Proposed rail
-  Proposed road
-  Existing water
-  Existing power transmission
-  Existing rail
-  Existing road
-  Mineral sands advanced projects
-  Mineral sands future projects
-  Wimmera Intermodal Freight Terminal

What mineral sands contain

Heavy mineral sands contain three core product streams, with many applications:

1. Heavy Mineral Concentrates (HMC)
 - Titanium minerals (ilmenite, leucoxene, rutile)
 - Zircon
 - Magnetite and other iron-bearing minerals
2. Rare Earth Element Concentrates (REEC)
 - Monazite
 - Xenotime
3. Secondary minerals and other components
 - Alumina-silicates
 - Garnet
 - Staurolite

Rising household income, increasing population, and growing consumption are driving demand for goods using these products.

Titanium applications

Manufacturers use more than 90% of the world's titanium to produce titanium pigment (high purity TiO_2) — a crucial ingredient of paint. Cosmetic products such as lipstick and sunscreen also contain the pigment, which helps block damaging ultraviolet light.

Titanium is in sports equipment, such as golf clubs and bike frames.

High-tech applications also incorporate titanium. For example, titanium metal in aeroplanes, medical devices, 3D-printing (e.g. medical grade implants), welding rods, and rockets (e.g. satellite frames and rocket castings).

Zirconium applications

The zircon market spans multiple high-value sectors: ceramics (tiles, sanitaryware, and household appliances), specialty chemicals (deodorants, protective coatings, and medical implants), and foundry applications (precision metal casting and additive manufacturing).

Beyond these traditional uses, zircon will play a crucial role in emerging technologies. Notably, we expect next-generation solid-state batteries, which promise to revolutionise energy storage and enable longer-range electric vehicles, to incorporate zirconium and lithium metal alloys in their design.

Alkali metals
Alkaline earth metals
Transition metals
Metalloids
Reactive non metals
Halogens
Unknown properties
Lanthanides
Actinides
Post transition metals
Noble gases

Atomic number
Symbol
Electron configuration
Atomic weight
Name
of electrons per shell

1 1A
2 2A
3 3A
4 4A
5 5A
6 6A
7 7A
8 8A
9 9A
10 10A
11 11A
12 12A
13 13A
14 14A
15 15A
16 16A
17 17A
18 18A
19 19A
20 20A
21 21A
22 22A
23 23A
24 24A
25 25A
26 26A
27 27A
28 28A
29 29A
30 30A
31 31A
32 32A
33 33A
34 34A
35 35A
36 36A
37 37A
38 38A
39 39A
40 40A
41 41A
42 42A
43 43A
44 44A
45 45A
46 46A
47 47A
48 48A
49 49A
50 50A
51 51A
52 52A
53 53A
54 54A
55 55A
56 56A
57 57A
58 58A
59 59A
60 60A
61 61A
62 62A
63 63A
64 64A
65 65A
66 66A
67 67A
68 68A
69 69A
70 70A
71 71A
72 72A
73 73A
74 74A
75 75A
76 76A
77 77A
78 78A
79 79A
80 80A
81 81A
82 82A
83 83A
84 84A
85 85A
86 86A
87 87A
88 88A
89 89A
90 90A
91 91A
92 92A
93 93A
94 94A
95 95A
96 96A
97 97A
98 98A
99 99A
100 100A
101 101A
102 102A
103 103A
104 104A
105 105A
106 106A
107 107A
108 108A
109 109A
110 110A
111 111A
112 112A
113 113A
114 114A
115 115A
116 116A
117 117A
118 118A
119 119A
120 120A
121 121A
122 122A
123 123A
124 124A
125 125A
126 126A
127 127A
128 128A
129 129A
130 130A
131 131A
132 132A
133 133A
134 134A
135 135A
136 136A
137 137A
138 138A
139 139A
140 140A
141 141A
142 142A
143 143A
144 144A
145 145A
146 146A
147 147A
148 148A
149 149A
150 150A
151 151A
152 152A
153 153A
154 154A
155 155A
156 156A
157 157A
158 158A
159 159A
160 160A
161 161A
162 162A
163 163A
164 164A
165 165A
166 166A
167 167A
168 168A
169 169A
170 170A
171 171A
172 172A
173 173A
174 174A
175 175A
176 176A
177 177A
178 178A
179 179A
180 180A
181 181A
182 182A
183 183A
184 184A
185 185A
186 186A
187 187A
188 188A
189 189A
190 190A
191 191A
192 192A
193 193A
194 194A
195 195A
196 196A
197 197A
198 198A
199 199A
200 200A
201 201A
202 202A
203 203A
204 204A
205 205A
206 206A
207 207A
208 208A
209 209A
210 210A
211 211A
212 212A
213 213A
214 214A
215 215A
216 216A
217 217A
218 218A
219 219A
220 220A
221 221A
222 222A
223 223A
224 224A
225 225A
226 226A
227 227A
228 228A
229 229A
230 230A
231 231A
232 232A
233 233A
234 234A
235 235A
236 236A
237 237A
238 238A
239 239A
240 240A
241 241A
242 242A
243 243A
244 244A
245 245A
246 246A
247 247A
248 248A
249 249A
250 250A
251 251A
252 252A
253 253A
254 254A
255 255A
256 256A
257 257A
258 258A
259 259A
260 260A
261 261A
262 262A
263 263A
264 264A
265 265A
266 266A
267 267A
268 268A
269 269A
270 270A
271 271A
272 272A
273 273A
274 274A
275 275A
276 276A
277 277A
278 278A
279 279A
280 280A
281 281A
282 282A
283 283A
284 284A
285 285A
286 286A
287 287A
288 288A
289 289A
290 290A
291 291A
292 292A
293 293A
294 294A
295 295A
296 296A
297 297A
298 298A
299 299A
300 300A
301 301A
302 302A
303 303A
304 304A
305 305A
306 306A
307 307A
308 308A
309 309A
310 310A
311 311A
312 312A
313 313A
314 314A
315 315A
316 316A
317 317A
318 318A
319 319A
320 320A
321 321A
322 322A
323 323A
324 324A
325 325A
326 326A
327 327A
328 328A
329 329A
330 330A
331 331A
332 332A
333 333A
334 334A
335 335A
336 336A
337 337A
338 338A
339 339A
340 340A
341 341A
342 342A
343 343A
344 344A
345 345A
346 346A
347 347A
348 348A
349 349A
350 350A
351 351A
352 352A
353 353A
354 354A
355 355A
356 356A
357 357A
358 358A
359 359A
360 360A
361 361A
362 362A
363 363A
364 364A
365 365A
366 366A
367 367A
368 368A
369 369A
370 370A
371 371A
372 372A
373 373A
374 374A
375 375A
376 376A
377 377A
378 378A
379 379A
380 380A
381 381A
382 382A
383 383A
384 384A
385 385A
386 386A
387 387A
388 388A
389 389A
390 390A
391 391A
392 392A
393 393A
394 394A
395 395A
396 396A
397 397A
398 398A
399 399A
400 400A
401 401A
402 402A
403 403A
404 404A
405 405A
406 406A
407 407A
408 408A
409 409A
410 410A
411 411A
412 412A
413 413A
414 414A
415 415A
416 416A
417 417A
418 418A
419 419A
420 420A
421 421A
422 422A
423 423A
424 424A
425 425A
426 426A
427 427A
428 428A
429 429A
430 430A
431 431A
432 432A
433 433A
434 434A
435 435A
436 436A
437 437A
438 438A
439 439A
440 440A
441 441A
442 442A
443 443A
444 444A
445 445A
446 446A
447 447A
448 448A
449 449A
450 450A
451 451A
452 452A
453 453A
454 454A
455 455A
456 456A
457 457A
458 458A
459 459A
460 460A
461 461A
462 462A
463 463A
464 464A
465 465A
466 466A
467 467A
468 468A
469 469A
470 470A
471 471A
472 472A
473 473A
474 474A
475 475A
476 476A
477 477A
478 478A
479 479A
480 480A
481 481A
482 482A
483 483A
484 484A
485 485A
486 486A
487 487A
488 488A
489 489A
490 490A
491 491A
492 492A
493 493A
494 494A
495 495A
496 496A
497 497A
498 498A
499 499A
500 500A
501 501A
502 502A
503 503A
504 504A
505 505A
506 506A
507 507A
508 508A
509 509A
510 510A
511 511A
512 512A
513 513A
514 514A
515 515A
516 516A
517 517A
518 518A
519 519A
520 520A
521 521A
522 522A
523 523A
524 524A
525 525A
526 526A
527 527A
528 528A
529 529A
530 530A
531 531A
532 532A
533 533A
534 534A
535 535A
536 536A
537 537A
538 538A
539 539A
540 540A
541 541A
542 542A
543 543A
544 544A
545 545A
546 546A
547 547A
548 548A
549 549A
550 550A
551 551A
552 552A
553 553A
554 554A
555 555A
556 556A
557 557A
558 558A
559 559A
560 560A
561 561A
562 562A
563 563A
564 564A
565 565A
566 566A
567 567A
568 568A
569 569A
570 570A
571 571A
572 572A
573 573A
574 574A
575 575A
576 576A
577 577A
578 578A
579 579A
580 580A
581 581A
582 582A
583 583A
584 584A
585 585A
586 586A
587 587A
588 588A
589 589A
590 590A
591 591A
592 592A
593 593A
594 594A
595 595A
596 596A
597 597A
598 598A
599 599A
600 600A
601 601A
602 602A
603 603A
604 604A
605 605A
606 606A
607 607A
608 608A
609 609A
610 610A
611 611A
612 612A
613 613A
614 614A
615 615A
616 616A
617 617A
618 618A
619 619A
620 620A
621 621A
622 622A
623 623A
624 624A
625 625A
626 626A
627 627A
628 628A
629 629A
630 630A
631 631A
632 632A
633 633A
634 634A
635 635A
636 636A
637 637A
638 638A
639 639A
640 640A
641 641A
642 642A
643 643A
644 644A
645 645A
646 646A
647 647A
648 648A
649 649A
650 650A
651 651A
652 652A
653 653A
654 654A
655 655A
656 656A
657 657A
658 658A
659 659A
660 660A
661 661A
662 662A
663 663A
664 664A
665 665A
666 666A
667 667A
668 668A
669 669A
670 670A
671 671A
672 672A
673 673A
674 674A
675 675A
676 676A
677 677A
678 678A
679 679A
680 680A
681 681A
682 682A
683 683A
684 684A
685 685A
686 686A
687 687A
688 688A
689 689A
690 690A
691 691A
692 692A
693 693A
694 694A
695 695A
696 696A
697 697A
698 698A
699 699A
700 700A
701 701A
702 702A
703 703A
704 704A
705 705A
706 706A
707 707A
708 708A
709 709A
710 710A
711 711A
712 712A
713 713A
714 714A
715 715A
716 716A
717 717A
718 718A
719 719A
720 720A
721 721A
722 722A
723 723A
724 724A
725 725A
726 726A
727 727A
728 728A
729 729A
730 730A
731 731A
732 732A
733 733A
734 734A
735 735A
736 736A
737 737A
738 738A
739 739A
740 740A
741 741A
742 742A
743 743A
744 744A
745 745A
746 746A
747 747A
748 748A
749 749A
750 750A
751 751A
752 752A
753 753A
754 754A
755 755A
756 756A
757 757A
758 758A
759 759A
760 760A
761 761A
762 762A
763 763A
764 764A
765 765A
766 766A
767 767A
768 768A
769 769A
770 770A
771 771A
772 772A
773 773A
774 774A
775 775A
776 776A
777 777A
778 778A
779 779A
780 780A
781 781A
782 782A
783 783A
784 784A
785 785A
786 786A
787 787A
788 788A
789 789A
790 790A
791 791A
792 792A
793 793A
794 794A
795 795A
796 796A
797 797A
798 798A
799 799A
800 800A
801 801A
802 802A
803 803A
804 804A
805 805A
806 806A
807 807A
808 808A
809 809A
810 810A
811 811A
812 812A
813 813A
814 814A
815 815A
816 816A
817 817A
818 818A
819 819A
820 820A
821 821A
822 822A
823 823A
824 824A
825 825A
826 826A
827 827A
828 828A
829 829A
830 830A
831 831A
832 832A
833 833A
834 834A
835 835A
836 836A
837 837A
838 838A
839 839A
840 840A
841 841A
842 842A
843 843A
844 844A
845 845A
846 846A
847 847A
848 848A
849 849A
850 850A
851 851A
852 852A
853 853A
854 854A
855 855A
856 856A
857 857A
858 858A
859 859A
860 860A
861 861A
862 862A
863 863A
864 864A
865 865A
866 866A
867 867A
868 868A
869 869A
870 870A
871 871A
872 872A
873 873A
874 874A
875 875A
876 876A
877 877A
878 878A
879 879A
880 880A
881 881A
882 882A
883 883A
884 884A
885 885A
886 886A
887 887A
888 888A
889 889A
890 890A
891 891A
892 892A
893 893A
894 894A
895 895A
896 896A
897 897A
898 898A
899 899A
900 900A
901 901A
902 902A
903 903A
904 904A
905 905A
906 906A
907 907A
908 908A
909 909A
910 910A
911 911A
912 912A
913 913A
914 914A
915 915A
916 916A
917 917A
918 918A
919 919A
920 920A
921 921A
922 922A
923 923A
924 924A
925 925A
926 926A
927 927A
928 928A
929 929A
930 930A
931 931A
932 932A
933 933A
934 934A
935 935A
936 936A
937 937A
938 938A
939 939A
940 940A
941 941A
942 942A
943 943A
944 944A
945 945A
946 946A
947 947A
948 948A
949 949A
950 950A
951 951A
952 952A
953 953A
954 954A
955 955A
956 956A
957 957A
958 958A
959 959A
960 960A
961 961A
962 962A
963 963A
964 964A
965 965A
966 966A
967 967A
968 968A
969 969A
970 970A
971 971A
972 972A
973 973A
974 974A
975 975A
976 976A
977 977A
978 978A
979 979A
980 980A
981 981A
982 982A
983 983A
984 984A
985 985A
986 986A
987 987A
988 988A
989 989A
990 990A
991 991A
992 992A
993 993A
994 994A
995 995A
996 996A
997 997A
998 998A
999 999A
1000 1000A

Rare earth elements

Rare earth elements (REEs) comprise 17 elements of the lanthanide series. Despite their name, they are not rare – but finding them in economically viable concentrations is. The Donald Project's Rare Earth Element Concentrates (REEC), derived from monazite and xenotime, are rich in four critical rare earths:


- Neodymium (Nd)
- Praseodymium (Pr)
- Dysprosium (Dy)
- Terbium (Tb)

Rare earths have diverse applications.

They are essential for permanent magnets, electric vehicles, and renewable energy technologies. They are found in consumer electronics, from phones and tablets to laptops. For example, samarium cobalt magnets remain magnetic at high temperatures, enabling manufacturers to miniaturise electronic devices.

The importance of rare earth elements has grown with the acceleration of electrification and renewable energy development. Rare earth magnets, particularly neodymium and praseodymium (NdPr) magnets, are crucial components in both electric vehicle motors and wind turbines.

Australia's commitment to achieving net-zero emissions by 2050 and Victoria's aim to achieve 95% renewable energy generation bolsters the need for domestic minerals production.



Most of the 17 rare earth elements can be extracted from mineral sands.



Mining in Victoria

In Victoria, mineral resources under the land surface belong to the state (the Crown) be they on private, commercial, or government land. Ownership of the minerals changes hands if the government grants a mining licence to a mining company. On extraction, minerals become the extractor's property.

In return, under the *Mineral Resources (Sustainable Development) Act 1990 (MRSDA)*, the mining licence holder must pay royalties to the state government for the right to extract these minerals. In Victoria, this is set at 2.75% of the net market value of the minerals produced.

Minerals exploration in Victoria is carefully regulated. More than 20 laws apply to exploration and mining. These laws protect landowners' rights, the environment, Indigenous heritage, water, land, Native Title, plants and animals, biodiversity, and water catchments.

This strict regulatory framework combined with the pre-operational developmental expense make converting an exploration licence a long and challenging process. Less than one per cent of exploration projects typically progress to establishing a mine, according to Resources Victoria. This reflects the challenging nature of mineral exploration and the complex geological conditions that must align for commercially viable deposits.

Licence types

Exploration

An exploration license grants the holder exclusive rights to explore for specific minerals within the designated licence area. Importantly, this does not automatically guarantee physical access to the land. Licensees must still obtain the necessary permissions from landowners and relevant authorities.

While exploration licenses often encompass large areas, the actual exploration activities typically focus on small, targeted locations within these areas. This targeted approach helps minimise environmental impact and optimise resources. If a licence holder finds mineral resources, it may then apply for a mining licence.

Retention

A retention licence is suitable where a mining company has identified a mineral resource, but the resource is not yet commercially viable to mine though it may be in the future. Or the mining company needs the resource to support an existing mining operation in the future.

Exploration and retention licences do not permit mining activities.

Mining

A mining licence holder is entitled by government to mine the land the licence covers, explore for minerals, and build mining facilities related to the mining operation.

For the different licence types we hold, please refer to the tenement map on p6.



Approvals and regulation

In June 2025, the Victorian Government approved the comprehensive Donald Project Work Plan—the final major regulatory milestone permitting DMS to develop the resources. Following Work Plan approval, the next step is a Final Investment Decision by the joint venture. Subject to a positive decision, construction and operation would follow.

Completed regulatory approvals

Key approval requirement	Completed
Work Plan Approval	✓
Environment Effects Statement	✓
<i>Commonwealth EPBC Act</i> Approval	✓
Mining Licence MIN5532	✓
Water Rights	✓
Cultural Heritage Management Plan	✓
Radiation Management Licence	✓

Since the Victorian Government approved our Environment Effects Statement, we have reassessed the project's environmental impact using current methods and standards. Our studies show the project's effects are the same or less than originally predicted. Our environmental management plans align with current laws and industry best practices.

We have planned the location and layout of mine infrastructure to minimise disturbance of sensitive areas, including native vegetation (e.g. remnant Buloke woodland), historic heritage and cultural heritage. We have also developed detailed plans to manage and mitigate potential impacts, including transport, noise, and dust. Please refer to our *Environmental Management* fact sheet for more information about our approach.

We continue to engage with landowners, community organisations, the Barengi Gadjin Land Council, and state, federal, and local governments to communicate effectively, manage impacts, and maximise community benefits.

Mining and rehabilitation

We will use the 'moving hole' technique to extract the ore, dividing the site into numbered blocks, 500m by 200m long. That means we will be mining one set of blocks, while rehabilitating previously mined blocks, and preparing the next for extraction. By choosing this approach, we allow for progressive rehabilitation, while minimising dust and land impacts.

1. Excavate the mining area

Use conventional excavation equipment to carefully remove vegetation, topsoil, subsoil and overburden (the last layer of rock and soil before the ore).

2. Store excavated materials

Separately stockpile topsoil, subsoil, and overburden onsite. When we have removed the ore, we can then refill the excavated area in soil layer order.

3. Dewatering the pit

About 80 per cent of the ore lies below the groundwater table. We will install dewatering wells around the first mine blocks six months before mining begins. The groundwater we recover will be hypersaline and unsuitable for agricultural use. We will store it in an onsite dam to use in processing. The nearest registered groundwater users with stock/domestic bores are about 20 km east of our site.

4. Mine the ore

We will mine the ore using ordinary excavation equipment (e.g. diggers and dump trucks). We will stockpile mined ore at surface level before feeding it into a Mining Unit Plant (MUP), which screens, and slurries (mixes with water) the ore, removing oversize material. From the MUP, we will pump the wetted ore on for further processing.


5. Store and process tailings

The valuable material (HMC or REEC) left after processing will be about three per cent of what we dig up. The remaining commercially valueless material, known as tailings, is mainly quartz sand and clay.

Before we establish the first mine void to receive tailings, we will store the initial tailings in an above-ground tailings storage facility (TSF), an earth-fill embankment, for about 12 months. Later, we will pump the tailings into successive mine voids.

6. Backfilling the void

We will return tailings, overburden, subsoil, and topsoil to the mined area, ready for rehabilitation.



Stormwater pond

7

Using cyclones and spirals (no chemicals in this stage) to separate mineral sand by weight.

The entire separation process from start to finish is in an enclosed onsite facility. This will contain any dust. Dust will be minimal, in any case, because ore-processing is a wet process.

Please refer to our *Rehabilitation* fact sheet for more information.

Before mining operations can begin in Victoria, operators must submit detailed closure, and rehabilitation plans and pay a government bond. After mining ends, they must restore the land to a safe, stable, and productive state. They do this by soil management, landform redesign, and revegetation.



Overburden stockpiles

The Donald Project


Processing

Ore processing involves three main separation steps:

1. **Mining Unit Plant:** Screening and slurring ore in the field, as if in a large washing machine.
2. **Gravity concentration:** Using cyclones and spirals to separate mineral sand by weight.
3. **Flotation:** Separating the final products, REEC and HMC, through a concentrate upgrade plant.

The whole separation process is within an enclosed area to manage noise and dust.

Process Flow



Logistics



REEC Product Transport

- Product is transported at 7% moisture
- Average 1 truck a day leaving site to the Wimmera Intermodal Freight Terminal (WIFT)
- Transported by truck to Port of Adelaide
- Loaded on ship to USA
- Class 7 material transported in accordance with laws and regulations

HMC Product Transport

- Product is transported at 7% moisture
- Average 16 trucks a day leaving site to the WIFT
- Transported by rail to Port of Portland
- Loaded on ship to China

Water supply and management

We bought a water entitlement from GWMWater in 2011, drawn from savings the Wimmera Mallee Pipeline project created. We will build an 11km pipeline from Minyip Rural Pump Station (near the corner of Stawell-Warracknabeal Road and Rupanyup-Boolite Road) along Gun Club Road to our mining site (MIN5532) off Walsh Lane.

In November 2024, we finished the first stage of the pipeline. This included the connection and first 80m of pipe along Minyip-Banyena Road and Gun Club Road. We will build the rest of the pipeline in 2025. GWMWater confirms other customers' water supply and pressure will stay the same.

We designed our plant to reuse water where possible. To use less GWMWater supply, we will also use:

- Groundwater from the site
- Water from the ore
- Rainwater we collect onsite

The groundwater is too salty for farming. The closest farms using groundwater for stock and homes are about 20km east of our site.

We will manage onsite water through dams, banks, and channels that follow best practice design and layout. We will direct clean

rainwater away from work areas using channels and raised earth barriers. We will collect water, which contacts disturbed areas, in our dams. Our work will not affect any important waterways.

For more information about how we will manage water, please read our *Water* fact sheet.



How the site will look

The below rendering shows the view of the planned Donald Project site from the intersection of Minyip Rich Avon Road and Burrum-Lawler Road, looking east across farmland. The processing plant is on the left, the Tailings Storage Facility (TSF) on the right.

We will minimise visual impact on the surrounding landscape by:

- Locating the processing plant away from major roads and residential areas
- Establishing native vegetation screens around both the plant and TSF

Our design integrates the infrastructure into the existing agricultural landscape, where screening elements provide visual buffering from 1.1 kms. As Minyip Rich Avon Road is a local road with low traffic volume, the overall visual impact on the community will remain limited.



Transport

Project trucks will follow approved heavy vehicle routes along Minyip-Rich Avon Road, connecting to Donald-Murtoa Road, Horsham-Minyip Road, and the Henty Highway.

HMC trucks will travel to Dooen's Wimmera Intermodal Freight Terminal (WIFT) for rail transport to Portland, while REEC trucks will go to the Port of Adelaide.

Construction will require 5-15 daily truck movements. During operations, we will need 16 return HMC truck movements daily (fewer than three per hour over 12 hours) and one REEC truck every second day.

We will store HMC and REEC in an enclosed facility and transport them in sealed, labelled shipping containers, with multiple weighing checks to ensure compliance.

Road improvements will include:

- Upgrading the six-ways intersection of Minyip-Rich Avon, Johnston, Stawell-Warracknabeal, Golf and R Learmonth roads
- Creating two site access points on Minyip-Rich Avon Road
- Widening Minyip-Rich Avon Road from Stawell-Warracknabeal Road to site
- Widening and paving Johnston and C Leach roads
- Improving intersections at C Leach Road/ Donald-Murtoa Road and Henty Highway/ Horsham-Minyip Road

Community protection measures will include:

- No transport during school drop-off/pick-up times
- Daytime-only operations
- Routes avoiding Minyip's centre
- No engine brakes or high beams in residential areas
- Speed restrictions on project vehicles
- Council road maintenance funding
- Complying with Country Fire Authority directions relating to Fire Danger Periods and Total Fire Bans and using only established roads (sealed or unsealed).

A transport working group with council, transport department and emergency services representatives will meet regularly to monitor these arrangements during construction and operation.



Managing naturally occurring radioactive material

Exposure levels

We are all exposed to low levels of radiation every day from natural and medical sources. The Australian Radiation Protection and Nuclear Safety Agency (ARPANSA) reports Australians receive 1.5 millisievert (mSv) each year from natural sources.

The ore we extract from the Donald Project site will contain traces of naturally-occurring radioactive materials (NORM). While these materials contain ionising radiation present in all soils and rocks, mineral sand deposits contain a slightly higher concentration. However, the exposure risk remains very low and comparable with background and medical radiation exposure, even before we implement site controls.

Under the most conservative assumptions, the maximum annual dose at the mine site boundary measures 0.025 millisievert (mSv) - a fraction of the regulatory limit for public exposure above background (1 mSv) and average background radiation in Australia (1.5 mSv).

Mineral sands not uranium

We will mine mineral sands, not uranium, though all soils naturally contain trace uranium. The material we mine will contain about:

- 9 parts per million (0.0009%) uranium by weight
- 28 parts per million (0.0028%) thorium by weight

These levels are well below the limits set in Victoria's *Nuclear Activities (Prohibitions) Act 1983*:

- Uranium: 0.02% by weight (project levels are 22 times lower)
- Thorium: 0.05% by weight (project levels are 18 times lower)

You can find more information about NORM across different industries and products, including building and agriculture, here: <https://world-nuclear.org/information-library/safety-and-security/radiation-and-health/naturally-occurring-radioactive-materials-norm>.

Our factsheet, *Radiation*, contains more information.

Rehabilitation

We will implement a comprehensive land rehabilitation approach on the Donald Project site. The site covers 2,778 hectares (equivalent to about three average-size farms).

Restoring the land to a safe, stable, and productive state after mining will involve careful soil management, landform redesign, and revegetation. While early rehabilitation of a 2018 test pit has been successful, we will employ a more sophisticated approach developed through ongoing research and industry best practice.

Before mining begins, the team will conduct detailed soil analysis. The project will progressively rehabilitate the site, maintaining about nine active mining blocks of 250m by 500m. During operations, we will use GPS-guided precision equipment to remove and store soil layers separately, later carefully replacing them in their original sequence.

We aim to return each rehabilitated block to productive farmland within five to 10 years, followed by regular monitoring of soil conditions and crop yields. The project team will collaborate with government bodies, educational organisations, and community stakeholders to continually enhance our rehabilitation techniques.

Under Victorian law, no mine operation can begin without a detailed closure plan, rehabilitation plan, and payment of a government bond, which the Earth Resources Regulator reviews annually to ensure it covers third-party rehabilitation costs if an operator defaults on obligations.

For more information about our rehabilitation approach, please refer to our *Rehabilitation* fact sheet.

Shared benefits

We are committed to sharing prosperity with the region during and after mining and leaving a positive legacy beyond the mine life.

The Donald Project will generate significant economic and social benefits across the Wimmera region over its 42-year lifespan.

Our operations will create more than 600 local jobs and contribute more than \$200 million annually to the region's economy. Working with local communities, we will support regional development through training, business partnerships, and community investment. We will share information, address concerns, and earn trust and confidence.

For more about how the Donald Project will benefit the region, please read our *Community Benefits* fact sheet.

The Donald Project: Investing in the Wimmera

With a multigenerational lifespan, the Donald Project promises long-lasting economic and social benefits to the region, including jobs, investment, and growth.



The total deposit contains an estimated

2.4 billion
tonnes of ore.



Investment of a total of approximately

\$470 million
to develop the Donald Project.



536 FTE

average increase in FTE employment
per year in the local project region.



Between 2024 and 2054, we will
invest about

\$4.3 billion

in operational and sustaining capital expenditure to
operate the mine.



\$2.2 billion


net increase in gross regional product (GRP) within
the local project region.



\$205 million

average annual increase in value
over 30 years.

**Economic analysis indicates the Donald Project will create
substantial economic benefits for the region and beyond.**



Source: Deloitte Access Economics: Economic Impact of the Donald Rare Earths and Mineral Sands Project, December 2022.



A community partnerships initiative, which involves voluntary funding for initiatives co-developed with the community. Initiatives may include scholarships and vocational training, support for regional events and organisations, local business development, and community development projects.



Improved infrastructure, including housing, road upgrades, water services



Support and investment in local suppliers, community facilities, and services



Partnerships with regional institutions to upskill coming generations.

Community engagement

The Donald Project is in the heart of a proud, pioneering, and close-knit agricultural community. We understand a new industry naturally raises questions and concerns.

We have been – and will continue to be – an active, contributing member of this community. We are committed to maximising regional benefits through responsible operations, careful impact mitigation, and thorough post-mining land rehabilitation.

We are reviewing our social impact assessment to better understand and address potential effects on the local community. This process involves ongoing engagement with community members, councils, businesses, and advocacy groups. Their valuable input has already been instrumental in shaping our work plans and strategies. And we welcome ideas for our community partnerships initiative.

Our project's success depends on meaningful engagement with residents and stakeholders. As our project evolves, we will maintain an open dialogue with landowners, Wimmera communities, and local organisations.

As a long-life project, DMS will provide new opportunities across generations for locals to stay in or return to the region – and for new people to settle here. In turn, this will significantly increase economic activity in the region, spur investment, and draw a wider range and quality of services.

Engagement channels



Drop-in community information sessions



Open feedback channels (e.g. phone, email, social media, office)



One-to-one and small group meetings



Pop-up stalls at local events



Coffees on us around the district



Environment Review Committee



Periodic community newsletters





Have your say

The Donald Project is a significant opportunity for the Wimmera region of Victoria.

With its potential to create jobs, stimulate local economic growth, and contribute to the global supply of critical minerals, the project aims to balance economic development with environmental responsibility and leaving an enduring positive impact in the area.

To stay informed about the Donald Project and to engage with us in shaping its future, please contact us:



Contact us

-  thedonaldproject.com.au
-  enquiries@thedonaldproject.com.au
-  03 5385 7088
-  23 Church St, Minyip VIC 3392



Website



Facebook



LinkedIn