


Customer Information
Customer: NVE Pharmaceuticals

Attn: Quality Department

Address: 15 Whitehall Rd, Andover, NJ 07821

Sample Information
Sample Name: Daisy's Green Apple

Received on: 5/13/2025

Lot Number: 251222M216

Conditions: Good; 21.8°C

Reference Number: N/A

Sample ID: S2505X258

Test Results

Tested on: 6/03/2025

Parameter	Specification / Limit	Test result	Test Method
Residual Solvents Screening			
1,2-Dichloroethane	5 ppm	Not Detected	GC
Acetone	5000 ppm	<LOQ	GC
Acetonitrile	410 ppm	Not Detected	GC
Benzene	2 ppm	Not Detected	GC
Butane	5000 ppm	Not Detected	GC
Chloroform	60 ppm	Not Detected	GC
Ethanol	5000 ppm	1634	GC
Ethyl Acetate	5000 ppm	Not Detected	GC
Ethyl Ether	5000 ppm	Not Detected	GC
Ethylene Oxide	10 ppm	Not Detected	GC
Heptane	5000 ppm	Not Detected	GC
Hexane	290 ppm	Not Detected	GC
Isopropyl Alcohol	5000 ppm	Not Detected	GC
Methanol	3000 ppm	Not Detected	GC
Methylene Chloride	600 ppm	Not Detected	GC
n-Pentane	5000 ppm	Not Detected	GC
Propane	5000 ppm	Not Detected	GC
Toluene	890 ppm	Not Detected	GC
Xylenes (ortho-, meta-, para-)	2170 ppm	Not Detected	GC
Trichloroethylene	80 ppm	Not Detected	GC

Vertex Analytical Labs LLC

9335 Airway Road, Suite 208

San Diego CA 92154

Ph: +1 (888) 316 1414

customersupport@vertexanalytical.com
vertexanalytical.com


Customer Information
Customer: NVE Pharmaceuticals

Attn: Quality Department

Address: 15 Whitehall Rd, Andover, NJ 07821

Sample Information
Sample Name: Daisy's Green Apple

Received on: 5/13/2025

Lot Number: 251222M216

Conditions: Good; 21.8°C

Reference Number: N/A

Sample ID: S2505X258

Test Results

Tested on: 6/03/2025

	Parameter	Specification / Limit	Test result	Test Method
Pesticides Screening				
	Abamectin	<0.3 ppm	Not Detected	GC-MS
	Asoxystrobin	<40 ppm	Not Detected	GC-MS
	Bifenazate	<15ppm	Not Detected	GC-MS
	Bifenthrin	<5 ppm	Not Detected	GC-MS
	Boscalid	<0.5 ppm	Not Detected	GC-MS
	Chlorpyrifos	<10 ppm	Not Detected	GC-MS
	Cypermethrin	<1 ppm	Not Detected	GC-MS
	Etoxazole	<1.5 ppm	Not Detected	GC-MS
	Hexythiazox	<2 ppm	Not Detected	GC-MS
	Imidacloprid	<3 ppm	Not Detected	GC-MS
	Malathion	<5 ppm	Not Detected	GC-MS
	Myclobutanil	<9 ppm	Not Detected	GC-MS
	Permethrin	<20 ppm	Not Detected	GC-MS
	Piperonyl Butoxide	<8 ppm	Not Detected	GC-MS
	Propiconazole	<20 ppm	Not Detected	GC-MS
	Spiromesifen	<12 ppm	Not Detected	GC-MS
	Tebuconazole	<2 ppm	Not Detected	GC-MS
	Trifloxystrobin	<30 ppm	Not Detected	GC-MS

Vertex Analytical Labs LLC

9335 Airway Road, Suite 208

San Diego CA 92154

Ph: +1 (888) 316 1414

customersupport@vertexanalytical.com
vertexanalytical.com


Customer Information
Customer: NVE Pharmaceuticals

Attn: Quality Department

Address: 15 Whitehall Rd, Andover, NJ 07821

Sample Information
Sample Name: Daisy's Green Apple

Received on: 5/13/2025

Lot Number: 251222M216

Conditions: Good; 21.8°C

Reference Number: N/A

Sample ID: S2505X258

Test Results

Tested on: 6/25/2025

Parameter	Specification / Limit	Test result	Test Method
Total THC	≤ 0.3 %	0.01 %	HPLC
Total Delta 9 THC	≥ 5 mg/Serving	5.40 mg/Serving	HPLC

Tested on: 6/02/2025

Total Aflatoxins	≤ 20.00 ppb	Not Detected	HPLC
Ochratoxin A	≤ 20.00 ppb	Not Detected	HPLC
Sodium	≤ 5 mg/Serving	4.29 mg/Serving	ICP-MS
Potassium	≥ 10 mg/Serving	10.16 mg/Serving	ICP-MS
Total Heavy Metals	< 20 ppm	< 20 ppm	ICP-MS
Lead (Pb)		< 0.009 ppm	ICP-MS
Arsenic (As)		< 0.003 ppm	ICP-MS
Cadmium (Cd)		< 0.003 ppm	ICP-MS
Mercury (Hg)		< 0.005 ppm	ICP-MS
Total Plate Count	≤ 1,000 CFU/g	< 10 CFU/g	USP <2021>
Yeast and Mold Count	≤ 100 CFU/g	< 10 CFU/g	USP <2021>
Salmonella spp.	Negative in 10 g	Not Detected in 10 g	USP <2022>
Escherichia coli	Negative in 10 g	Not Detected in 10 g	USP <2022>

Serving Size = 60 mL



Reviewed & Approved by:

Ivan Gonzalez, MSc

ivang@vertexanalytical.com

Laboratory Manager

Laboratory Notes:

1. Specifications/Limits, and External Reference Number are provided by the customer.

A portion of the analyses included in this report were subcontracted to SC Labs®, an external laboratory selected for its technical competence and adherence to applicable quality standards. All subcontracted work was reviewed and verified to ensure conformance with the laboratory's quality requirements. This Report is issued in accordance with Vertex Analytical Labs LLC Standard Terms and Conditions including but not limited to our services. Test Reports (i) are for the benefit of the client only and may not be used by any other party for any purpose and (ii) relate solely to the sample(s) in our possession and cannot be applied to any other Lot Number or material. The report shall not be reproduced except in full, without written approval of the Laboratory.

***END OF REPORT ***

Vertex Analytical Labs LLC

9335 Airway Road, Suite 208

San Diego CA 92154

Ph: +1 (888) 316 1414

customersupport@vertexanalytical.com

vertexanalytical.com

FM QP11.01 Rev. 02

Page 3 of 3