



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com

QA Testing

1 of 1

Daizy Sips Blue Raspberry 2oz Shot

Sample ID: 2507AFL1324.5512

Internal Lab ID: ATL-31169

Client

Strain: Hemp

Daizy Sips

Matrix: Ingestible

Received: 07/28/2025

Lic. # 34-00137

Type: Beverage

Completed: 07/31/2025

15 Whitehall Rd

Unit Weight: 60 g

Batch#: Lot 251220M260

Andover, NJ 07821



Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	07/28/2025	Complete

Basic Potency

Complete

0.0101% Total THC	ND Total CBD	0.0101% Total Cannabinoids
-----------------------------	------------------------	--------------------------------------

Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result
	%	%	mg/unit		%	%	mg/unit
CBDVa	0.0004	ND	ND	CBN	0.0004	ND	ND
CBDV	0.0004	ND	ND	Δ^9 -THC	0.0004	0.0101	6.055
CBDa	0.0004	ND	ND	Δ^8 -THC	0.0004	ND	ND
CBGa	0.0004	ND	ND	(6aR,9S)-d10-THC	0.0005	ND	ND
CBG	0.0004	ND	ND	(6aR,9R)-d10-THC	0.0005	ND	ND
CBD	0.0004	ND	ND	CBC	0.0004	ND	ND
THCV	0.0004	ND	ND	CBCa	0.0004	ND	ND
Δ^8 -THCV	0.0005	ND	ND	THCa	0.0004	ND	ND
THCVa	0.0004	ND	ND	Total		0.0101	6.055

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 07/28/2025

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA)

NT Not Tested Document ID: Moisture Content	NT Not Tested Document ID: Water Activity	Not Tested Document ID: Foreign Matter
---	---	---



Paulo Gonzalez
Laboratory Director
07/31/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Customer Information
Customer: NVE Pharmaceuticals

Attn: Quality Department

Address: 15 Whitehall Rd, Andover, NJ 07821

Sample Information
Sample Name: Daizy's Blue Raspberry - 5mg THC Shot

Received on: 6/04/2025

Lot Number: 251220M260

Conditions: Good; 23.6°C

Reference Number: N/A

Sample ID: S2506X069

Test Results
Tested on: 6/08/2025

Parameter	Specification / Limit	Test result	Test Method
Pesticides Screening			
Dichlorvos	<1 ppm	Not Detected	GC-MS
Molinate	<10 ppm	Not Detected	GC-MS
Trifluralin	<10 ppm	Not Detected	GC-MS
Ethoprophos	<10 ppm	Not Detected	GC-MS
Di-allate	<10 ppm	Not Detected	GC-MS
Phorate	<10 ppm	Not Detected	GC-MS
Propyzamide (Pronamide)	<10 ppm	Not Detected	GC-MS
Atrazine	<10 ppm	Not Detected	GC-MS
Diazinon	<10 ppm	Not Detected	GC-MS
γ-BHC (lindane)	<0.6 ppm	Not Detected	GC-MS
Aldrin	<0.05 ppm	Not Detected	GC-MS
Metribuzin	<10 ppm	Not Detected	GC-MS
Dursban (Chloryphos)	<10 ppm	Not Detected	GC-MS
Malathion	<1 ppm	Not Detected	GC-MS
Servin	<10 ppm	Not Detected	GC-MS
Parathion	<0.5 ppm	Not Detected	GC-MS
Trans-Chlordane	<0.05 ppm	Not Detected	GC-MS
Terbufos	<10 ppm	Not Detected	GC-MS
cis-Chlordane	<0.05 ppm	Not Detected	GC-MS
Bifenthrin	<10 ppm	Not Detected	GC-MS
cis-Permethrin	<1 ppm	Not Detected	GC-MS
trans-Permethrin	<1 ppm	Not Detected	GC-MS

Vertex Analytical Labs LLC

9335 Airway Road, Suite 208

San Diego CA 92154

Ph: +1 (888) 316 1414

customersupport@vertexanalytical.com
vertexanalytical.com



ANALYTICAL TESTING REPORT

AR2506X069r1

DATE ISSUED: 6/16/2025

Customer Information

Customer: NVE Pharmaceuticals

Attn: Quality Department

Address: 15 Whitehall Rd, Andover, NJ 07821

Sample Information

Sample Name: Daizy's Blue Raspberrie - 5mg THC Shot

Received on: 6/04/2025

Lot Number: 251220M260

Conditions: Good; 23.6°C

Reference Number: N/A

Sample ID: S2506X069

Test Results

Tested on: 6/12/2025

Parameter	Specification / Limit	Test result	Test Method
Residual Solvents Screening			
1,2-Dichloroethane	5 ppm	Not Detected	GC
Acetone	5000 ppm	Not Detected	GC
Acetonitrile	410 ppm	Not Detected	GC
Benzene	2 ppm	Not Detected	GC
Butane	5000 ppm	Not Detected	GC
Chloroform	60 ppm	Not Detected	GC
Ethanol	5000 ppm	Not Detected	GC
Ethyl Acetate	5000 ppm	Not Detected	GC
Ethyl Ether	5000 ppm	Not Detected	GC
Ethylene Oxide	10 ppm	Not Detected	GC
Heptane	5000 ppm	Not Detected	GC
Hexane	290 ppm	Not Detected	GC
Isopropyl Alcohol	5000 ppm	Not Detected	GC
Methanol	3000 ppm	Not Detected	GC
Methylene Chloride	600 ppm	Not Detected	GC
n-Pentane	5000 ppm	Not Detected	GC
Propane	5000 ppm	Not Detected	GC
Toluene	890 ppm	Not Detected	GC
Xylenes (ortho-, meta-, para-)	2170 ppm	Not Detected	GC
Trichloroethylene	80 ppm	Not Detected	GC

Vertex Analytical Labs LLC

9335 Airway Road, Suite 208

San Diego CA 92154

Ph: +1 (888) 316 1414

customersupport@vertexanalytical.com

vertexanalytical.com

FM QP11.01 Rev. 02

Page 2 of 3

Customer Information
Customer: NVE Pharmaceuticals

Attn: Quality Department

Address: 15 Whitehall Rd, Andover, NJ 07821

Sample Information
Sample Name: Daizy's Blue Raspberry - 5mg THC Shot

Received on: 6/04/2025

Lot Number: 251220M260

Conditions: Good; 23.6°C

Reference Number: N/A


Sample ID: S2506X069

Test Results

Tested on: 6/10/2025

Parameter	Specification / Limit	Test result	Test Method
Total Aflatoxin	≤ 20.00 ppb	Not Detected	HPLC
Ochratoxin A	≤ 20.00 ppb	Not Detected	HPLC
Sodium	≤ 5 mg/Serving	4.10 mg/Serving	ICP-MS
Potassium	≥ 10 mg/Serving	10.23 mg/Serving	ICP-MS
Total Heavy Metals	< 20 ppm	< 20 ppm	ICP-MS
Lead (Pb)		< 0.003 ppm	ICP-MS
Arsenic (As)		< 0.003 ppm	ICP-MS
Cadmium (Cd)		< 0.003 ppm	ICP-MS
Mercury (Hg)		< 0.005 ppm	ICP-MS
Total Plate Count	≤ 1,000 CFU/g	< 10 CFU/g	USP <2021>
Yeast and Mold Count	≤ 100 CFU/g	< 10 CFU/g	USP <2021>
Total Coliforms	≤ 1000cfu/g	< 10 CFU/g	Petrifilm
Salmonella spp.	Negative in 10 g	Not detected in 10 g	USP <2022>
Escherichia coli	Negative in 10 g	Not detected in 10 g	USP <2022>

Serving Size = 60 mL


 Reviewed & Approved by:
 Ivan Gonzalez, MSc
 ivang@vertexanalytical.com
 Laboratory Manager

Laboratory Notes:

1. Specifications/Limits, and External Reference Number are provided by the customer.

A portion of the analyses included in this report were subcontracted to SC Labs®, an external laboratory selected for its technical competence and adherence to applicable quality standards. All subcontracted work was reviewed and verified to ensure conformance with the laboratory's quality requirements. This Report is issued in accordance with Vertex Analytical Labs LLC Standard Terms and Conditions including but not limited to our services. Test Reports (i) are for the benefit of the client only and may not be used by any other party for any purpose and (ii) relate solely to the sample(s) in our possession and cannot be applied to any other Lot Number or material. The report shall not be reproduced except in full, without written approval of the Laboratory.

*****END OF REPORT *****
Vertex Analytical Labs LLC

9335 Airway Road, Suite 208

San Diego CA 92154

Ph: +1 (888) 316 1414

customersupport@vertexanalytical.com

vertexanalytical.com

FM QP11.01 Rev. 02

Page 3 of 3