

Certificate of Analysis
Compliance Test

Client Information:

Drink Daizy's, LLC
209 Sheffield Lane
Redwood City, CA 94061
Order # DRI250723-080001
Order Date: 2025-07-23
Sample # AAGY102Batch # DDWL25141
Batch Date: 2025-05-21
Extracted From: Beverage

Test Reg State: Georgia

Sampling Date: 2025-07-28
Lab Batch Date: 2025-07-28
Completion Date: 2025-08-05

Volume: 355 ml



Product Image

Potency
Tested

HHCP

HHCP
TestedPathogenic Microbiology
PassedTerpenes
TestedHeavy Metals
PassedMycotoxins
PassedPesticides
PassedResidual Solvents
PassedMicrobiology
PassedFilth and Foreign
PassedPotency (LCUV) (GA) + Potency
25 (LCUV)Tested
SOP13.030 (LCMS)

Specimen Weight: 355000.000 mg

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (µg/ml)	(%)
Delta-9 THC	8.000	1.30E-5	0.0015	24.4000	0.00244
CBN	8.000	1.40E-5	0.0015	0.9850	9.85E-5
CBG	8.000	2.48E-4	0.0015	0.7610	7.61E-5
CBD	8.000	5.40E-5	0.0015	<LOQ	<LOQ
CBDA	8.000	1.00E-5	0.0015	<LOQ	<LOQ
CBGA	8.000	8.00E-5	0.0015	<LOQ	<LOQ
Delta-10 THC	8.000	3.00E-6	0.0015	<LOQ	<LOQ
Delta-8 THC	8.000	2.60E-5	0.0015	<LOQ	<LOQ
Delta-9 THC-O Acetate	8.000	7.70E-5	0.003	<LOQ	<LOQ
Exo-THC	8.000	2.30E-4	0.0015	<LOQ	<LOQ
CBC	8.000	2.76E-5	0.075	<LOQ	<LOQ
CBCA	8.000	1.07E-4	0.0015	<LOQ	<LOQ
CBDV	8.000	6.50E-5	0.0015	<LOQ	<LOQ
CBDVA	8.000	1.40E-5	0.0015	<LOQ	<LOQ
CBL	8.000	3.50E-5	0.0015	<LOQ	<LOQ
CBNA	8.000	9.50E-5	0.0015	<LOQ	<LOQ
CBT	8.000	2.00E-4	0.0015	<LOQ	<LOQ
Delta-8 THC-O Acetate	8.000	2.70E-5	0.003	<LOQ	<LOQ
Delta-8 THCV	8.000	4.00E-5	0.0015	<LOQ	<LOQ
Delta8-THCP	8.000	3.75E-4	0.0015	<LOQ	<LOQ
Delta9-THCP	8.000	1.17E-5	0.0012	<LOQ	<LOQ
THCA-A	8.000	3.20E-5	0.0015	<LOQ	<LOQ
THCB	8.000	1.80E-4	0.00195	<LOQ	<LOQ
THCH	8.000	3.50E-4	0.00195	<LOQ	<LOQ
THCV	8.000	7.00E-6	0.0015	<LOQ	<LOQ
THCVA	8.000	4.70E-5	0.0015	<LOQ	<LOQ
Total Active CBD	8.000			<LOQ	<LOQ
Total Active THC	8.000			0.024	0.00244



Potency Summary

Total HHC	ND	Total Active THC	9.662mg
Total Active CBD	ND	Total CBG	0.270mg
Total CBN	9.9E-5%	Total Cannabinoids	0.00261%

Summary Results determined from two distinct Potency Tests - Potency (LCUV) (GA) + Potency 25 (LCUV)



Terpenes Summary

Analyte Result (mg/g) (%)

Total Terpenes: 0.000%

Detailed Terpenes Analysis is on the following page

Aixia Sun

Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877) * Total CBDV = CBDV + (CBDVA * 0.867) Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87) CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877) Total THC-O-Acetate = Delta 9 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, The results apply to the sample as received.
This report shall not be reproduced, without written approval, from ACS Laboratory The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Certificate of Analysis

Compliance Test

Client Information:

Drink Daizy's, LLC
209 Sheffield Lane
Redwood City, CA 94061

Batch # DDWL25141
Batch Date: 2025-05-21
Extracted From: Beverage

Test Reg State: Georgia

Order # DRI250723-080001
Order Date: 2025-07-23
Sample # AAGY102

Sampling Date: 2025-07-28
Lab Batch Date: 2025-07-28
Completion Date: 2025-08-05

Volume: 355 ml



Terpenes

Specimen Weight: 451.000 mg

SOP13.045 (GC-MS/GC (Liquid Injection))

Dilution Factor: 1.000

Analyte	LOQ (%)	Result (mg/g)	(%)	Analyte	LOQ (%)	Result (mg/g)	(%)
(+)-Cedrol	0.002		<LOQ	Fenchyl Alcohol	0.002		<LOQ
(R)-(+)-Limonene	0.002		<LOQ	Gamma-Terpinene	0.002		<LOQ
3-Carene	0.002		<LOQ	Geraniol	0.002		<LOQ
alpha-Bisabolol	0.002		<LOQ	Geranyl acetate	0.002		<LOQ
alpha-Cedrene	0.002		<LOQ	Guaiol	0.002		<LOQ
alpha-Humulene	0.002		<LOQ	Hexahydrothymol	0.002		<LOQ
alpha-Phellandrene	0.002		<LOQ	Isoborneol	0.002		<LOQ
alpha-Pinene	0.002		<LOQ	Isopulegol	0.002		<LOQ
alpha-Terpinene	0.002		<LOQ	Linalool	0.002		<LOQ
beta-Myrcene	0.002		<LOQ	Nerol	0.002		<LOQ
beta-Pinene	0.002		<LOQ	Ocimene	0.00033		<LOQ
Borneol	0.004		<LOQ	Pulegone	0.002		<LOQ
Camphene	0.002		<LOQ	Sabinene	0.002		<LOQ
Camphors	0.006		<LOQ	Sabinene Hydrate	0.002		<LOQ
Caryophyllene oxide	0.002		<LOQ	Terpinolene	0.002		<LOQ
cis-Nerolidol	0.002		<LOQ	Total Terpeneol	0.00126		<LOQ
Eucalyptol	0.002		<LOQ	trans-Caryophyllene	0.002		<LOQ
Farnesene	0.002		<LOQ	trans-Nerolidol	0.002		<LOQ
Fenchone	0.002		<LOQ	Valencene	0.002		<LOQ



Microbiology Pathogenic AE qPCR - (GA)

Specimen Weight: 1010.400 mg

Passed

SOP13.029 (qPCR)

Dilution Factor: 1.000

Analyte	Action Level (cfu/g)	Result (cfu/g)	Analyte	Action Level (cfu/g)	Result (cfu/g)
Aspergillus (Flavus, Fumigatus, Niger, Terreus)	1	Passed	STEC	1	Passed



Microbiology AC TYM BTGN plating - (GA)

Specimen Weight: 1001.400 mg

Passed

SOP13.003 (Petrifilm)

Dilution Factor: 1.000

Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)	Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)
Bile tolerant gram-negative bacteria	100	1000	<100	Total Yeast/Mold	1000	10000	<1000
Total Aerobic Count	1000	100000	<1000				

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis

Compliance Test

Client Information:

Drink Daizy's, LLC
209 Sheffield Lane
Redwood City, CA 94061

Batch # DDWL25141
Batch Date: 2025-05-21
Extracted From: Beverage

Test Reg State: Georgia

Order # DRI250723-080001
Order Date: 2025-07-23
Sample # AAGY102

Sampling Date: 2025-07-28
Lab Batch Date: 2025-07-28
Completion Date: 2025-08-05

Volume: 355 ml



Filth and Foreign Material - (GA)

Specimen Weight: N/A Dilution Factor: 1.000

Passed

SOP13.020 (Electronic Balance)

Analyte	Action Level (%)	Result (%)	Analyte	Action Level (%)	Result (%)
Covered Area	10	0.00	Weight %	1	0.00
Feces	0.5	0.00			

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis

Compliance Test

Client Information:

Drink Daizy's, LLC
209 Sheffield Lane
Redwood City, CA 94061
Order # DRI250723-080001
Order Date: 2025-07-23
Sample # AAGY102

Batch # DDWL25141
Batch Date: 2025-05-21
Extracted From: Beverage

Test Reg State: Georgia

Sampling Date: 2025-07-28
Lab Batch Date: 2025-07-28
Completion Date: 2025-08-05

Volume: 355 ml



Heavy Metals - (GA) (Edible)

Specimen Weight: 248.200 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 201.450

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	0.013	100	500	<LOQ	Lead (Pb)	0.007	100	500	<LOQ
Cadmium (Cd)	0.003	100	500	<LOQ	Mercury (Hg)	0.016	100	500	<LOQ



Residual Solvents (GA-4)

Specimen Weight: 6.000 mg

Passed
SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Butane	0.417	53.6	800000	<LOQ	Heptane	0.001	29.8	500000	<LOQ
Ethanol	0.002	59.5	5000000	255000	Hexane	0.068	25	100000	<LOQ



Mycotoxins - (GA)

Specimen Weight: 589.400 mg

Passed
SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.540

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	0.304	1.9	20	<LOQ	Aflatoxin G2	0.271	1.9	20	<LOQ
Aflatoxin B2	0.077	1.9	20	<LOQ	Ochratoxin A	0.754	3.8	20	<LOQ
Aflatoxin G1	0.304	1.9	20	<LOQ					


Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis

Compliance Test

Client Information:

Drink Daizy's, LLC
209 Sheffield Lane
Redwood City, CA 94061
Order # DRI250723-080001
Order Date: 2025-07-23
Sample # AAGY102

Batch # DDWL25141
Batch Date: 2025-05-21
Extracted From: Beverage

Test Reg State: Georgia

Sampling Date: 2025-07-28
Lab Batch Date: 2025-07-28
Completion Date: 2025-08-05

Volume: 355 ml

HHCP

Specimen Weight: 355000.000 mg

Tested

SOP13.050 (LCMS)

Dilution Factor: 40.000

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%) Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
(9R)-HHC	0.000	0.075	<LOQ	<LOQ 9(S)-HHCP	0.000	0.075	<LOQ	<LOQ
(9S)-HHC	0.000	0.075	<LOQ	<LOQ CBC	0.000	0.075	<LOQ	<LOQ
(±)-9β-hydroxy-HHC	0.000	0.075	<LOQ	<LOQ Delta-8 THC methyl ether	0.000	0.075	<LOQ	<LOQ
1(R)-H4-CBD	0.000	0.15	<LOQ	<LOQ Delta-9 THC methyl ether	0.000	0.075	<LOQ	<LOQ
1(S)-H4-CBD	0.000	0.15	<LOQ	<LOQ H2-CBD	0.000	0.075	<LOQ	<LOQ
9(R)-HHCP	0.000	0.075	<LOQ	<LOQ Total HHC		0.075	<LOQ	<LOQ


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis

Compliance Test

Client Information:

Drink Daizy's, LLC
209 Sheffield Lane
Redwood City, CA 94061

Batch # DDWL25141
Batch Date: 2025-05-21
Extracted From: Beverage

Test Reg State: Georgia

Order # DRI250723-080001
Order Date: 2025-07-23
Sample # AAGY102

Sampling Date: 2025-07-28
Lab Batch Date: 2025-07-28
Completion Date: 2025-08-05

Volume: 355 ml



Pesticides - (GA)

Specimen Weight: 589.400 mg

Passed

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.540

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	0.399	9	100	<LOQ	Fludioxonil	0.360	9.6	100	<LOQ
Acephate	0.141	9.6	100	<LOQ	Hexythiazox	0.113	9.6	100	<LOQ
Acequinocyl	2.178	9.6	100	<LOQ	Imazalil	0.258	9.6	100	<LOQ
Acetamiprid	0.140	9.6	100	<LOQ	Imidacloprid	0.402	9.6	100	<LOQ
Aldicarb	0.203	9.6	100	<LOQ	Kresoxim Methyl	0.182	9.6	100	<LOQ
Azoxystrobin	0.188	9.6	100	<LOQ	Malathion	0.223	9.6	100	<LOQ
Bifenazate	0.086	9.6	100	<LOQ	Metalaxyl	0.270	9.6	100	<LOQ
Bifenthrin	0.100	9.6	100	<LOQ	Methiocarb	0.118	9.6	100	<LOQ
Boscalid	0.595	9.6	100	<LOQ	Methomyl	0.064	9.6	100	<LOQ
Carbaryl	0.122	9.6	100	<LOQ	Mevinphos	0.093	9.6	100	<LOQ
Carbofuran	0.086	9.6	100	<LOQ	Myclobutanil	0.573	9.6	100	<LOQ
Chlorantraniliprole	0.084	9.6	100	<LOQ	Oxamyl	0.041	9.6	100	<LOQ
Chlordane	1.900	9.6	100	<LOQ	Paclobutrazol	0.186	9.6	100	<LOQ
Chlorpyrifos	0.109	9.6	100	<LOQ	Permethrin	0.624	9.6	100	<LOQ
Coumaphos	0.206	9.6	100	<LOQ	Phosmet	0.127	9.6	100	<LOQ
Cyfluthrin	0.980	9.6	100	<LOQ	Piperonylbutoxide	0.149	9.6	100	<LOQ
Cypermethrin	0.985	9.6	100	<LOQ	Prallethrin	1.476	9.6	100	<LOQ
Daminozide	1.655	9.6	100	<LOQ	Propiconazole	0.294	9.6	100	<LOQ
Diazinon	0.212	9.6	100	<LOQ	Propoxur	0.100	9.6	100	<LOQ
Dichlorvos	1.130	9.6	100	<LOQ	Pyridaben	0.140	9.6	100	<LOQ
Dimethoate	0.063	9.6	100	<LOQ	Spinetoram	0.424	9.6	100	<LOQ
Dimethomorph	2.581	9.6	100	<LOQ	Spiromesifen	0.120	9.6	100	<LOQ
Ethoprophos	0.151	9.6	100	<LOQ	Spirotetramat	0.211	9.6	100	<LOQ
Etofenprox	0.172	9.6	100	<LOQ	Spiroxamine	0.533	9.6	100	<LOQ
Etoxazole	0.866	9.6	100	<LOQ	Tebuconazole	0.230	9.6	100	<LOQ
Fenhexamid	0.588	9.6	100	<LOQ	Thiacloprid	0.170	9.6	100	<LOQ
Fenoxycarb	0.274	9.6	100	<LOQ	Thiamethoxam	0.179	9.6	100	<LOQ
Fipronil	0.317	9.6	100	<LOQ	Trifloxystrobin	0.134	9.6	100	<LOQ
Fonicamid	0.466	9.6	100	<LOQ					

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

