



Certificate of Analysis

Compliance Test

Client Information:

Drink Daizy's, LLC
209 Sheffield Lane
Redwood City, CA 94061
Order # DRI250909-030001
Order Date: 2025-09-09
Sample # AAHB622

Batch # C-25216-DCG-14
Batch Date: 2025-08-04
Extracted From: Beverage

Test Reg State: Georgia

Sampling Date: 2025-09-15
Lab Batch Date: 2025-09-15
Completion Date: 2025-09-22

Volume: 355 ml



Product Image



**Potency
Tested**

HHCP

**HHCP
Tested**



**Pathogenic Microbiology
Tested**



**Terpenes
Tested**



**Heavy Metals
Passed**



**Mycotoxins
Passed**



**Pesticides
Passed**



**Residual Solvents
Passed**



**Microbiology
Passed**



**Filth and Foreign
Passed**

Potency (GA) LCUV + Potency 25 (LCUV)

Tested

SOP13.030 (LCMS)

Specimen Weight: 355000.000 mg

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (µg/ml)	(%)
Delta-9 THC	8.000	1.30E-5	0.0015	28.9000	0.00289
CBG	8.000	2.48E-4	0.0015	0.8010	8.01E-5
CBN	8.000	1.40E-5	0.0015	0.5220	5.22E-5
CBD	8.000	5.40E-5	0.0015	<LOQ	<LOQ
CBDA	8.000	1.00E-5	0.0015	<LOQ	<LOQ
CBGA	8.000	8.00E-5	0.0015	<LOQ	<LOQ
Delta-10 THC	Empty	3.00E-6	0.0015	<LOQ	<LOQ
Delta-8 THC	8.000	2.60E-5	0.0015	<LOQ	<LOQ
Delta-9 THC-O Acetate	Empty	7.70E-5	0.003	<LOQ	<LOQ
Exo-THC	Empty	2.30E-4	0.0015	<LOQ	<LOQ
THCA-A	8.000	3.20E-5	0.0015	<LOQ	<LOQ
CBC	8.000	2.76E-5	0.075	<LOQ	<LOQ
CBCA	Empty	1.07E-4	0.0015	<LOQ	<LOQ
CBDV	8.000	6.50E-5	0.0015	<LOQ	<LOQ
CBDVA	Empty	1.40E-5	0.0015	<LOQ	<LOQ
CBL	Empty	3.50E-5	0.0015	<LOQ	<LOQ
CBNA	Empty	9.50E-5	0.0015	<LOQ	<LOQ
CBT	Empty	2.00E-4	0.0015	<LOQ	<LOQ
Delta-8 THC-O Acetate	Empty	2.70E-5	0.003	<LOQ	<LOQ
Delta-8 THCV	Empty	4.00E-5	0.0015	<LOQ	<LOQ
Delta8-THCP	Empty	3.75E-4	0.0015	<LOQ	<LOQ
Delta9-THCP	Empty	1.17E-5	0.0012	<LOQ	<LOQ
THCB	Empty	1.80E-4	0.00195	<LOQ	<LOQ
THCH	Empty	3.50E-4	0.00195	<LOQ	<LOQ
THCV	8.000	7.00E-6	0.0015	<LOQ	<LOQ
THCVA	Empty	4.70E-5	0.0015	<LOQ	<LOQ
Total Active CBD	Empty			0.029	0.00289
Total Active THC	Empty				



Potency Summary

Total HHC	ND	Total Active THC	10.26mg
-			
Total Active CBD	ND	Total CBG	0.284mg
-			
Total CBN	0.185mg	Total Cannabinoids	10.721mg
5.2E-5%		0.00302%	

Summary Results determined from two distinct Potency Tests - Potency (GA) LCUV + Potency 25 (LCUV)



Terpenes Summary

Analyte	Result (mg/g)	(%)
Total Terpenes: 0.000%		

Detailed Terpenes Analysis is on the following page

Aixia Sun

Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample, (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, The results apply to the sample as received.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Certificate of Analysis

Compliance Test

Client Information:

Drink Daizy's, LLC
209 Sheffield Lane
Redwood City, CA 94061

Batch # C-25216-DCG-14
Batch Date: 2025-08-04
Extracted From: Beverage

Test Reg State: Georgia

Order # DRI250909-030001
Order Date: 2025-09-09
Sample # AAHB622

Sampling Date: 2025-09-15
Lab Batch Date: 2025-09-15
Completion Date: 2025-09-22

Volume: 355 ml



Terpenes

Specimen Weight: 451.000 mg

Tested
SOP13.045 (GC-MS/GC (Liquid Injection))

Dilution Factor: 1.000

Analyte	LOQ (%)	Result (mg/g)	(%)	Analyte	LOQ (%)	Result (mg/g)	(%)
(+)-Cedrol	0.002		<LOQ	Fenchyl Alcohol	0.002		<LOQ
(R)-(+)-Limonene	0.002		<LOQ	Gamma-Terpinene	0.002		<LOQ
3-Carene	0.002		<LOQ	Geraniol	0.002		<LOQ
alpha-Bisabolol	0.002		<LOQ	Geranyl acetate	0.002		<LOQ
alpha-Cedrene	0.002		<LOQ	Guaiol	0.002		<LOQ
alpha-Humulene	0.002		<LOQ	Hexahydrothymol	0.002		<LOQ
alpha-Phellandrene	0.002		<LOQ	Isoborneol	0.002		<LOQ
alpha-Pinene	0.002		<LOQ	Isopulegol	0.002		<LOQ
alpha-Terpinene	0.002		<LOQ	Linalool	0.002		<LOQ
beta-Myrcene	0.002		<LOQ	Nerol	0.002		<LOQ
beta-Pinene	0.002		<LOQ	Ocimene	0.00033		<LOQ
Borneol	0.004		<LOQ	Pulegone	0.002		<LOQ
Camphene	0.002		<LOQ	Sabinene	0.002		<LOQ
Camphors	0.006		<LOQ	Sabinene Hydrate	0.002		<LOQ
Caryophyllene oxide	0.002		<LOQ	Terpinolene	0.002		<LOQ
cis-Nerolidol	0.002		<LOQ	Total Terpeneol	0.00126		<LOQ
Eucalyptol	0.002		<LOQ	trans-Caryophyllene	0.002		<LOQ
Farnesene	0.002		<LOQ	trans-Nerolidol	0.002		<LOQ
Fenchone	0.002		<LOQ	Valencene	0.002		<LOQ



Pathogenic Microbiology AE Microarray – GA

Specimen Weight: 1027.200 mg

Tested

SOP13.019 (Micro Array)

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus (Flavus, Fumigatus, Niger, Terreus)	Passed	Escherichia coli specific gene	Passed



Microbiology AC TYM BTGN plating - (GA)

Specimen Weight: 1003.900 mg

Passed

SOP13.003 (Petrifilm)

Dilution Factor: 1.000

Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)	Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)
Bile tolerant gram-negative bacteria	100	1000	<100	Total Yeast/Mold	1000	10000	<1000
Total Aerobic Count	1000	100000	<1000				

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis

Compliance Test

Client Information:

Drink Daizy's, LLC
209 Sheffield Lane
Redwood City, CA 94061
Order # DRI250909-030001
Order Date: 2025-09-09
Sample # AAHB622

Batch # C-25216-DCG-14
Batch Date: 2025-08-04
Extracted From: Beverage

Test Reg State: Georgia

Sampling Date: 2025-09-15
Lab Batch Date: 2025-09-15
Completion Date: 2025-09-22

Volume: 355 ml



Filth and Foreign Material - (GA)

Specimen Weight: N/A Dilution Factor: 1.000

Passed

			SOP13.020 (Electronic Balance)		
Analyte	Action Level (%)	Result (%)	Analyte	Action Level (%)	Result (%)
Covered Area	10	0.00	Weight %	1	0.00
Feces	0.5	0.00			

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis

Compliance Test

Client Information:

Drink Daizy's, LLC
209 Sheffield Lane
Redwood City, CA 94061

Batch # C-25216-DCG-14
Batch Date: 2025-08-04
Extracted From: Beverage

Test Reg State: Georgia

Order # DRI250909-030001
Order Date: 2025-09-09
Sample # AAHB622

Sampling Date: 2025-09-15
Lab Batch Date: 2025-09-15
Completion Date: 2025-09-22

Volume: 355 ml



Heavy Metals - (GA) (Edible)

Specimen Weight: 249.700 mg

Passed

SOP13.048 (ICP-MS)

Dilution Factor: 200.240

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	0.013	100	500	<LOQ	Lead (Pb)	0.007	100	500	<LOQ
Cadmium (Cd)	0.003	100	500	<LOQ	Mercury (Hg)	0.016	100	500	<LOQ



Residual Solvents (GA-4)

Specimen Weight: 16.700 mg

Passed

SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Butane	0.417	53.6	800000	<LOQ	Heptane	0.001	29.8	500000	<LOQ
Ethanol	0.002	59.5	5000000	103000	Hexane	0.068	25	100000	<LOQ



Mycotoxins - (GA)

Specimen Weight: 611.800 mg

Passed

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.450

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	0.304	1.9	20	<LOQ	Aflatoxin G2	0.271	1.9	20	<LOQ
Aflatoxin B2	0.077	1.9	20	<LOQ	Ochratoxin A	0.754	3.8	20	<LOQ
Aflatoxin G1	0.304	1.9	20	<LOQ					

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis

Compliance Test

Client Information:

Drink Daizy's, LLC
209 Sheffield Lane
Redwood City, CA 94061

Batch # C-25216-DCG-14
Batch Date: 2025-08-04
Extracted From: Beverage

Test Reg State: Georgia

Order # DRI250909-030001
Order Date: 2025-09-09
Sample # AAHB622

Sampling Date: 2025-09-15
Lab Batch Date: 2025-09-15
Completion Date: 2025-09-22

Volume: 355 ml

HHCP

Specimen Weight: 355000.000 mg

Tested

SOP13.050 (LCMS)

Dilution Factor: 40.000

Analyte	LOD (%)	LOQ (%)	Result (µg/ml)	(%) Analyte	LOD (%)	LOQ (%)	Result (µg/ml)	(%)
(9R)-HHC	0.000	0.075	<LOQ	<LOQ 9(S)-HHCP	0.000	0.075	<LOQ	<LOQ
(9S)-HHC	0.000	0.075	<LOQ	<LOQ CBC	0.000	0.075	<LOQ	<LOQ
(±)-9β-hydroxy-HHC	0.000	0.075	<LOQ	<LOQ Delta-8 THC methyl ether	0.000	0.075	<LOQ	<LOQ
1(R)-H4-CBD	0.000	0.15	<LOQ	<LOQ Delta-9 THC methyl ether	0.000	0.075	<LOQ	<LOQ
1(S)-H4-CBD	0.000	0.15	<LOQ	<LOQ H2-CBD	0.000	0.075	<LOQ	<LOQ
9(R)-HHCP	0.000	0.075	<LOQ	<LOQ Total HHC		0.075	<LOQ	<LOQ

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis

Compliance Test

Client Information:

Drink Daizy's, LLC
209 Sheffield Lane
Redwood City, CA 94061

Batch # C-25216-DCG-14
Batch Date: 2025-08-04
Extracted From: Beverage

Test Reg State: Georgia

Order # DRI250909-030001
Order Date: 2025-09-09
Sample # AAHB622

Sampling Date: 2025-09-15
Lab Batch Date: 2025-09-15
Completion Date: 2025-09-22

Volume: 355 ml



Pesticides - (GA)

Specimen Weight: 611.800 mg

Passed

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.450

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	0.399	9	100	<LOQ	Fludioxonil	0.360	9.6	100	<LOQ
Acephate	0.141	9.6	100	<LOQ	Hexythiazox	0.113	9.6	100	<LOQ
Acequinocyl	2.178	9.6	100	<LOQ	Imazail	0.258	9.6	100	<LOQ
Acetamiprid	0.140	9.6	100	<LOQ	Imidacloprid	0.402	9.6	100	<LOQ
Aldicarb	0.203	9.6	100	<LOQ	Kresoxim Methyl	0.182	9.6	100	<LOQ
Azoxystrobin	0.188	9.6	100	<LOQ	Malathion	0.223	9.6	100	<LOQ
Bifenazate	0.086	9.6	100	<LOQ	Metalaxyl	0.270	9.6	100	<LOQ
Bifenthrin	0.100	9.6	100	<LOQ	Methiocarb	0.118	9.6	100	<LOQ
Boscalid	0.595	9.6	100	<LOQ	Methomyl	0.064	9.6	100	<LOQ
Carbaryl	0.122	9.6	100	<LOQ	Mevinphos	0.093	9.6	100	<LOQ
Carbofuran	0.086	9.6	100	<LOQ	Myclobutanil	0.573	9.6	100	<LOQ
Chlorantraniliprole	0.084	9.6	100	<LOQ	Oxamyl	0.041	9.6	100	<LOQ
Chlordane	1.900	9.6	100	<LOQ	Paclobutrazol	0.186	9.6	100	<LOQ
Chlorpyrifos	0.109	9.6	100	<LOQ	Permethrin	0.624	9.6	100	<LOQ
Coumaphos	0.206	9.6	100	<LOQ	Phosmet	0.127	9.6	100	<LOQ
Cyfluthrin	0.980	9.6	100	<LOQ	Piperonylbutoxide	0.149	9.6	100	<LOQ
Cypermethrin	0.985	9.6	100	<LOQ	Prallethrin	1.476	9.6	100	<LOQ
Daminozide	1.655	9.6	100	<LOQ	Propiconazole	0.294	9.6	100	<LOQ
Diazinon	0.212	9.6	100	<LOQ	Propoxur	0.100	9.6	100	<LOQ
Dichlorvos	1.130	9.6	100	<LOQ	Pyridaben	0.140	9.6	100	<LOQ
Dimethoate	0.063	9.6	100	<LOQ	Spinetoram	0.424	9.6	100	<LOQ
Dimethomorph	2.581	9.6	100	<LOQ	Spiromesifen	0.120	9.6	100	<LOQ
Ethoprophos	0.151	9.6	100	<LOQ	Spirotetramat	0.211	9.6	100	<LOQ
Etofenprox	0.172	9.6	100	<LOQ	Spiroxamine	0.533	9.6	100	<LOQ
Etoxazole	0.866	9.6	100	<LOQ	Tebuconazole	0.230	9.6	100	<LOQ
Fenhexamid	0.588	9.6	100	<LOQ	Thiacloprid	0.170	9.6	100	<LOQ
Fenoxycarb	0.274	9.6	100	<LOQ	Thiamethoxam	0.179	9.6	100	<LOQ
Fipronil	0.317	9.6	100	<LOQ	Trifloxystrobin	0.134	9.6	100	<LOQ
Fonicamid	0.466	9.6	100	<LOQ					

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

