Certificate of Analysis

Universal Hemp Panel

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
DEA# PA0202945

CUSTOMER:

Drink Daizy's, LLC
171 Gabarda Way
Portola Valley, CA 94028



SAMPLE INFORMATION

Sample No.: 1383276
Product Name: Daizy's Concord Grape
Matrix: Edible (Beverage)
Lot #: C-26032-DCG-19

Production Date: 02/08/2026
Date Collected: 02/12/2026
Date Received: 02/12/2026
Date Reported: 10/07/2026
Expiration Date: 01/31/2028
Best By Date: 01/31/2028

TEST SUMMARY

Cannabinoid Profile:	Tested	**Terpenoid Profile:**	Tested
Microbiological Screen:	Pass	**Pesticide Residue Screen:**	Pass
Residual Solvent Screen:	Pass	**Heavy Metal Screen:**	Pass
Foreign Material:	Pass	**Mycotoxin Screen:**	Pass

Cannabinoid Profile Tested

02/17/2026

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.0008 mg/g
Limit of Quantitation 0.0025 mg/g
Measurement of Uncertainty Average: ±6.3%

Cannabinoid	mg/g	mg/ml	%	mg/serving	mg/package	Labeled mg/serving	% Difference
Δ8-THC	ND	ND	ND	ND	ND	-	-
Δ9-THC	0.0307	0.0309	0.00307	10.97	10.97	10	9.71
Δ9-THCA	ND	ND	ND	ND	ND	-	-
THCV	ND	ND	ND	ND	ND	-	-
THCVA	ND	ND	ND	ND	ND	-	-
CBD	ND	ND	ND	ND	ND	-	-
CBDA	ND	ND	ND	ND	ND	-	-
CBC	ND	ND	ND	ND	ND	-	-
CBCA	ND	ND	ND	ND	ND	-	-
CBDV	ND	ND	ND	ND	ND	-	-
CBG	ND	ND	ND	ND	ND	-	-
CBGA	ND	ND	ND	ND	ND	-	-
CBN	ND	ND	ND	ND	ND	-	-
Exo-THC	ND	ND	ND	ND	ND	-	-
(6aR,9R)-Δ10-THC	ND	ND	ND	ND	ND	-	-
(6aR,9S)-Δ10-THC	ND	ND	ND	ND	ND	-	-
9(R)-Hexahydrocannabinol	ND	ND	ND	ND	ND	-	-
9(S)-Hexahydrocannabinol	ND	ND	ND	ND	ND	-	-
Δ8-THC-O-Acetate	ND	ND	ND	ND	ND	-	-
Δ9-THC-O-Acetate	ND	ND	ND	ND	ND	-	-
THC-O-Phosphate	NT	NT	NT	NT	NT	-	-
Δ8-THCP	ND	ND	ND	ND	ND	-	-
Δ9-THCP	ND	ND	ND	ND	ND	-	-
Total Δ9-THC	-	-	-	-	-	-	-
Total THC	0.0307	0.0309	0.00307	10.97	10.97	-	-
Total CBD	ND	ND	ND	ND	ND	-	-
Total Cannabinoids	0.0307	0.0309	0.00307	10.97	10.97	-	-
Sum of Cannabinoids	0.0307	0.0309	0.00307	10.97	10.97	-	-

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

Cannabinoid	mg/g	mg/ml	%	mg/serving	mg/package	Labeled mg/serving	% Difference
Label Claims	10mg Delta 9						
Serving Weight (g)	356.8815						
Package Weight (g)	356.8815						
g/ml Conversion Factor	1.0053						

Total Δ9-THC = Δ9-THC + (0.877 * THCA)
Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Terpenoid Profile

10/07/2026

Method: MF-CHEM-17

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Terpene	LOD/LOQ (mg/g)	mg/g	%
α-Pinene	0.009/0.025	ND	ND
Camphene	0.009/0.025	ND	ND
ß-Myrcene	0.009/0.025	ND	ND
β-Pinene	0.009/0.025	ND	ND
δ-3-Carene	0.009/0.025	ND	ND
Limonene	0.009/0.025	ND	ND
α-Terpinene	0.009/0.025	ND	ND
trans-beta-Ocimene	0.006/0.01725	ND	ND
cis-beta-Ocimene	0.003/0.00775	ND	ND
p-Cymene	0.009/0.25	ND	ND
Eucalyptol	0.009/0.025	ND	ND
γ-Terpinene	0.009/0.025	ND	ND
Terpinolene	0.009/0.025	ND	ND
Linalool	0.009/0.025	ND	ND
Isopulegol	0.009/0.025	ND	ND
Menthol	0.009/0.025	ND	ND
(-)-Borneol	0.009/0.025	ND	ND
Terpineol	0.009/0.025	ND	ND
Citronellol	0.009/0.025	ND	ND
Geraniol	0.009/0.025	ND	ND
ß-Caryophyllene	0.009/0.025	ND	ND
α-Humulene	0.009/0.025	<LOQ	<LOQ
cis-Nerolidol	0.004/0.01025	ND	ND
trans-Nerolidol	0.005/0.01475	ND	ND
Guaiol	0.009/0.25	ND	ND
Caryophyllene Oxide	0.009/0.025	ND	ND
α-Bisabolol	0.009/0.025	ND	ND
Total Terpenes	-	ND	ND

Comment(s): Terpene profile test was performed on subsequently submitted sample (1445408).

Microbiological Screen ✔ Pass

02/25/2026

Measurement of Uncertainty Average: APC ±35.6%, Y&M ±31.3%

Analyte	Findings	Units	Method	Limit	Status
Salmonella	ND	/25g	AOAC 2016.01	ND	Pass
STEC	ND	/25g	MF-MICRO-18	ND	Pass
Aspergillus flavus	ND	/25g	MF-MICRO-14	ND	Pass
Aspergillus fumigatus	ND	/25g	MF-MICRO-14	ND	Pass
Aspergillus niger	ND	/25g	MF-MICRO-14	ND	Pass
Aspergillus terreus	ND	/25g	MF-MICRO-14	ND	Pass
Listeria Species	ND	/25g	AOAC 2016.07	ND	Pass
Total Aerobic Plate Count	0/10	cfu/g	FDA BAM	100000	Pass
Total Coliforms	0/10	cfu/g	FDA BAM - ECC Agar	100	Pass
E. Coli	ND	/1g	FDA BAM Modified	1	Pass
Total Enterobacteriaceae	<1	cfu/g	AOAC 2003.01	ND	Pass
Staphylococcus aureus	<1	cfu/g	AOAC 2003.07	ND	Pass
Total Yeast and Mold	0/10	cfu/g	FDA BAM	100000	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

Pesticide Residue Screen ✔ Pass

02/25/2026

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Measurement of Uncertainty Average: ±21.40%

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Abamectin	0.015/0.05	ND	0.05	Pass
Acephate	0.003/0.01	ND	0.01	Pass
Acequinocyl	0.003/0.01	ND	0.01	Pass
Acetamiprid	0.003/0.01	ND	0.01	Pass
Aldicarb	0.003/0.01	ND	0.01	Pass
Azoxystrobin	0.003/0.01	ND	0.01	Pass
Bifenazate	0.003/0.01	ND	0.01	Pass
Bifenthrin	0.003/0.01	ND	0.01	Pass
Boscalid	0.003/0.01	ND	0.01	Pass
Captan	0.250/0.7	ND	0.7	Pass
Carbaryl	0.003/0.01	ND	0.01	Pass
Carbofuran	0.003/0.01	ND	0.01	Pass
Chlorantraniliprole	0.003/0.01	ND	0.01	Pass
Chlordane	0.020/0.06	ND	0.06	Pass
Chlorfenapyr	0.015/0.05	ND	0.05	Pass
Chlorpyrifos	0.003/0.01	ND	0.01	Pass
Clofentezine	0.003/0.01	ND	0.01	Pass
Coumaphos	0.003/0.01	ND	0.01	Pass
Cyfluthrin	0.015/0.05	ND	0.05	Pass
Cypermethrin	0.015/0.05	ND	0.05	Pass
Daminozide	0.003/0.01	ND	0.01	Pass
DDVP (Dichlorvos)	0.003/0.01	ND	0.01	Pass
Diazinon	0.003/0.01	ND	0.01	Pass
Dimethoate	0.003/0.01	ND	0.01	Pass
Dimethomorph	0.003/0.01	ND	0.01	Pass
Ethoprop(hos)	0.003/0.01	ND	0.01	Pass
Etofenprox	0.003/0.01	ND	0.01	Pass
Etoxazole	0.003/0.01	ND	0.01	Pass
Fenhexamid	0.007/0.02	ND	0.02	Pass
Fenoxycarb	0.003/0.01	ND	0.01	Pass
Fenpyroximate	0.007/0.02	ND	0.02	Pass
Fipronil	0.003/0.01	ND	0.01	Pass
Flonicamid	0.003/0.01	ND	0.01	Pass
Fludioxonil	0.003/0.01	ND	0.01	Pass
Hexythiazox	0.003/0.01	ND	0.01	Pass
Imazalil	0.003/0.01	ND	0.01	Pass
Imidacloprid	0.003/0.01	ND	0.01	Pass
Kresoxim Methyl	0.003/0.01	ND	0.01	Pass
Malathion	0.003/0.01	ND	0.01	Pass
Metalaxyl	0.003/0.01	ND	0.01	Pass
Methiocarb	0.003/0.01	ND	0.01	Pass
Methomyl	0.003/0.01	ND	0.01	Pass
Methyl parathion	0.003/0.01	ND	0.01	Pass
Mevinphos	0.007/0.02	ND	0.02	Pass
Myclobutanil	0.003/0.01	ND	0.01	Pass
Naled	0.003/0.01	ND	0.01	Pass
Oxamyl	0.003/0.01	ND	0.01	Pass
Paclobutrazol	0.003/0.01	ND	0.01	Pass
Pentachloronitrobenzene	0.003/0.01	ND	0.01	Pass
Permethrins	0.015/0.05	ND	0.05	Pass
Phosmet	0.003/0.01	ND	0.01	Pass
Piperonyl Butoxide	0.003/0.01	ND	0.01	Pass
Prallethrin	0.015/0.05	ND	0.05	Pass
Propiconazole	0.003/0.01	ND	0.01	Pass
Propoxur	0.003/0.01	ND	0.01	Pass
Pyrethrins	0.015/0.05	ND	0.05	Pass
Pyridaben	0.003/0.01	ND	0.01	Pass
Spinetoram	0.003/0.01	ND	0.01	Pass
Spinosad	0.003/0.01	ND	0.01	Pass
Spiromesifen	0.003/0.01	ND	0.01	Pass
Spirotetramat	0.003/0.01	ND	0.01	Pass
Spiroxamine	0.003/0.01	ND	0.01	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Tebuconazole	0.003/0.01	ND	0.01	Pass
Thiacloprid	0.003/0.01	ND	0.01	Pass
Thiamethoxam	0.003/0.01	ND	0.01	Pass
Trifloxystrobin	0.003/0.01	ND	0.01	Pass
Azadirachtin	0.100/0.30	ND	0.3	Pass
Chlormequat Chloride	0.03/0.10	ND	0.1	Pass

Residual Solvent Screen Pass

02/25/2026

Method: MF-CHEM-32

Measurement of Uncertainty Average: ±1.43%

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Propane	67/200	ND	210	Pass
1,1-Dichloroethene	2/4	ND	8	Pass
1,2-Dichloroethane	0.2/0.5	ND	1	Pass
Acetone	67/200	ND	750	Pass
Acetonitrile	67/200	ND	60	Pass
Benzene	0.2/0.5	ND	1	Pass
Chloroform	0.2/0.5	ND	1	Pass
Ethanol	67/200	<LOQ	5000	Pass
Ethyl acetate	67/200	ND	400	Pass
Ethyl ether	67/200	ND	500	Pass
Ethylene oxide	0.2/0.5	ND	1	Pass
n-Heptane	67/200	ND	500	Pass
Isopropyl alcohol	67/200	ND	500	Pass
Methanol	67/200	ND	250	Pass
Methylene chloride	0.2/0.5	ND	1	Pass
Toluene	67/200	ND	150	Pass
n-Butane	67/200	ND	800	Pass
n-Hexane	67/200	ND	100	Pass
n-Pentane	67/200	ND	750	Pass
Total Xylenes	67/200	ND	150	Pass

Heavy Metal Screen Pass

02/25/2026

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Measurement of Uncertainty Average: ±4.4%

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit	Status
Arsenic	0.033/0.101	ND	0.2	Pass
Cadmium	0.047/0.141	ND	0.2	Pass
Mercury	0.014/0.05	ND	0.1	Pass
Lead	0.107/0.324	ND	0.5	Pass

Foreign Material Pass

02/25/2026

Method: MF-CHEM-7

Analyte	Findings	Limit	Status
Sand, Soils, Cinders, and Dirt	ND	25%	Pass
Mold	ND	25%	Pass
Imbedded Foreign Material	ND	25%	Pass
Insect Fragment	ND	1 per 3g	Pass
Hair	ND	1 per 3g	Pass
Mammalian Excreta	ND	1 per 3g	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

anresco LABORATORIES since 1943

Certificate of Analysis

Mycotoxin Screen ✔ Pass

02/25/2026

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Measurement of Uncertainty (MU): ±20.21%

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	20	Pass
Aflatoxin B2	2/5	ND	20	Pass
Aflatoxin G1	2/5	ND	20	Pass
Aflatoxin G2	2/5	ND	20	Pass
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	2/5	ND	20	Pass

Product Ingredients: Filtered Sparkling Water, Daizy's Juice Blend (Grape Juice Concentrate, Apple Juice Concentrate), Cane Sugar, Citric Acid, Natural Flavors, Hemp Extract, Fermented Reb-M, Sea Salt.

F.S. § 581.217 & FDACS Rule § 5K-4.034 Manufacturer Attestation: Per manufacturer attestation, this batch was processed in a facility holding a valid health or food safety permit and meets all relevant sanitation requirements. Pursuant to Rule § 5K-4.034, the manufacturer maintains these permits and facility inspection records to provide upon request. Verifying this documentation falls outside the scope of the lab's analytical testing.

AL ABC Rule 20-X-32 Attestation: The laboratory maintains documentation from the submitter affirming the cannabinoids in this sample are naturally extracted and were not created via chemical synthesis, modification, or chemical conversion from another cannabinoid utilizing non-cannabis materials.

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

Reported by



Vu Lam
Lab Co Director

Scan to verify

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.