

# MULTI-SIDED

DIRECT VENT GAS FIREPLACE

HEAT & GLO®



Available IntelliFire®  
app and voice control



# MULTI-SIDED

Enjoy the power of fire in dramatic new ways. Divide a space with elegance. Warm up a dim corner. Add architectural interest to any floor plan. Multi-sided gas fireplaces make it all possible.



SEE IT BURN



B

**A ESCAPE**

Escape to warmth and comfort from two sides, with the best fire, the cleanest look and an authentic masonry appearance. Virtually invisible, anti-reflective glass and micro-screen mesh create a captivating traditional focal point. Operating your fireplace is simple, smart and safe with IntelliFire Touch®.

**B SEE-THROUGH**

This stunning see-through fireplace allows you to add architectural interest to two rooms in a creative way. Multiple personalization options let you bring your vision to life. Operating your fireplace is simple, smart and safe with IntelliFire Touch.

**C CORNER**


Add architectural interest to your space and enjoy the power of fire in creative new ways with this stunning two-sided gas fireplace. Operating your fireplace is simple, smart and safe with IntelliFire Touch.

**D PIER**

Add architectural interest to your space and enjoy the power of fire in creative new ways with these three-sided gas fireplaces. Multiple personalization options let you bring your vision to life. Operating your fireplace is simple, smart and safe with IntelliFire Touch.



C



D

LEFT: ESCAPE shown with firescreen front in black

TOP RIGHT: SEE-THROUGH shown with Firescreen front in black and Stratford brick interior

MIDDLE RIGHT: CORNER shown with Firescreen front in black with standard brick interior

BOTTOM RIGHT: PIER shown with Firescreen front in black, crystal glass and black glass interior



SEE IT BURN



# MODEL COMPARISON


FEATURES	ESCAPE	SEE-THROUGH	PIER	LEFT & RIGHT CORNER
				
Model	ESCAPE-ST	ST-DV36IN	PIER-DV36IN	LCOR/RCOR-DV36IN
Size/Viewing Area	42"	36"	36"	36"
Type	See-Through	See-Through	Multi-Sided	Multi-Sided
Room Sizes	Medium to large	Medium to large	Medium to large	Medium large
BTU/hr Input	43,500 to 57,500	21,000 to 38,000	21,000 to 38,000	21,000 to 38,000
Interior Panels	Standard: Stratford Brick	<ul style="list-style-type: none"> <li>Standard – Black Metal</li> <li>Optional – Weathered Traditional Brick – Reflective Black Glass</li> </ul>	<ul style="list-style-type: none"> <li>Standard – Black Metal</li> <li>Optional – Weathered Traditional Brick – Reflective Black Glass</li> </ul>	Standard: Brick
Modern Flame and Media	N/A	Optional	Optional	N/A
Ceramic Standard Definition Logs	Nine	Six	Six	Seven
Media	N/A	Crystal, amber, scarlet, ebony, cobalt, fog, stones	Crystal, amber, scarlet, ebony, cobalt, fog, stones	N/A
Flame	Stunning flame	<ul style="list-style-type: none"> <li>Stunning flame;</li> <li>Contemporary flame*</li> </ul>	<ul style="list-style-type: none"> <li>Stunning flame;</li> <li>Contemporary flame*</li> </ul>	Stunning flame
Embers	Glowing and electric	Glowing	Glowing	Glowing
Accent Lighting	Standard	N/A	N/A	N/A
Glass	Virtually invisible anti-reflective ceramic	Tempered	Tempered	Tempered
Remote Control	Standard	Optional	Optional	Optional
Wall Switches	Optional	Optional	Optional	Optional
Ignition System	IntelliFire Touch*	IntelliFire Touch	IntelliFire Touch	IntelliFire Touch
<b>TECHNOLOGIES</b>				
Heat Management Technologies	<ul style="list-style-type: none"> <li>Optional Heat-Zone*</li> <li>Optional Heat-Out*</li> </ul>	N/A	N/A	N/A
Turndown	50%	50%	50%	50%
Direct Vent	Standard	Standard	Standard	Standard
PowerVent	Optional	Optional	Optional	Optional
Anti-Reflective Glass	Standard	N/A	N/A	N/A
Micro-Screen	Standard	N/A	N/A	N/A

\*With contemporary kit


TOP LEFT: SEE-THROUGH shown with Firescreen front in black and fade-resistant black glass interior

BOTTOM LEFT: ESCAPE SEE-THROUGH shown with arched firescreen front in black

## FRONT OPTIONS



ARCHED FIRESCREEN (ESCAPE) Available in black new bronze and gun metal.




FIRESCREEN (ESCAPE) Available in black new bronze and gun metal.




FIRESCREEN (SEE-THROUGH, PIER, LEFT & RIGHT CORNER) Available in black.

### FINISHES



BLACK



NEW BRONZE



GUN METAL

## INTERIOR PANEL OPTIONS



STRATFORD BRICK (ESCAPE ONLY)



WEATHERED TRADITIONAL BRICK (SEE-THROUGH AND PIER ONLY)



REFLECTIVE BLACK GLASS (SEE-THROUGH AND PIER ONLY)



BLACK METAL PANELS (SEE-THROUGH AND PIER ONLY)



BRICK (LEFT & RIGHT CORNER ONLY)

## INTERIOR MEDIA OPTIONS

Available only for See-Through and Pier with optional contemporary kit.



CRYSTAL GLASS



EBONY GLASS



COBALT GLASS



AMBER GLASS



SCARLET GLASS



ICED FOG GLASS



CAST STONES

### ANDIRONS

Optional andirons are available in black on the Escape only.



## CONTROLS

### INTELLIFIRE APP

All the features of a remote control with an app installed on your smart device. Monitor your fire from anywhere or even control it with the sound of your voice. IntelliFire is compatible with voice assistants Amazon Alexa and Google Assistant.



### TOUCHSCREEN REMOTE

Features: on/off, flame height adjustment, fan speed, lights adjustment, thermostat mode, room temperature readout, child lock, timer mode, battery backup, cold climate mode, power vent, wall docking station (fan, lights and power vent are dependent on your fireplace).



### WIRELESS WALL SWITCH

Features: on/off, battery strength indicator, cold climate mode.



## MULTI-SIDED TECHNOLOGIES



### INTELLIFIRE TOUCH IGNITION SYSTEM

IntelliFire Touch is our most advanced intermittent-pilot ignition (IPI) system, making operating your appliance simple, smart and safe. Select the IntelliFire app, touch-screen remote control or wireless wall switch for the solution that fits your lifestyle.



### LED EMBER BED

Add an extra layer of dimension and light to your fire. Realistic illuminated embers let you enjoy the ambiance, with or without the fire.



### DIRECT VENT TECHNOLOGY

With direct vent fireplaces and inserts, 100% of combustion exhaust and fumes are removed from your home. These sealed fireplaces provide optimal heat, conserve energy and ensure clean, safe indoor air quality.



### FADE-RESISTANT REFLECTIVE BLACK GLASS PANELS

A clean look that reflects the fire and never gets dull. For the life of your fireplace.



### POWER VENTING TECHNOLOGY

Fireplaces aren't just for exterior walls. A fan-powered accessory with slim venting can zigzag throughout your home—up, down, over or under—making it possible to install a gas fireplace virtually anywhere. This ensures safe fireplace operation and the best flames. Check with your local hearth professional to determine if your home or fireplace could benefit from power venting technology.



Solutions to help you manage the heat throughout your house:

**HEAT-ZONE KIT** Reduce wall temperatures and redirect up to 50% of the heat from your fireplace to another room in your home.

**HEAT-OUT KIT** Redirect up to 40% of the heat from your fireplace and direct it outside for comfort year round.


**OPTIONAL FAN** Move heat directly into the room for added comfort.

## EFFICIENCIES

### ENERGUIDE (CSA P.4.1-15)

EnerGuide is a rating used in Canada to measure annual fireplace efficiency.

ESCAPE-ST	62.5%
ST-DV36IN	58%
PIER-DV36IN	58%
L/RCOR-DV36IN	54%




RIGHT: PIER shown with Firescreen front in black, reflective black glass interior and contemporary kit with scarlet glass

# SPECIFICATIONS


## ESCAPE SEE-THROUGH

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		GLASS SIZE	BTU/HOUR INPUT
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING		
ESCAPE SEE-THROUGH (IFT)	59-15/16 [1522]	60-1/4 [1530]	59-15/16 [1524]	60-1/4 [1530]	46-3/8 [1178]	46-1/2 [1181]	30 [762]	30 [762]	39-7/16 x 35-1/8 [1002 X 892]	43,500 - 57,500




## SEE-THROUGH

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		GLASS SIZE	BTU/HOUR INPUT
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING		
ST-DV36IN	42-1/2 [1080]	43 [1092]	42-1/2 [1080]	43 [1092]	38 [965]	38-1/8 [968]	24 [610]	23 [584]	33 X 21-5/8 [838 X 549]	21,000 - 38,000




**PIER**

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		GLASS SIZE	BTU/HOUR INPUT
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING		
PIER-DV36IN	40-1/2 [1029]	40 [1016]	40-1/2 [1029]	40 [1016]	38 [965]	38-1/8 [968]	24 [610]	23 [584]	33 X 21-5/8 [838 X 549]	21,000 - 38,000



**CORNER**

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		GLASS SIZE	BTU/HOUR INPUT
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING		
LCOR/RCOR-DV36IN	40-1/2 [1029]	40 [1016]	40-1/2 [1029]	40 [1016]	38 [965]	38-1/8 [968]	24-1/2 [622]	24 [610]	33 X 21-5/8 [838 X 549]	21,000 - 38,000



Dimensions shown are in inches. Reference dimensions only. We recommend measuring individual units at installation. Assumes the use of 1/2" Sheetrock. NOTE: Non-combustible material is allowed over this dimension. Make sure you do NOT cover the decorative door opening.

Refer to installation manual for detailed specifications on installing this product. Heat & Glo reserves the right to update units periodically. The flame and ember appearance may vary based on the type of fuel burned and the venting configuration used. Pictures in this brochure are not true representation of the fireplace, flames and/or finishes.



#### OUR SUSTAINABILITY STORY

Our history of leadership in the hearth industry compels us to now lead the way in developing manufacturing practices that ensure our planet remains as durable, beautiful and long-lasting as our products. Find out how we are leading the industry in sustainable practices by scanning the code.

For complete information on this model, please contact us at:



No one builds a better fire

Web: [heatnglo.com](http://heatnglo.com)  
Phone: (888) 427-3973 (952) 985-6000  
Email: [info@heatnglo.com](mailto:info@heatnglo.com)

[facebook.com/HeatandGlo](https://facebook.com/HeatandGlo)

[x.com/HeatandGlo](https://x.com/HeatandGlo)

[youtube.com/HeatandGlo](https://youtube.com/HeatandGlo)

#### LIMITED LIFETIME WARRANTY\*

The strongest in the industry, Heat & Glo® provides a limited lifetime warranty on the most important aspects: firebox and heat exchanger.


\*For full warranty details, go to [www.heatnglo.com](http://www.heatnglo.com).

Fireplace glass and other surfaces get extremely HOT and can cause severe burns if touched. Do not remove the protective safety screen from the front of the glass. Keep a safe distance away. To learn more visit [www.heatnglo.com/fireplacesafety](http://www.heatnglo.com/fireplacesafety)

Google, YouTube and Google Home are trademarks of Google LLC. Amazon, Alexa, and all related logos are trademarks of Amazon.com, Inc. or its affiliates.



LEARN MORE



HNG-1034U-0324