


GENERAL NOTES:

1. Concrete Design Strength: $f'_c = 4,000$ psi
2. Reinforcing: ASTM A775 (Rebar) Grade 60, Epoxy Coated



BSHW-24DBLE - BILL OF MATERIALS / EMBEDS				
CSI ID#	DESCRIPTION	QTY	UM	COMMENTS
EM-00116	UTILITY ANCHOR 6UA444 GALVANIZED	2	EA	
RM-00014	REBAR #4 EPOXY GR 60	88	LB	
MX-FA4000SM	MIX DSGN FLY ASH 4000 SUMMER MIX	1.95	CY	

All Rebar to be Epoxy Coated

Rebar Schedule			
MK	QTY	LENGTH	
401 #4	11	5' - 6"	
402 #4	7	10' - 3"	

WEIGHT		
BSHW-24DBLE	3.94	TONS

HEADWALL FOR DUAL 24" RCP OR 24" ADS
W/ EPOXY COATED REINFORCING - CSI #BSHW-24DBLE

CONTRACTOR:

Contract No.

ENGINEER:

Date

JOB:

Drawing No.

LOCATION:

BSHW-24DBLE
Revision



Concrete Systems Inc.
9 Commercial St., Hudson, NH, 03051
Phone 603-889-4163
Fax 603-889-0039