

PRODUCT: Q1SPROR60B

WEIGHT: 2216 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

QUANTITY: ____

CONCRETE COLOR:

- ☐ NATURAL
☐ MISSION WHITE
☐ CUSTOM: _____

CONCRETE TEXTURE:

- ☐ CRAFTSMANS ETCH
☐ STRATA
☐ HONED (PREMIUM CHARGE)

SEALER: STANDARD SEALER


GENERAL PRODUCT NOTES:

E = EXPOSED FINISHED SURFACE
INSTALLATION IS REQUIRED BY OTHERS.
ALL EDGES TO BE EASED.
MANUFACTURING TOLERANCE $\pm 1/8"$.


Authorized Signature _____

Date _____


By signing above or stamping this drawing "approved" or "no exception taken" authorization is given to QCP to produce this drawing as shown within a $1/8"$ tolerance.




PLAN VIEW




SIDE VIEW



SECTION VIEW



ELEVATION VIEW



BOTTOM VIEW



PLAN TYPE	CONSTRUCTION PLAN	DATE	6/10/26	FILE NO.	Q1SPROR60B	SHEET	1
PRODUCT	Q1SPROR60B RADIUS BENCH SPARROW	SCALE	1/2" = 1'	DRAWN BY:	----	OF	1
PROJECT NAME		PC. NO.		QC ITEM NO.			

PRODUCT: Q1SPROR60BL

WEIGHT: 1757 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

QUANTITY: ____

CONCRETE COLOR:

- ☐ NATURAL
☐ MISSION WHITE
☐ CUSTOM: _____

CONCRETE TEXTURE:

- ☐ CRAFTSMANS ETCH
☐ STRATA
☐ HONED (PREMIUM CHARGE)

SEALER: STANDARD SEALER

GENERAL PRODUCT NOTES:

E = EXPOSED FINISHED SURFACE

INSTALLATION IS REQUIRED BY OTHERS.







ALL EDGES TO BE EASED.

MANUFACTURING TOLERANCE $\pm 1/8"$.

Authorized Signature

Date

By signing above or stamping this drawing "approved" or "no exception taken" authorization is given to QCP to produce this drawing as shown within a 1/8" tolerance.



PLAN TYPE	CONSTRUCTION PLAN	DATE	6/9/26	FILE NO.	Q1SPROR60BL	SHEET	1
PRODUCT	Q1SPROR60BL RADIUS LEFT BENCH SPARROW	SCALE	1/2" = 1'	DRAWN BY:	M.M.	OF	1
PROJECT NAME		PC. NO.		QC ITEM NO.			

PRODUCT: Q1SPROR60BR

WEIGHT: 1757 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

QUANTITY: _____

CONCRETE COLOR:

- ☐ NATURAL
☐ MISSION WHITE
☐ CUSTOM: _____

CONCRETE TEXTURE:

- ☐ CRAFTSMANS ETCH
☐ STRATA
☐ HONED (PREMIUM CHARGE)

Authorized Signature _____

Date _____

By signing above or stamping this drawing "approved" or "no exception taken" authorization is given to QCP to produce this drawing as shown within a 1/8" tolerance.

SEALER: STANDARD SEALER


GENERAL PRODUCT NOTES:

E = EXPOSED FINISHED SURFACE


INSTALLATION IS REQUIRED BY OTHERS.

ALL EDGES TO BE EASED.


MANUFACTURING TOLERANCE $\pm 1/8"$.




SIDE "B" VIEW




SIDE "A" VIEW




SECTION VIEW



PLAN VIEW



ELEVATION VIEW



BOTTOM VIEW



PLAN TYPE	CONSTRUCTION PLAN	DATE 6/10/26	FILE NO. Q1SPROR60BR	SHEET 1
PRODUCT	Q1SPROR60BR RADIUS RIGHT BENCH SPARROW	SCALE 1/2" = 1'	DRAWN BY: M.M.	OF
PROJECT NAME		PC. NO.	QC ITEM NO.	1

PRODUCT: Q2SPRO36B

SRC COLOR AND TEXTURE OPTIONS:

WEIGHT: 1135 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

QUANTITY: _____

CONCRETE COLOR:

- ☐ NATURAL
☐ MISSION WHITE
☐ CUSTOM: _____

CONCRETE TEXTURE:

- ☐ CRAFTSMANS ETCH
☐ STRATA
☐ HONED (PREMIUM CHARGE)
☐ TERRAZO HONED (PREMIUM CHARGE)
w/ BIRDS EYE AGGREGATE

SEALER: STANDARD SEALER

WOOD OPTION

WEIGHT: 189 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

QUANTITY: _____

- ☐ MILLED CEDAR WOOD

GENERAL PRODUCT NOTES:

E = EXPOSED FINISHED SURFACE

INSTALLATION IS REQUIRED BY OTHERS.


ALL EDGES TO BE EASED.

MANUFACTURING TOLERANCE $\pm 1/8"$.


Authorized Signature _____

Date _____


By signing above or stamping this drawing "approved" or "no exception taken" authorization is give to QCP to produce this drawing as shown within a 1/8" tolerance.




PLAN VIEW




SIDE VIEW



ELEVATION VIEW



SECTION VIEW



BOTTOM VIEW



PLAN TYPE

CONSTRUCTION PLAN

PRODUCT

Q2SPRO36B | BENCH | SPARROW

PROJECT NAME

DATE
5/28/26

SCALE
5/8" = 1'

PC. NO.

FILE NO.
Q2SPRO36B

DRAWN BY:
M.M.

QC ITEM NO.

SHEET
1

OF
1

PRODUCT: Q2SPRO36BE

SRC COLOR AND TEXTURE OPTIONS:

WEIGHT: 1112 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

QUANTITY: ____

CONCRETE COLOR:

- ☐ NATURAL
☐ MISSION WHITE
☐ CUSTOM: _____

CONCRETE TEXTURE:

- ☐ CRAFTSMANS ETCH
☐ STRATA
☐ HONED (PREMIUM CHARGE)
☐ TERRAZO HONED (PREMIUM CHARGE)
w/ BIRDS EYE AGGREGATE

SEALER: STANDARD SEALER

WOOD OPTION

WEIGHT: 180 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

QUANTITY: ____

- ☐ MILLED CEDAR WOOD


GENERAL PRODUCT NOTES:

E = EXPOSED FINISHED SURFACE


INSTALLATION IS REQUIRED BY OTHERS.

ALL EDGES TO BE EASED.


MANUFACTURING TOLERANCE $\pm 1/8"$.




SIDE "B" VIEW




SIDE "A" VIEW




SECTION VIEW



PLAN VIEW



ELEVATION VIEW



BOTTOM VIEW



PLAN TYPE	CONSTRUCTION PLAN	DATE 6/10/26	FILE NO. Q2SPRO36BE	SHEET 1
PRODUCT	Q2SPRO36BE BENCH END SPARROW	SCALE 5/8" = 1'	DRAWN BY: M.M.	OF
PROJECT NAME		PC. NO.	QC ITEM NO.	1

PRODUCT: Q2SPROR60B

SRC COLOR AND TEXTURE OPTIONS:

WEIGHT: 1412 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

Authorized Signature

Date

By signing above or stamping this drawing "approved" or "no exception taken" authorization is given to QCP to produce this drawing as shown within a 1/8" tolerance.

QUANTITY: ____

CONCRETE COLOR:

- ☐ NATURAL
☐ MISSION WHITE
☐ CUSTOM: _____

CONCRETE TEXTURE:

- ☐ CRAFTSMANS ETCH
☐ STRATA
☐ HONED (PREMIUM CHARGE)
☐ TERRAZO HONED (PREMIUM CHARGE)
w/ BIRDS EYE AGGREGATE

SEALER: STANDARD SEALER

WOOD OPTION

WEIGHT: 229 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

QUANTITY: ____

- ☐ MILLED CEDAR WOOD


GENERAL PRODUCT NOTES:

E = EXPOSED FINISHED SURFACE


INSTALLATION IS REQUIRED BY OTHERS.

ALL EDGES TO BE EASED.


MANUFACTURING TOLERANCE $\pm 1/8"$.




PLAN VIEW




SIDE VIEW



ELEVATION VIEW



SECTION VIEW



BOTTOM VIEW



PLAN TYPE	CONSTRUCTION PLAN	DATE 6/10/26	FILE NO. Q2SPROR60B	SHEET 1
PRODUCT	Q2SPROR60B RADIUS BENCH SPARROW	SCALE 5/8" = 1'	DRAWN BY: M.M.	OF
PROJECT NAME		PC. NO.	QC ITEM NO.	1

PRODUCT: Q2SPROR60BLE

SRC COLOR AND TEXTURE OPTIONS:

WEIGHT: 1380 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

Authorized Signature

Date

By signing above or stamping this drawing "approved" or "no exception taken" authorization is given to QCP to produce this drawing as shown within a 1/8" tolerance.

QUANTITY: ____

CONCRETE COLOR:

- ☐ NATURAL
☐ MISSION WHITE
☐ CUSTOM: _____

CONCRETE TEXTURE:

- ☐ CRAFTSMANS ETCH
☐ STRATA
☐ HONED (PREMIUM CHARGE)
☐ TERRAZO HONED (PREMIUM CHARGE)
w/ BIRDS EYE AGGREGATE

SEALER: STANDARD SEALER

WOOD OPTION

WEIGHT: 222 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

QUANTITY: ____

- ☐ MILLED CEDAR WOOD


GENERAL PRODUCT NOTES:

E = EXPOSED FINISHED SURFACE


INSTALLATION IS REQUIRED BY OTHERS.

ALL EDGES TO BE EASED.


MANUFACTURING TOLERANCE $\pm 1/8"$.




SIDE "B" VIEW




SIDE "A" VIEW




SECTION VIEW



PLAN VIEW



ELEVATION VIEW



BOTTOM VIEW



PLAN TYPE	CONSTRUCTION PLAN	DATE	6/10/26	FILE NO.	Q2SPROR60BLE	SHEET	1
PRODUCT	Q2SPROR60BLE RADIUS BENCH LEFT END SPARROW	SCALE	5/8" = 1'	DRAWN BY:	M.M.	OF	
PROJECT NAME		PC. NO.		QC ITEM NO.			1

PRODUCT: Q2SPROR60BRE

SRC COLOR AND TEXTURE OPTIONS:

WEIGHT: 1380 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

Authorized Signature

Date

By signing above or stamping this drawing "approved" or "no exception taken" authorization is given to QCP to produce this drawing as shown within a 1/8" tolerance.

QUANTITY: ____

CONCRETE COLOR:

- ☐ NATURAL
☐ MISSION WHITE
☐ CUSTOM: _____

CONCRETE TEXTURE:

- ☐ CRAFTSMANS ETCH
☐ STRATA
☐ HONED (PREMIUM CHARGE)
☐ TERRAZO HONED (PREMIUM CHARGE)
w/ BIRDS EYE AGGREGATE

SEALER: STANDARD SEALER

WOOD OPTION

WEIGHT: 222 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

QUANTITY: ____

- ☐ MILLED CEDAR WOOD


GENERAL PRODUCT NOTES:

E = EXPOSED FINISHED SURFACE


INSTALLATION IS REQUIRED BY OTHERS.

ALL EDGES TO BE EASED.


MANUFACTURING TOLERANCE $\pm 1/8"$.




SIDE "B" VIEW




PLAN VIEW



SIDE "A" VIEW




ELEVATION VIEW



SECTION VIEW

(2) 3/4"DIA. x 6"L.
COIL INSERTS (CX-2)
FOR DE-MOLDING
(IF WOOD NO INSERT)

(4) 1/2"DIA. x 2 3/4"L.
INSERTS (FX-5) FOR ANCHORING
(IF WOOD THEN 1/2" WOOD INSERT)



BOTTOM VIEW




PLAN TYPE	CONSTRUCTION PLAN	DATE	6/10/26	FILE NO.	Q2SPROR60BRE	SHEET	1
PRODUCT	Q2SPROR60BRE RADIUS BENCH RIGHT END SPARROW	SCALE	5/8" = 1'	DRAWN BY:	M.M.	OF	
PROJECT NAME		PC. NO.		QC ITEM NO.			1

Authorized Signature

Date

By signing above or stamping this drawing "approved" or "no exception taken" authorization is give to QCP to produce this drawing as shown within a 1/8" tolerance.



SECTION VIEW

qcp www.qcp-corp.com	PLAN TYPE	INSTALLATION PLAN	DATE	FILE NO.	SHEET
	PRODUCT	SPARROW BENCH FINISH SURFACE	6/10/26	SPROBFSIN	1
	PROJECT NAME		SCALE	DRAWN BY:	OF
			1 1/2" = 1'	---	1
			PC. NO.	QC ITEM NO.	