

PRODUCT: Q1SPROR60BGFRCBG

WEIGHT: 357 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

QUANTITY: ____

CONCRETE COLOR:

- ☐ NATURAL
☐ MISSION WHITE
☐ CUSTOM: _____

CONCRETE TEXTURE:

- ☐ CRAFTSMANS ETCH
☐ STRATA
☐ HONED (PREMIUM CHARGE)

SEALER: STANDARD SEALER


GENERAL PRODUCT NOTES:

E = EXPOSED FINISHED SURFACE
INSTALLATION IS REQUIRED BY OTHERS.
ALL EDGES TO BE EASED.
MANUFACTURING TOLERANCE $\pm 1/8"$.


Authorized Signature _____

Date _____


By signing above or stamping this drawing "approved" or "no exception taken" authorization is given to QCP to produce this drawing as shown within a 1/8" tolerance.




PLAN VIEW




SIDE VIEW



ELEVATION VIEW



SECTION VIEW



BOTTOM VIEW



PLAN TYPE	CONSTRUCTION PLAN	DATE	7/8/26	FILE NO.	Q1SPROR60BGFRCBG	SHEET	1
PRODUCT	Q1SPROR60BGFRCBG RADIUS BENCH SPARROW	SCALE	1/2" = 1'	DRAWN BY:	M.M.	OF	
PROJECT NAME		PC. NO.		QC ITEM NO.			1

PRODUCT: Q1SPROR60BLGFRCBG

WEIGHT: 296 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

QUANTITY: _____

CONCRETE COLOR:

- ☐ NATURAL
☐ MISSION WHITE
☐ CUSTOM: _____

CONCRETE TEXTURE:

- ☐ SANDSTONE
☐ SMOOTH
☐ HONED (PREMIUM CHARGE)

Authorized Signature _____

Date _____

By signing above or stamping this drawing "approved" or "no exception taken" authorization is given to QCP to produce this drawing as shown within a 1/8" tolerance.

SEALER: STANDARD SEALER

GENERAL PRODUCT NOTES:







E = EXPOSED FINISHED SURFACE

INSTALLATION IS REQUIRED BY OTHERS.

ALL EDGES TO BE EASED.

MANUFACTURING TOLERANCE $\pm 1/8"$.

GFRG



PLAN TYPE	CONSTRUCTION PLAN	DATE	7/8/26	FILE NO.	Q1SPROR60BLGFRCBG	SHEET	1
PRODUCT	Q1SPROR60BLGFRCBG RADIUS LEFT BENCH SPARROW	SCALE	1/2" = 1'	DRAWN BY:	M.M.	OF	
PROJECT NAME		PC. NO.		QC ITEM NO.			1

PRODUCT: Q1SPROR60BRGFRCBG

WEIGHT: 296 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

QUANTITY: _____

CONCRETE COLOR:

- ☐ NATURAL
☐ MISSION WHITE
☐ CUSTOM: _____

CONCRETE TEXTURE:

- ☐ SANDSTONE
☐ SMOOTH
☐ HONED (PREMIUM CHARGE)

Authorized Signature _____

Date _____

By signing above or stamping this drawing "approved" or "no exception taken" authorization is given to QCP to produce this drawing as shown within a 1/8" tolerance.

SEALER: STANDARD SEALER

GENERAL PRODUCT NOTES:


E = EXPOSED FINISHED SURFACE

INSTALLATION IS REQUIRED BY OTHERS.


ALL EDGES TO BE EASED.

MANUFACTURING TOLERANCE $\pm 1/8"$.


GFR




SIDE "B" VIEW




SIDE "A" VIEW




SECTION VIEW



PLAN VIEW



ELEVATION VIEW



BOTTOM VIEW



PLAN TYPE	CONSTRUCTION PLAN	DATE	7/8/26	FILE NO.	Q1SPROR60BRGFRCBG	SHEET	1
PRODUCT	Q1SPROR60BRGFRCBG RADIUS RIGHT BENCH SPARROW	SCALE	1/2" = 1'	DRAWN BY:	M.M.	OF	
PROJECT NAME		PC. NO.		QC ITEM NO.			1




WEIGHT: 177 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

☐ NATURAL
☐ MISSION WHITE
☐ CUSTOM:

☐ SANDSTONE
☐ SMOOTH
☐ HONED (PREMIUM CHARGE)

By signing above or stamping this drawing "approved" or "no exception taken" authorization is give to QCP to produce this drawing as shown within a 1/8" tolerance.

GFRC



PLAN TYPE	CONSTRUCTION PLAN	DATE 7/8/26	FILE NO. Q2SPRO36BEGFRCBG	SHEET 1
PRODUCT	Q2SPRO36BEGFRCBG BENCH END SPARROW	SCALE 5/8" = 1'	DRAWN BY: M.M.	OF
PROJECT NAME		PC. NO.	QC ITEM NO.	1

PRODUCT: Q2SPRO36BGFRCBG

WEIGHT: 183 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

QUANTITY: _____

CONCRETE COLOR:

- ☐ NATURAL
☐ MISSION WHITE
☐ CUSTOM: _____

CONCRETE TEXTURE:

- ☐ SANDSTONE
☐ SMOOTH
☐ HONED (PREMIUM CHARGE)

Authorized Signature _____

Date _____

By signing above or stamping this drawing "approved" or "no exception taken" authorization is given to QCP to produce this drawing as shown within a 1/8" tolerance.

SEALER: STANDARD SEALER

GENERAL PRODUCT NOTES:


E = EXPOSED FINISHED SURFACE

INSTALLATION IS REQUIRED BY OTHERS.


ALL EDGES TO BE EASED.

MANUFACTURING TOLERANCE $\pm 1/8"$.


GFRC




PLAN VIEW




SIDE VIEW



ELEVATION VIEW



SECTION VIEW



BOTTOM VIEW



PLAN TYPE	CONSTRUCTION PLAN	DATE 7/8/26	FILE NO. Q2SPRO36BGFRCEB	SHEET 1
PRODUCT	Q2SPRO36BGFRCBG BENCH SPARROW	SCALE 5/8" = 1'	DRAWN BY: M.M.	OF
PROJECT NAME		PC. NO.	QC ITEM NO.	1

PRODUCT: Q2SPROR60BGFRCBG

WEIGHT: 228 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

QUANTITY: _____

CONCRETE COLOR:

- ☐ NATURAL
☐ MISSION WHITE
☐ CUSTOM: _____

CONCRETE TEXTURE:

- ☐ SANDSTONE
☐ SMOOTH
☐ HONED (PREMIUM CHARGE)

Authorized Signature _____

Date _____

By signing above or stamping this drawing "approved" or "no exception taken" authorization is given to QCP to produce this drawing as shown within a 1/8" tolerance.

SEALER: STANDARD SEALER

GENERAL PRODUCT NOTES:


E = EXPOSED FINISHED SURFACE

INSTALLATION IS REQUIRED BY OTHERS.


ALL EDGES TO BE EASED.

MANUFACTURING TOLERANCE $\pm 1/8"$.


GFRC




PLAN VIEW




SIDE VIEW



ELEVATION VIEW



SECTION VIEW



BOTTOM VIEW

QCP
www.qcp-corp.com

PLAN TYPE	CONSTRUCTION PLAN	DATE	7/8/26	FILE NO.	Q2SPROR60BGFRCBG	SHEET	1
PRODUCT	Q2SPROR60BGFRCBG RADIUS BENCH SPARROW	SCALE	5/8" = 1'	DRAWN BY:	M.M.	OF	1
PROJECT NAME		PC. NO.		QC ITEM NO.			

PRODUCT: Q2SPROR60BLEGFRCBG

WEIGHT: 219 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

QUANTITY: _____

CONCRETE COLOR:

- ☐ NATURAL
☐ MISSION WHITE
☐ CUSTOM: _____

CONCRETE TEXTURE:

- ☐ SANDSTONE
☐ SMOOTH
☐ HONED (PREMIUM CHARGE)

Authorized Signature _____

Date _____

By signing above or stamping this drawing "approved" or "no exception taken" authorization is given to QCP to produce this drawing as shown within a 1/8" tolerance.

SEALER: STANDARD SEALER

GENERAL PRODUCT NOTES:


E = EXPOSED FINISHED SURFACE

INSTALLATION IS REQUIRED BY OTHERS.


ALL EDGES TO BE EASED.

MANUFACTURING TOLERANCE $\pm 1/8"$.


GFRC




SIDE "B" VIEW




SIDE "A" VIEW




PLAN VIEW



ELEVATION VIEW



SECTION VIEW



BOTTOM VIEW



PLAN TYPE	CONSTRUCTION PLAN	DATE	7/8/26	FILE NO.	Q2SPROR60BLEGFRCBG	SHEET	1
PRODUCT	Q2SPROR60BLEGFRCBG RADIUS BENCH LEFT END SPARROW	SCALE	5/8" = 1'	DRAWN BY:	M.M.	OF	
PROJECT NAME		PC. NO.		QC ITEM NO.			1

PRODUCT: Q2SPROR60BREGFRCBG

WEIGHT: 219 lbs.
(CUSTOMER TO OFFLOAD IF OVER 6000 Lbs.)

QUANTITY: _____

CONCRETE COLOR:

- ☐ NATURAL
☐ MISSION WHITE
☐ CUSTOM: _____

CONCRETE TEXTURE:

- ☐ SANDSTONE
☐ SMOOTH
☐ HONED (PREMIUM CHARGE)

Authorized Signature _____

Date _____

By signing above or stamping this drawing "approved" or "no exception taken" authorization is given to QCP to produce this drawing as shown within a 1/8" tolerance.

SEALER: STANDARD SEALER

GENERAL PRODUCT NOTES:


E = EXPOSED FINISHED SURFACE

INSTALLATION IS REQUIRED BY OTHERS.


ALL EDGES TO BE EASED.

MANUFACTURING TOLERANCE $\pm 1/8"$.


GFRC




SIDE "B" VIEW




PLAN VIEW




SIDE "A" VIEW



ELEVATION VIEW



SECTION VIEW



BOTTOM VIEW




PLAN TYPE	CONSTRUCTION PLAN	DATE	7/8/26	FILE NO.	Q2SPROR60BREGFRCBG	SHEET	1
PRODUCT	Q2SPROR60BREGFRCBG RADIUS BENCH RIGHT END SPARROW	SCALE	5/8" = 1'	DRAWN BY:	M.M.	OF	
PROJECT NAME		PC. NO.		QC ITEM NO.			1

Authorized Signature

Date

By signing above or stamping this drawing "approved" or "no exception taken" authorization is give to QCP to produce this drawing as shown within a 1/8" tolerance.



SECTION VIEW

 www.qcp-corp.com	PLAN TYPE	INSTALLATION PLAN	DATE	7/8/26	FILE NO.	SPROBBGIN	SHEET	1
	PRODUCT	SPARROW BENCH BELOW GRADE	SCALE	1 1/2" = 1'	DRAWN BY:	---	OF	
	PROJECT NAME		PC. NO.		QC ITEM NO.			1