

CATALOGUE 2026

KATALOG CATALOGO CATÁLOGO CATALOGUS



© pagidracing
www.pagidracing.com



STREET+
BY PAGID RACING



ALSO AVAILABLE:
STREET-LEGAL
BRAKE PERFORMANCE




Check out our
product portfolio

INDIVIDUAL COMPONENTS BY VEHICLE: DISC, MOUNTING BELL, BOBBIN SET



Vehicle Manufacturer	Vehicle Type	Race Application	Axle	Side	Outside Diameter	Thickness	Part Number Brake Disc	Part Number Mounting Bell	Part Number Bobbin Set
Alfa Romeo	Giulietta TCR	Sprint	Front	Left	378	34	ED378340101		SA100120301
				Right	378	34	ED378340201		
Alfa Romeo	Giulietta TCR	Endurance	Front	Left	378	34	ED378340701		SA100120301
				Right	378	34	ED378340801		
Audi	RS3 LMS TCR TT Cup	Sprint	Front	Left	378	34	ED378340101	EB378120101	SA100120301
				Right	378	34	ED378340201		
Audi	RS3 LMS TT Cup	Endurance	Front	Left	378	34	ED378340701	EB378120101	SA100120301
				Right	378	34	ED378340801		
Cupra	Leon [Mk3] Cupra TCR	Sprint	Front	Left	378	34	ED378340101	EB378120101	SA100120301
				Right	378	34	ED378340201		
Cupra	Leon [Mk3] Cupra TCR	Endurance	Front	Left	378	34	ED378340701	EB378120101	SA100120301
				Right	378	34	ED378340801		
Hyundai	Hyundai i30 N Fastback V2T class	Endurance	Front	Left	362	32	ED362320301		SA100120301
				Right	362	32	ED362320401		
Lada	Vesta Sport TCR	Sprint	Front	Left	378	34	ED378340101		SA100120301
				Right	378	34	ED378340201		
Lada	Vesta Sport TCR	Endurance	Front	Left	378	34	ED378340701		SA100120301
				Right	378	34	ED378340801		
Opel	Astra TCR	Sprint	Front	Left	378	34	ED378340101	EB378120201	SA100120301
				Right	378	34	ED378340201		
Opel	Astra TCR	Endurance	Front	Left	378	34	ED378340701	EB378120201	SA100120301
				Right	378	34	ED378340801		
Porsche	997 GT3 Cup	Sprint	Front	Left	380	32	ED380320101	EB380100101	SA100100201
				Right	380	32	ED380320201		
Porsche	997 GT3 Cup	Endurance	Front	Left	380	32	ED380321101	EB380100101	SA100100201
				Right	380	32	ED380321201		
Porsche	981 Cayman GT4 Clubsport	Endurance	Front	Left	380	32	ED380321301	EB380100701	SA100100201
				Right	380	32	ED380321401		
	982 Cayman GT4 Clubsport		Rear	Left	380	30	ED380300301	EB380120201	SA100120301
				Right	380	30	ED380300401		
Renault	Mégane RS TCR	Sprint	Front	Left	378	34	ED378340101		SA100120301
				Right	378	34	ED378340201		
Renault	Mégane RS TCR	Endurance	Front	Left	378	34	ED378340701		SA100120301
				Right	378	34	ED378340801		
Volkswagen	Golf GTI TCR	Sprint	Front	Left	378	34	ED378340101	EB378120101	SA100120301
				Right	378	34	ED378340201		
Volkswagen	Golf GTI TCR	Endurance	Front	Left	378	34	ED378340701	EB378120101	SA100120301
				Right	378	34	ED378340801		


Other applications on request



A: Thickness **B:** Inside Diameter **C:** Hat Interface PCD **D:** Max. Pad Depth **E:** Vent Opening

AVAILABLE INDIVIDUAL COMPONENTS: VENTILATED BRAKE DISCS


Outside Diameter	Thickness	Inside Diameter	Hat Interface PCD	Mounting Side	According Bobbin Set	Max. Pad Depth	Vent Opening	Weight Kg.	Part Number Brake Disc
362	32	251	12 x 231	Left	SA100120301	54	15	7.81	ED362320301
				Right					ED362320401
378	34	268	12 x 247.65	Left	SA100120301	54	19	7.44	ED378340101
				Right					ED378340201
378	34	268	12 x 247.65	Left	SA100120301	54	17	8.15	ED378340701
				Right					ED378340801
380	30	280	12 x 260.00	Left	SA100120301	50	17	6.25	ED380300301
				Right					ED380300401
380	32	250	10 x 228.60	Left	SA100100201	65	15	9.38	ED380321101
				Right					ED380321201
380	32	250	10 x 228.60	Left	SA100100201	65	17	8.63	ED380320101
				Right					ED380320201



A: Disc Interface PCD **B:** Stud Bolt Circle **C:** Center Hole Diameter **D:** Offset **E:** Face Thickness

AVAILABLE INDIVIDUAL COMPONENTS: MOUNTING BELL

Vehicle Manufacturer	Vehicle Type	Axle	Disc Interface PCD	Stud Bolt Circle	Center Hole Diameter	Offset	Face Thickness	Part Number Mounting Bell
Audi	RS3 LMS TCR	Front	12 x 247.65	5 x 112	65	8.1	6	EB378120101
		Rear						
Audi	TT Cup	Front	12 x 247.65	5 x 112	65	8.1	6	EB378120101
		Rear						
Cupra	Leon [Mk3] Cupra TCR	Front	12 x 247.65	5 x 112	65	8.1	6	EB378120101
		Rear						
Volkswagen	Golf GTI TCR	Front	12 x 247.65	5 x 112	65	8.1	6	EB378120101
		Rear						



AVAILABLE INDIVIDUAL COMPONENTS: BOBBIN SET

Quantity	A	B	C	D	Brake Disc Flange Thickness	Part Number Bobbin Set
10	11	6.4	9.45	6.55	6.25	SA100100201
12	11	6.4	9.45	6.55	6.25	SA100120301

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
AC			
Cobra 428 7.0	67 - 74	8042	8041
Cobra 7.0	64 - 66	8042	8041
Greyhound	64 - 68	1195	4508
Alfa Romeo			
156 2.0 16V	95 - 98	1295	
4C	13 -	8023	
Berlina 1.75 2.0	68 - 77	4501	4304
Giulia 1.3/1.6	66 - 76	4304	4122
Giulia 2.9 [952] Quadrifoglio	15 -	8005	
Giulia 2.9 [952] Quadrifoglio [ceramic brakes]	15 -	8253	
Giulietta TCR	18 -	1904	1363
GTA 1600	65 - 75	8056	
Sprint GT 1600	63 - 66	4501	4122
Alpina			
B3 [E90/E92]	07 - 10	4931	4933
B5 F1 X	15 -	8200	4932
B6 Biturbo [F12/F13]	12 -	4930	4932
B6 GT3 [race car]	13 -	8092	8093
Alpine			
A110	17 -	8023	
A110 Cup	17 -	2488	2704
A110 GT4	17 -	2488	2704
Aston Martin			
DB11 [cast iron brakes]	16 - 23	8081	2487
DB4	59 - 65	8070	8070
DB4 GT	60 - 63	8071	
DB5 / DB6 / DBS	63 - 70	8042	8041
DB9	04 - 16	2487	1408
DB9 [ceramic brakes]	04 - 16	4941	4943
DBS V8	69 - 74	1191	8041
Vanquish	03 - 08	1287	1408
Vanquish [ceramic brakes]	12 - 18	4941	4943
Vantage [cast iron brakes] street car	18 -	8081	2487
Vantage V12 GT3 [race car]	13 - 14	8087	1674
Vantage V12 GT3 [race car] Alcon caliper	18 -	8100	2704

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Vantage V12 GT3 [race car] endurance	15 - 17	8100	2704
Vantage V12 GT3 [race car] sprint	15 - 17	8087	1674
Vantage V12S [ceramic brake]	13 -	4941	4943
Vantage V8 GT4 ProDrive [race car] 6 piston front	11 - 17	8087	1674
Vantage V8 GT4 ProDrive [race car] 6 piston front, larger rear caliper	11 - 17	8087	1619
Vantage V8 GT4 ProDrive [race car] Alcon caliper	18 -	1539	1607
Vantage V8 GT4 ProDrive [race car] stock OE caliper	12 -	2487	1408
Vantage V8 GTE [race car]	12 - 17	8100	2704
Vantage V8 GTE [race car] Alcon caliper	18 -	8100	2704
Audi			
100	68 - 74	4304	4304
50	74 - 79	4304	
60/75	66 - 72	4304	
80 2.2 Quattro S2	90 - 96	1276	
A1 2.0 TFSI Quattro	12 -	8001	4936
A3 1.8 20V	96 - 03		1158
A3 1.8 20V Turbo	96 - 99	1678	1158
A3 2.0 Quattro [8PA]	04 - 13		8046
A3 2.0 Quattro [8PA]	04 - 13		8046
A3 3.2 Quattro	06 - 13	8001	8046
A4 & A5 & A6 & A7 [several]	08 -	8096	8039
A4 & A6 [several]		8064	1158
A4 1.8 20V	95 - 00	1678	1158
A8 D3 [ceramic brakes]	02 - 09	4907	8039
Q5 [8R]	08 - 16	8096	8039
R8 4.2 and 5.2 FSI quattro	07 - 15	2931	1287
R8 4.2 and 5.2 FSI quattro [ceramic brakes]	09 - 15	4907	1287
R8 5.2 FSI quattro (2nd generation)	15 -	4907	1287
R8 5.2 FSI quattro (2nd generation) [ceramic brakes]	15 -	4907	1287
R8 5.2 RWS (2nd generation)	18 -	2931	1287
R8 GT4 + GT4 Cup [race car]	17 -	8101	1674
R8 LMS GT2 [race car]	20 -	8101	2704
R8 LMS GT3 [race car]	16 - 19	8100	2704
R8 LMS GT3 Evo	19 - 21	8100	1674
R8 LMS GT3 Evo II	21 -	8100	1363
R8 LMS Ultra GT3 [race car]	12 - 15	8087	8046
RS3 LMS TCR [race car]	16 - 20	1539	
RS3 LMS TCR [race car]	21 -	1539	8039
RS3 Sportback [8PA]	11 - 12	2487	1158
RS3 Sportback [8VA]	15 -	2931	8039

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
RS4 quattro [B7]	05 - 08	2931	8039
RS4 quattro Avant [B5]	00 - 02	2830	8039
RS5 (8TR)	10 - 15	2931	8039
RS6 (C5)	02 - 04	2931	8039
RS6 (C6)	08 - 10	8081	4938
RS6 (C6) [ceramic brakes front]	08 - 10	4910	
RS6 (C7)	13 - 18	8238	
RS6 (C7) [ceramic brakes]	13 - 18	8088	
RS6 (C8) [ceramic brakes]	2020 -	8295	1361
RS7 (C8) [ceramic brakes]	2020 -	8295	1158
RSQ8 [ceramic brakes]	2019 -	8295	
S1 EKS RX quattro [Rallycross racecar]	18 -	1616	8046
S1 Sport Quattro Rally Car	84 - 85	1270	8039
S3	99 - 01	1678	8039
S3 Quattro (disc Ø 340 mm) performance brake	14 -	8201	8039
S3 Quattro (disc Ø 345 mm)	06 - 12	8064	4938
S4 [B6 + B7]	04 - 08	8064	4938
S4 [B8] (disc Ø 345 mm)	08 - 15	8096	1158
S5 (disc Ø 345 mm)	07 - 17	8096	
S6 [ceramic brakes]	12 -	4937	1158
S7 [ceramic brakes]	12 -	4937	8046
S8	99 - 02	1842	8046
S8 [ceramic brakes]	02 - 10	4907	1363
TT	98 - 06	1678	1158
TT 3.2 V6 Quattro (disc Ø 288 mm)	06 - 10	8001	8046
TT 3.2 V6 Quattro (disc Ø 345 mm)	06 - 10	8064	
TT Cup [race car]	15 -	1539	8046
TT R32	04 - 06	2830	2704
TT RS 2.5 Quattro	09 - 14	2487	2704
TT RS 2.5 Quattro [FV3]	16 -	2931	3102
TT S 2.0 Quattro	09 - 14	8064	1616
Ave-Riley			
AR2 LMP3 [race car]	17 -	2488	2488
Bentley			
Continental GT [ceramic brakes]	11 -	4937	4938
Continental GT3 [race car]	18 -	8100	2704
Mulsanne [ceramic brakes]	10 -	4937	4938
Continental GT [ceramic brakes]	2018 - 2024	8295	

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Bizzarini			
5300 GT	66 - 68	1191	1192
BMW			
1 Series M Coupe [E82]	11 - 13	8053	8021
120d & 130i [E81 & E87]	03 - 12	1295	8035
135i [E82 & E88]	07 - 13	8084	8085
1600 Ti/1800 Ti/TiSA	63 - 71	4304	
2002 Ti/Tii	69 - 75	4702	
3 Series [E90] M-Technic / Brembo	09 -	8084	8085
3 Series [G20, G21]: M340i, M340d, 320i - 330i M-Technik, 330e M-Technik, 316d - 330d M-Technik	19 -	8275	8276
3.0 CSL [E9]	71 - 75	4703	4122
318is - 325i [E30]	82 - 93	1544	1141
318is - 325i [E36]	90 - 98	2180	1285
320i - 325i [E46]	98 - 05	2180	1285
320i - 330i [E90]	05 - 11	8053	8035
330i [E46]	00 - 05	1295	2685
335i , 335d [E90/E91/E92]	06 - 11	8053	8051
4 Series Coupe [G22, G23, G82]: M440i, M440d, 420i - 430i M-Tech- nik, 420d - 430d M-Technik	20 -	8275	8276
507/700	56 - 65	8070	
850 [E31]	90 - 99	1427	2685
M1 [non Procar]	78 - 82	4703	4304
M1 Procar	78 - 82	1196	4304
M135i [F20 & F21]	11 - 16	4931	4933
M140i [F20]	15 - 17	4931	4933
M2 [F87]	15 - 21	4931	4933
M2 [F87] Competition	18 - 19	4934	1287
M2 [G87]	22 -	8302	4932
M2 CS Racing [Permit A 450PS]	19 - 21	8100	2704
M2 CS Racing [Permit B 365PS]	20 -	1539	1287
M2 CS Racing [Permit B 365PS]	2020	1539	1287
M235i [F22]	13 - 16	4931	4933
M235i Racing [AP front caliper]	16 -	2688	4933
M235i Racing [PFC front caliper]	14 - 15	8197	4933
M240i [F22]	15 -	4931	4933
M240i Racing [AP front caliper]	19 -	2688	4933
M3 [E30] EVO I & II	86 - 92	1144	1285
M3 [E36] 3.0 & 3.2	92 - 99	1295	1285

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
M3 [E46] & M3 CSL	00 - 07	1295	2685
M3 [E90 / E92]	07 - 13	8053	8021
M3 [E92] GT4 race version	09 - 14	1538	1270
M3 [F80]	14 - 18	4931	4933
M3 [F80] [ceramic brakes]	14-18	4934	1287
M3 [G80]	2021-	8302	4932
M3 [G80] [ceramic brakes]	2021 -	8292	
M4 [F82]	14 - 20	4931	4933
M4 [F82] [ceramic brakes]	14 -	4934	1287
M4 [F82] Competition	16 -	4931	4933
M4 [G82]	2021-	8302	4932
M4 [G82] [ceramic brakes]	2021 -	8292	
M4 GT3	2021-	2564	1674
M4 GT4 [F82] [race car]	17 - 21	2019	1674
M4 GT4 [G82] [race car]	22 -	2560	1674
M5 [E34]	88 - 97	1295	1285
M5 [E39]	98 - 03	2683	2685
M5 [E60]	04 - 11	8019	8021
M5 [F10]	11 - 16	4934	4932
M5 [F10] [ceramic brakes]	11 - 16	4935	4932
M5 [F90]	2017 - 2023	8288	
M5 [F90] [ceramic brakes]	2017 - 2023	8292	8021
M6 [E63 / E64]	06 - 12	8019	4932
M6 [F13]	12 - 18	4934	4932
M6 [F13] [ceramic brakes]	12 -	4935	1674
M6 GT3 [race car]	16 -	2019	1674
M6 GTLM [race car]	16 - 17	2019	
M8 [G14]	2018 -	8288	
M8 [G14] [ceramic brakes]	2018 -	8292	2704
M8 GTE [race car]	18 -	8100	
Mini Cooper	02 - 06	2959	
Mini John Cooper Works [Brembo brakes] on request	15 -		1285
Z1	88 - 91	1544	1285
Z3 M Coupe [E36]	98 - 03	1295	1285
Z3 M Roadster 3.2i	97 - 03	1295	1285
Z4	05 - 09	2180	1270
Z4 GT3 [race car]	13 - 15	2557	2685
Z4 M Coupe	06 - 09	1295	8276
Z4 Roadster [G29]: M40i, sDrive 20i-30i M-Technik	19 -	8275	2685
Z8 4.9	00 - 03	2830	

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
BRP Can Am			
Maverick X3	17 -	6005	6005
Cadillac			
CTS-V (4 piston front caliper)	03 - 09	2487	1408
CTS-V (6 piston front caliper)	10 - 14	8081	1408
Caterham			
Seven Range	97 -	3102	1163
SP/300.R	12 -	4349	4349
Stock AP up-grade	97 -	1265	1363
Chevrolet			
Callaway Z06.R GT3 [race car]	16 -	2017	2704
Camaro GT4 R [race car]	17 -	8100	8208
Camaro SS [Gen 5]	09 - 15	2487	1408
Camaro SS [Gen 6] 4 Piston Brembo caliper	16 -	2487	8208
Camaro SS [Gen 6] 6 Piston Brembo caliper - upgrade kit	16 -	8081	8208
Camaro SS 1LE [Gen 6] (6 piston Brembo)	16 -	8081	8208
Camaro Z/28w/ 4 wheel disc	67 - 68	8057	8057
Camaro Z28 [Gen 5] [ceramic brakes]	15 - 17	8091	4906
Camaro ZL1 [Gen 5]	12 - 15	8081	1408
Camaro ZL1 and ZL1 1LE [Gen 6]	16 -	8253	1408
Cobalt SS Turbocharged	08 - 10	8023	
Corvette C32 Stingray	63 - 82	8057	8057
Corvette C5 & C6 base	05 - 13	2213USA	
Corvette C5 base, Z06	97 - 04	2213USA	
Corvette C6 Brembo [ceramic brakes]	09 - 13	8091	4906
Corvette C6 Brembo 6 piston non ceramic	09 - 13	8091	2487
Corvette C6 Grand Sport [multi pad system]	10 - 13	8240USA front	8240USA rear
Corvette C6 Z06 [multi pad system]	06 - 13	8240USA front	8240USA rear
Corvette C7 base	13 - 20	2487	8208
Corvette C7 GT3 [Callaway Race Car]	15 -	2017	1674
Corvette C7 Z06 [ceramic brakes]	15 -	8091	4906
Corvette C7 Z06 [iron brakes]	15 -	8081	8208
Corvette C7 Z51	14 -	2487	8208
Corvette C7.R GTE [Race Car]	14 -	2558	1813
Corvette C8 Z51	20 -	8278	8279
GM Intermediate D52, several models		1594USA	
GM Metric D154, several models		1595USA	

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Citroën			
C3 N5	18 -	1616	1616
C3 R5	18 -	1595	1595
DS3 N5 spec. 2016	16 - 18	1361	1361
DS3 N5 spec. 2017	17 - 18	1616	1616
DS3 R1	15 -	8212	
DS3 R3 Tarmac Rally	15 -	1595	3102
DS3 R5 Tarmac Rally	15 -	1595	1595
Saxo 1.6 VTS (Cup)	96 - 04	2388	1610
ZX 2.0 16V	96 - 97	1544	1610
CRG			
DD2	14-	5101	5100
Mini	14-		5101
Road Rebel KZ Shifter	14 -	5101	5100
Cupra			
Leon Competición TCR [Mk4 race car] (Alcon calipers)	20 -	1539	3102
Leon Competición TCR [race car] (Alcon calipers)	20 -	1539	3102
Leon CUPRA TCR [Mk3 race car] (AP calipers)	14 - 19	1539	1363
Leon Cupra TCR [race car] (AP calipers)	15 -	1539	1363
Dallara			
F308 (Formula F3) AP Caliper	08 - 11	8060	8060
F308 (Formula F3) Brembo Caliper	08 - 11	8049	8049
F312 (Formula F3) AP Caliper	12 - 16	8060	8060
F312 (Formula F3) Brembo Caliper	12 - 16	8049	8049
F317 (Formula F3) AP Caliper	17 -	8060	8060
F317 (Formula F3) Brembo Caliper	17 -	8049	8049
De Tomaso			
Pantera	73 - 90	1191	8041
DKW			
F12	63 - 65	4122	
Dodge			
Challenger HellCat & 392	15 -	8081	1408
Dart	65 - 72	8086	
Viper	01 - 02	1408	
Viper ACR [ceramic brakes]	14 - 17	8253	4906

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Viper Competition Coupe	03 -	1287	1287
Viper SRT GT3-R	13 - 17	8100	2704
Viper SRT TA (time attack)	14 - 17	2487	2487
Viper SRT-10	04 - 08	1287	1287
Ferrari			
206	67 - 68	8042	8041
212E Montagna	68 -	8071	8070
250 GT Berlinetta SWB	59 - 62	8071	8070
250 GT/275 GT	60 - 66	8071	8070
296 GT3 [race car]	22 -	2564	1674
308GT4/GTB/GTS 2 valve	73 - 85	4501	4304
330 GTC/GTS	66 - 68	1191	8041
348 GTB, GTS, Spider	89 - 94	1203	1203
355 Berlinetta, GTS	94 - 99	1203	1203
355 Challenge	95 - 00	1674	1674
360 all models	99 - 05	1408	1408
360 Challenge	99 - 05	1896	1595
360 Challenge Stradale [ceramic brakes]	03 - 05	8083	4906
365 GTB/ GTC	67 - 76	1191	8041
365 GTB4/Daytona	67 - 76	4703	4634
430 Challenge [ceramic brakes]		8091	4906
430 Scuderia [ceramic brakes]	07 - 10	8091	4906
456 GT	94 - 96	1427	1203
458 GTE [race car]	14 - 16	8100	2704
458 Italia [ceramic brakes]	10 - 15	8091	4906
458 Italia GT3 [race car]	13 - 16	8100	1674
458 Speciale [ceramic brakes]	13 -	4580	4581
488 [ceramic brakes]	15 -	4580	4581
488 Challenge race car [ceramic brakes]	16 -	8091	4906
488 GT3 [race car]	16 -	8101	1674
488 GTE [race car]	17 -	8100	2704
488 Pista [ceramic brakes]	18-	4580	4581
500 Super	64 - 66	8071	8070
512 BB	76 - 85	4703	4634
512 Testarossa	92 - 96	1287	1203
575M Maranello	02 - 06	1427	1203
599 GTB Fiorano	06 - 12	8091	4906
Dino 206 SP	65 -	8071	8070
Dino 246 GTB/GTS	68 - 75	4501	4304
Enzo [ceramic brakes]	02 - 04	8083	4906

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
F40 Street and race	87 - 92	1287	1287
F430 [cast iron brakes]	05 - 10	1408	1408
F430 [ceramic brakes]	05 - 10	8083	4906
F50	95 - 97	1287	1287
F512M & 550		1427	1203
F8 Tributo [ceramic brakes]	2019	4580	4581
Several ceramic brakes CCM		8091	4906

Fiat

500 1.4 Abarth [Brembo brakes]	09 -	8023	
Abarth 124 Spider	16 - 20		8077
Abarth 124 Spider [Brembo brakes]	16 -	8023	8077
Abarth 124 Spider [rally car]	17 -	1616	1616
Punto Abarth 1.4	07 - 12	8023	4940

Ford

Capri Mk1/Mk2/Mk3	72 - 87	4905	
Cortina Mk1	64 - 66	3102	
Cortina Mk2 1.6 GT/Lotus	66 - 70	8041	
Cortina Mk3/Mk4/Mk5	70 - 82	4905	
Escort Mk1 1.3	69 - 74	3102	
Escort Mk1/Mk2 2.0 RS	73 - 80	4905	
Fiesta & Puma 16V	96 - 02	4823	
Fiesta N5	17 -	1616	1616
Fiesta R2 Tarmac Rally Spec 2015	15 -	2555	
Fiesta R2 Tarmac Rally Spec 2016	15 -	1595	3102
Fiesta R5 Gravel Rally	15 -	1617	1617
Fiesta R5 Tarmac Rally	15 -	1616	1616
Fiesta VII ST	17 -		
Focus II 2.5RS	09 - 11	8096	
Ford GT (second generation) ceramic brakes	17 -	8253	2487
GT	04 - 06	2487	2487
GT 40	64 - 68	1195	4508
Mustang	68 - 73	8086	
Mustang (Saleen S281 Extreme)	07 - 07	1903	
Mustang Boss 302	12 - 13	2487	
Mustang Boss 302S	13 -	1674	
Mustang FP350S (race car by FORD Performance) AP brakes	18 -	1904	2126
Mustang GT [4 piston Brembo]	11 - 14	2487	
Mustang GT [performance package - 6 piston Brembo / 15" discs]	15 -	8203	8204

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Mustang Mk1/T5/289 GT	65 - 67	8086	
Mustang Shelby GT350 [6 piston Brembo caliper / 15.5" disc]	15 -	8239	8208
Mustang Shelby GT500 [4 piston Brembo caliper / 15" disc]	07 - 14	2487	
Sierra Cosworth Mk2 (GBC, GBG)	87 - 93		1163
Ginetta			
G15	67 - 73	1151	
G4	61 - 69	3102	
G55 GT3 [race car] with PFC brakes		4923	8093
G55 GT4 [race car]		1539	1595
LMP3 [race car]	15 -	2488	2488
Glas			
2600 GT/3000 GT	65 - 69	4501	4122
G/04 Type	63 - 69	4122	4122
Honda (Acura)			
Accord Type R	97 - 03	2623	1158
Civic Type R [Brembo brakes] IX and X generation	15 -	2487	
Civic Type R/ S2000/RSX	99 - 05	8010	
Civic Type-R TCR [race car]	18 -	1539	1363
Integra Type R DC2	96 - 01	2623	
NSX	90 - 05	2623	
NSX GT3 [race car]	17 -	2017	2704
Huffaker			
Genie MK VIII	63	1192	1192
Hyundai			
Genesis Coupe 3.8 track	10 - 16	2487	1587
i20 N	2021 -	7036	
i20 N5 Spec. 2017	17 -	1616	1616
i20 R5 [Tarmac & Gravel]	16 -	1616	1616
i30 N	18 -	7034	7035
i30 N TCR race car [Brembo caliper]	17 -	8087	4304
Veloster N	18 -	7034	7035
Veloster N TCR	18 -	8087	4304
Iso			
Grifo/Fidia/Rivolta	68 - 74	1191	8041

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Jaguar			
Daimler XK 150	58 - 61	8070	8070
E-Type 3.8/4.2	62 - 68	8070	8070
E-Type 4.2/5.3	69 - 75	8042	8041
F Type	14 -	8019	
Mk1/Mk2	55 - 67	8070	8070
Mk9/Mk10 3.8/4.2	58 - 66	8071	8070
Jensen			
CV8/541R/541S/Interceptor	59 - 66	8070	8070
FF/Interceptor/SP V8	66 - 76	8042	8041
Healey/Healey GT	72 - 76	3190	
Kart Republic			
DD2	20-	5106	5105
KZ Shifter	20-	5106	5105
Minikart	20-		5106
OK	20-		5104
KIA			
Cee'd TCR	17 -	1539	1363
Pro Ceed 1.6 GT	13 -	7034	7035
Stinger 3.3 T-GDI V6 [4 piston Brembo]	18-	2487	
KTM			
GTX	2020 -	8233	1270
X-Bow	08 -	1408	1587
X-Bow GT4	15 -	8222	1674
Lada			
Vesta Sport TCR [race car]	18 -	1539	1363
Lamborghini			
350 GT / 400 GT / Miura	64 - 71	1191	8041
Aventador LP700-4 [ceramic brakes]	11 -	4937	4906
Countach	74 - 91	4703	4304
Diablo [Brembo brakes]	92 - 99	1287	1287
Gallardo	04 - 13	2931	1287
Gallardo [ceramic brakes]	04 - 13	4907	1287

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Gallardo GT3 [race car]	14 - 15	2488	1674
Gallardo LP 600 GT3 [race car]	13 - 15	8087	1674
Huracán [iron brakes]	14 -	2931	1287
Huracán and Performance [ceramic brakes]	14 -	4907	1287
Huracán GT3 [race car]	15 -	8101	1674
Huracán Trofeo [race car]	15 -	8101	1674
Murciélago [non ceramic]	01 - 10	1287	1287
Several ceramic brakes		4907	4906
Urraco	74 - 81	4703	3102
Urus [ceramic brakes]	2018 - 2024	8295	

Lancia

Delta 2.0 HF Int.16V Evo	91 - 94	1408	1158
Fulvia	63 - 69	8070	8070
Stratos	74 - 75	4501	4304
Stratos HF Group N4 Rally	74 - 76	1270	1269

Lexus

IS-F	08 - 11	8005	
RC F GT3	17 -	2560	1674

Ligier

JS 2R (GT car, Brembo 6 piston front caliper)	19 -	8061	1287
JS P3 (Onroack) LMP3	17 -	8087	8087
JS P320 LMP3	20 -	8087	8087

Lotus

23	62 - 66	8032	8032
3-Eleven 430	15 -	4345	4345
Elan	66 - 74	3102	
Elise and Club Racer	96 -	2593	1682
Esprit	75 - 86	4507	
Esprit Turbo	94 - 96	1408	1408
Evora 3.5 400	15 -	4345	4345
Evora 3.5 and 3.5S	09 - 16	4345	8214
Exige	03 -	2593	1682
Exige Sport Cup	06 -	4349	1682
Exige V6 Sport 350	16 -	4345	8214
Exige V6 Sport 360 Cup	15 -	4349	1682
Seven/Super 7	68 - 74	3102	

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Lynk & Co			
03 TCR	19 -	1539	1363
Maranello			
DD2	14-	5101	5100
KZ shifter V11; KZ V09	14 -	5101	5100
Minikart	14-		5101
Maserati			
3500 GT	61 - 64	1191	8041
BiTurbo 2.5 & 2.8	94 - 99	2683	2685
Ghibli (M157) [4 piston Brembo caliper / disc ø 345mm]	13 -	2487	
Ghibli (M157) [6 piston Brembo caliper / disc ø 360mm]	13 -	8005	1408
Ghibli/Indy	68 - 75	1191	8041
Grand Turismo	07 -	8005	1408
Mistral	64 - 69	1191	8041
Sebring	63 - 69	1191	8041
Spyder 4.2 & Coupe 3.2	02 - 07	1427	1203
Trofeo GT4	16 -	8087	1283
Trofeo MC	13 -	8087	1283
Mazda			
Mazdaspeed3	07 - 13	8064	
Miata 1.8 NB (spec Miata)	94 - 00	8127USA	8129USA
MX-5 Miata Global Cup Car	16 -	8023	8077
MX-5 Miata NC	06 - 15	8082	8077
MX-5 Miata ND	16 -	3830USA	8077
MX-5 Miata ND [Brembo brakes]	16 -	8023	8077
McLaren			
570 S GT4 [race car] Alcon front Calipers	20 -	1539	4345
570S [ceramic brakes]	15 -	8091	1607
570S GT4 [race car] (wider front caliper)	18 -	8261	8284
570S GT4 [race car] Alcon calipers	18 -	1539	8270
570S GT4 race car	16 - 17	4346	8284
570S, 540C, 570 GT	15 -	4346	8284
600LT [ceramic brakes]	18 -	8269	8270
600LT [PAGID RBD2.0 Kit]	18 -	8283	8270
620R [ceramic brakes]	20	8269	4345
650S / Spyder	14 - 17	4346	4345

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
650S / Spyder [ceramic brakes]	14 - 17	8091	8187
650S GT3 [race car] AP caliper	17 -	2560	4345
675LT	15 -	4346	4345
675LT [ceramic brakes]	15 -	8091	8270
720S [ceramic brakes]	17 -	8269	4345
720S [PAGID RBD2.0 Kit]	17 -	8283	8187
720S GT3 [race car] Alcon calipers	19 -	8100	1674
720S Spider [PAGID RBD2.0 Kit]	19 -	8283	4345
765 LT	20 -		8187
765 LT [ceramic brakes] optional Senna Brake upgrade front	20 -		8270
Artura [ceramic brakes]	21 -	8269	1674
F1 / shape rear on inquiry	92 - 98	1287	8270
GT	2019 -	4346	
GTS [ceramic brakes]	23 -	8269	8270
MP4-12C	11 - 14	4346	4345
MP4-12C [ceramic brakes]	11 - 14	8091	8187
MP4-12C GT3 [race car] Akebono caliper	13 - 15	2557	1674
Mercedes			
190 2.3/2.5 16V (W201)	82 - 93	1190	1151
190-300 (W108-W115)	59 - 71	4501	4304
200-300 (W123)	76 - 85	1291	4304
250-280 (W114)	71 - 76	1291	4304
280-450 (W116)	72 - 80	1291	4304
A 45 AMG (W176)	13 -	8188	8189
AMG GT GT3 [race car]	16 -	2564	1674
AMG GT2	23 -	2567	1674
AMG GT4 [race car]	17 -	2564	1674
AMG GTR [cast iron brakes]	17 -	8238	8246
AMG GTR [ceramic brakes]	17 -	8088	8246
AMG GTS (disc Ø 360 mm) Akebono caliper	15 -	8257	8246
AMG GTS (disc Ø 390 mm) Brembo caliper	15 -	8238	8246
C 63 AMG [W204]	08 - 14	8081	8031
C 63 AMG [W205] (disc Ø 360 mm) Akebono caliper	15 -	8257	8246
C 63 AMG [W205] (disc Ø 390 mm) Brembo caliper	15 -	8238	8246
CLA 45 AMG	13 -	8188	8189
CLA Cup [race car]	12 -	1539	8189
CLK 63 AMG Black Series	06 - 09	8081	8031
CLS 63 AMG [ceramic brakes]	11 -	8088	8089
E55 AMG [W211]	02 - 08	8027	8031
GL 63 AMG 4-matic	11 -	8238	

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
ML 63 AMG 4-matic	11 -	8238	
SL 65 AMG [R230] black series	08 - 12	8027	8031
SLK 55 AMG [R171]	04 - 11	8005	8031
SLK 55 AMG [R172]	12 -	8188	8189
SLK Roadster 32 AMG [R170]	01 - 04	2830	
SLR	04 - 10	8027	8031
SLS AMG black series [ceramic brakes]	09 - 15	8088	8089
SLS AMG GT3 [race car]	13 - 15	8101	1674

Mercury

Cougar	66 - 02	8086	
--------	---------	------	--

Mitsubishi

3000 GT	92 - 96	1591	
3000 GT VR4	92 - 99	1406	
EVO X R4 / Super Gr. N Tarmac Spec.	15 -	2931	8234
Lancer Evo III	92 - 94	1591	
Lancer Evo IV	95 - 97	1591	2445
Lancer Evo IX Gravel Rally	05 - 07	8030	1283
Lancer Evo V - Evo IX	98 - 06	2487	1587
Lancer Evo X	07 - 16	2487	8069
Lancer Evo X Gravel Rally [AP Caliper]	07 - 16	1361	1749
Lancer Evo X Gravel Rally / FIA Gr. N	07 - 16	8033	1283
Lancer Evo X R4 Tarmac Rally	07 - 16	1904	1903
Lancer Evo X Tarmac Rally [Brembo Caliper]	07 - 16	8030	1283

Morgan

4/4 1.6/2.0	66 - 86	3190	
Plus 8 3.5	66 - 73	8041	

Nissan

240Z	70 - 73	4905	
260Z	74 - 75	4905	
280Z	75 - 78	4905	
300ZX	89 - 97	1406	
350Z Coupe Track	02 - 08	1427	1587
GT-R NISMO GT3 [race car]	15 -	2560	1270
Micra N5	17 -	1616	1616
R35 GTR	08 -	8081	1287
R35 GTR [ceramic brakes]	08 -	4945	4946
Skyline GTR	89 - 95	1427	1587

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Norma			
M30 LMP3 [race car]	17 -	8233	8233
NSU			
Prinz 1000 TT/TTS	65 - 72	4122	
Opel			
Adam Rallye Cup	12 -	8023	4940
Adam Rallye R2	14 -	2555	4940
Ascona A	70 - 75	4304	
Ascona B	75 - 78	4507	
Astra F 2.0 GSI 16V	91 - 98	1288	1177
Astra G OPC	99 - 03	2275	8185
Astra H OPC	05 - 09		8185
Astra J OPC	09 -		4939
Astra OPC [race car]	15 -	1539	1363
Astra TCR [race car]	16 -	1539	1363
Calibra 2.0i 16V	90 - 94	1288	1177
Commodore B	72 - 77	4501	4304
Corsa B 1.6 GSI 16V	93 - 00	1620	
Corsa D 1.6 Turbo	07 - 14		4940
GT	69 - 73	4304	
Kadett B 1.5/1.9/ Kadett C	67 - 79	4304	
Kadett C 1.9i/2.0i Rallye/GTE	73 - 79	4507	
Kadett E 2.0 GSI 16V	88 - 91	1288	1177
Speedster 2.2i 16V	00 - 05	2593	1682
Parolin			
DD2	20-	5106	5105
KZ Shifter	20-	5106	5105
Minikart	20-		5106
Peerless			
2.0	58 - 60	1192	
Peugeot			
205 1.9 GTI	87 - 98	3276	1610
207 Asphalt Rally	06 - 15	8033	
208 N5 Spec. 2015	17 -	1361	1361
208 N5 Spec. 2017-2018	17 -	1616	1616

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
208 R2	12 -	1595	3102
208 R5	12 -	1595	1595
208 Rally 4	20 -	1595	1595
306 2.0 S16	93 - 98	2388	1610
308 II 1.6 GTI	13 -	8050	
308 TCR	18 -	1539	1587
309 1.9 GTI 16V	90 - 93	3276	1610
405 2.0 MI 16	92 - 95	2388	1158
406 Coupe Brembo brake	97 - 04	1408	
Piper			
GTT	68 - 74	3102	3102
Plymouth			
Duster	70 - 72	8086	
Polaris			
PRO XP	2020 -	6001	6000
PRO XP 4	2020 -	6001	6000
RS1 1000	2014 -	6000	6000
RZR XP 1000	2014 -	6000	6000
XP Turbo 4S	2019 -	6002	6000
XP Turbo S	2016 -	6001	6000
Pontiac			
GM Intermediate D52, several models		1594USA	
GM Metric D154, several models		1595USA	
GTO	05 - 06	2213USA	
Porsche			
356 1.6 C/SC	63 - 66	4304	4122
718 Boxster [982] [ceramic brakes]	16 -	4908	2405
718 Boxster 2.0 [982]	16 -	8074	2406
718 Boxster GTS [982] [ceramic brakes]	17 - 20	4908	2405
718 Boxster GTS 4.0 [982] [ceramic brakes]	20 -	4908	2405
718 Boxster S [982] [ceramic brakes]	16 -	4908	2405
718 Boxster S 2.5 [982]	16 -	8074	2406
718 Boxster T [982] [ceramic brakes]	19 -	4908	2405
718 Cayman [982C] [ceramic brakes]	16 -	4908	2405
718 Cayman 2.0 [982]	16 -	8074	2406
718 Cayman GT4 4.0 [982] [cast iron brakes]	19 -	4924	4925

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
718 Cayman GT4 4.0 [982] [ceramic brakes]	19 -	4927	4925
718 Cayman GTS [982C] [ceramic brakes]	17 - 20	4908	2405
718 Cayman GTS 4.0 [982] [cast iron brakes]	2016	4924	4918
718 Cayman GTS 4.0 [982C] [ceramic brakes]	20 -	4908	2405
718 Cayman S [982C] [ceramic brakes]	16 -	4908	2405
718 Cayman S 2.5 [982]	16 -	8074	2406
718 Cayman T [982C] [ceramic brakes]	19 -	4908	2405
718 Spyder [982] [ceramic brakes]	19 -	4908	2405
904 Carrera GTS + 904/6	63 - 65	4304	4122
908/01	68 - 71	4503	4503
911 2.0 -2.8 S-Calipers	64 - 73	4501	4304
911 2.0 M-Calipers	65 - 69	4304	4122
911 2.7 / 3.0 / 3.2 Carrera	72 - 89	4501	4304
911 3.3 SC Turbo / Turbo S	77 - 90	1203	1203
911 S	72 - 83	4503	4304
912	65 - 70	4304	4122
914/4	70 - 72	4304	4122
914/6	70 - 72	4304	4304
918 Spyder	13 - 15	4927	4925
924 2.0	76 - 83	4623	
924 2.0 Turbo / 2.5 S	79 - 88	4702	4623
928 4.5	77 - 79	4702	4623
928 5.4 GTS 32V	91 - 95	1842	1203
928 S & S4 & GT	85 - 95	1204	1203
935 Moby Dick	76 - 81	8059	8059
944 2.5 Turbo	87 - 91	1204	1203
944 2.5/2.5 S/2.7	81 - 91	4702	4623
944 2.7 & 3.0 S2	88 - 91	1203	1203
959 2.8	87 - 91	1842	1842
962/956	82 - 84	8058	8058
964 3.3 Turbo & Turbo S	88 - 91	1204	1203
964 3.3/3.6 Turbo & Turbo S	91 - 93	1842	1203
964 3.6 C4	88 - 94	1203	1203
964 3.6 Carrera RS	91 - 93	1204	1203
964 C2 3.6	91 - 94	1203	1203
968 3.0 Coupe	91 - 95	1203	1203
968 3.0 Coupe Sport	91 - 95	1204	1203
968 3.0 Coupe Turbo S	93 - 95	1842	1203
991 3.4 Carrera [ceramic brake caliper with RBD cast iron disk]	11 -	8235	4909
991 3.4 Carrera [ceramic brakes]	11 - 15	4908	4909
991 3.4 Carrera [iron brakes]	11 - 15	8074	4918

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
991 3.8 Carrera S [ceramic brake caliper with RBD cast iron disk]	11 -	8235	4909
991 3.8 Carrera S [ceramic brakes]	11 - 15	4908	4909
991 3.8 Carrera S / GTS [iron brakes]	11 - 15	4922	4909
991 911 Speedster [iron brakes]	19 -	4924	4925
991 GT3 [ceramic brakes]	15 - 18	4927	4925
991 GT3 [iron brakes]	15 - 18	4924	4925
991 GT3 Cup [PFC brakes 22/20 mm]	13 -	4920	4921
991 GT3 Cup [PFC brakes 28/26 mm]	13 -	4928	4929
991 GT3 Cup MR [PFC brakes 22/20 mm]	13 -	4920	4921
991 GT3 Cup MR [PFC brakes 28/26 mm]	13 -	4928	4929
991 GT3 R [race car]	16 - 18	8241	8242
991 GT3 RS [ceramic brakes]	15 - 18	4927	4925
991 GT3 RS [iron brakes]	15 - 18	4924	4925
991 R [ceramic brakes]	16 -	4927	4925
991 RSR GTE [race car]	17 -	2564	1674
991 Turbo [ceramic brakes]	13 -	4927	4925
991 Turbo [iron brakes]	13 -	4924	4925
991 Turbo S [ceramic brakes]	13 -	4927	4925
991 Turbo S [iron brakes]	13 -	4924	4925
991.2 3.0 Carrera [ceramic brakes]	15 -	4908	4909
991.2 3.0 Carrera [iron brakes]	15 -	8074	4918
991.2 3.0 Carrera GTS [iron brakes]	17 -	4908	4909
991.2 3.0 Carrera S [ceramic brakes]	15 -	4908	4909
991.2 3.0 Carrera S [iron brakes]	15 -	4908	4909
991.2 GT2 RS [ceramic brakes]	18 -	4927	4925
991.2 GT2 RS Clubsport [race car]	19 -	8101	2704
991.2 GT3 [ceramic brakes]	18 -	4927	4925
991.2 GT3 [iron brakes]	18 -	4924	4925
991.2 GT3 R [race car]	19 -	2564	1674
991.2 GT3 RS [ceramic brakes]	18 -	4927	4925
991.2 GT3 RS [iron brakes]	18 -	4924	4925
992 3.0 Carrera [iron brakes]	18-	8074	4909
992 3.0 Carrera 4S [ceramic brakes]	18-	4927	4925
992 3.0 Carrera 4S [iron brakes]	18-	4924	4909
992 3.0 Carrera S [iron brakes]	18-	4924	4909
992 Carrera GTS [iron brakes]	24 -	4927	4925
992 Carrera S [ceramic brakes]	2018 -	4927	4925
992 GT3 [ceramic brakes]	2021 -	4927	4925
992 GT3 [iron brakes]	2021 -	4924	4925
992 GT3 Cup	21 -	8087	8287
992 GT3 R [race car]	2022 -	2566	1674

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
992 Turbo [ceramic brakes]	20 -	8286	4925
992 Turbo [iron brakes]	2020 -	4924	4925
992 Turbo [iron brakes]	20 -	4927	4925
993 3.6 Carrera & C4	93 - 97	1204	1203
993 3.6 Turbo & Turbo GT2	95 - 97	1842	1204
993 3.8 Carrera RS & RSR	95 - 97	1842	1204
993 4S [turbo look]	96 - 97	1842	1204
993 GT2 & RSR [disc ø 380 mm]	95 - 97	1908	1204
996 3.4 C & 3.6	97 - 05	2405	2406
996 3.4 C Cup	99 - 01	2474	2405
996 3.6 C 4S	03 - 05	2474	2405
996 GT2	02 - 05	2707	2405
996 GT3	02 - 05	2707	2405
996 GT3 Cup	02 - 05	2707	2405
996 GT3 R & GT3 RS [race car]	00 - 05	1908	1674
996 GT3 RS [street car]	03 - 05	2707	2405
996 Turbo	99 - 05	2474	2405
997 3.6 C & 3.6 C4	08 - 11	8074	8006
997 3.8 C S & 3.8 C 4S	05 - 12	2474	2405
997 3.8 Carrera GTS	09 - 11	2474	2405
997 all models ceramic brakes	05 - 12	2707	8006
997 GT2 & GT2 RS	07 - 12	2707	8006
997 GT3	07 - 11	2707	8006
997 GT3 Cup [17 mm thick pads]	05 - 12	8003	8008
997 GT3 Cup [19 mm thick pads]	05 - 12	8004	8006
997 GT3 Cup Grand Am spec.	07 - 12	8038	8037
997 GT3 Cup S	08 - 12	8038	8037
997 GT3 R [race car, endurance caliper]	07-12	2488	1674
997 GT3 R [race car, normal caliper]	07-12	8038	8037
997 GT3 Rally	05 - 12	8003	8006
997 GT3 RS	07 - 12	2707	8006
997 GT3 RSR	07 - 12	2488	1674
997 Turbo	06 - 12	2707	8006
Boxster [986]	96 - 05	2407	2406
Boxster [987]	05 - 12	2407	2406
Boxster [987] [ceramic brakes]	05 - 12	2707	2405
Boxster 2.7 [981]	12 -	8074	2406
Boxster GTS 3.4 [981]	14 -	8074	2406
Boxster S [986]	99 - 05	2405	2406
Boxster S [987]	05 - 12	2405	2406
Boxster S 3.4 [981]	12 -	8074	2406

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Boxster Spyder [981]	15 -	4922	4918
Carrera 4 GTS [iron brakes]	24 -	4927	4925
Carrera GT	04 - 06	2707	2707
Cayenne (9YA) [ceramic brakes]	2018 -		
Cayenne [cast iron & ceramic brakes]	06 -	4917	4918
Cayenne Turbo [18" wheels]	02 - 10	2845	2406
Cayman [987]	09 - 12	2405	2406
Cayman [987] [ceramic brakes]	06 - 12	2707	2405
Cayman 2.7 [981]	13 -	8074	2406
Cayman GT4 [981]	16 -	4924	4925
Cayman GT4 [981] [ceramic brakes]	16 -	4927	4925
Cayman GT4 Clubsport [PFC brakes 22/20 mm]	16 -	4920	4921
Cayman GT4 Clubsport [PFC brakes 28/26 mm]	16 -	4928	4929
Cayman GT4 MR [PFC brakes 22/20 mm]	16 -	4920	4921
Cayman GT4 MR [PFC brakes 28/26 mm]	16 -	4928	4929
Cayman GTS 3.4 [981]	14 -	8074	2406
Cayman R [987] (none ceramic)	10 - 12	2405	2406
Cayman S [981] [ceramic brakes]	13 -	4908	2405
Cayman S [987]	06 - 12	2405	2406
Cayman S [ceramic brake caliper with RBD cast iron disc]	13 -	8235	8236
Cayman S 3.4 [981]	13 -	8074	2406
Panamera [cast iron & ceramic brakes]	09 - 16	4917	4909
Turbo S [iron brakes]	20 -	4927	4925
718 Cayman GT4 4.0 RS [982] [cast iron brakes]	21 -	4924	4925
718 Cayman GT4 4.0 RS [982] [ceramic brakes]	21 -	4927	4925
718 Cayman T [982C] [ceramic brakes]	19 -	4908	2405
992 GT3 Cup [Endurance]	21 -	8087	8312
992 Turbo [ceramic brakes]	20 -	8286	4925
Proton			
Iriz R5	17 -	1616	1616
Renault			
A310	71 - 83	1703	
Alpine A110/1300/1600/R16	73 - 76	1703	
Clio 1.8 16V & 2.0 16V	91 - 98	3276	1610
Clio 3.0 V6 Turbo Sport	98 - 03	4345	
Clio II 3.0 V6 mid engine	00 - 05	1408	1408
Clio II V6 [race car]	01 - 05	1361	1270

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Clio III 2.0 16V Sport	05 - 12	8023	1158
Clio III and IV Cup	16 -	8251	1158
Clio IV R3 Rally	12 -	8251	
Clio N5	17 -	1616	1616
Mégane Coach 2.0 16V	96 - 02	1702	1610
Mégane II Renault Sport & Clio Cup	05 - 09	8023	1158
Mégane III 2.0 RS [Brembo brakes] without electronic hand brake	08 - 16	2487	1158
Megane RS TCR [race car]	18 -	1539	1363
R5 Alpine/Alpine Turbo	76 - 84	1703	
RS01 [cast iron brakes]	15 -	8092	4923

Rover

Healey 3000	64 - 67	4905	8041
MG A 1.6 TC	58 - 60	8070	8070
Mini Cooper 10" wheel	63 - 69	1362	
Mini Cooper S 12" wheel	63 - 71	1363	
Spitfire/1300 TC	67 - 80	3102	
Triumph Spitfire	67 - 80	3102	
Triumph TR4/TR5	62 - 69	8041	
Triumph TR6	69 - 72	8041	

Saab

99	67 - 74	4304	4122
----	---------	------	------

SAIC Motors - MG

6 XPower TCR	20 -	1539	1363
--------------	------	------	------

Seat

Ibiza & Toledo 16V	91 - 99	1743	1158
Leon 1.8T Cupra R (Brembo)	03 - 06	1408	1158
Leon 2.8 Cupra 4 (Brembo)	01 - 06	1408	1158
Leon Cup Racer MK3 [race car]	14 - 17	1539	1363
Leon Cupra Cup MK2 [race car]	07 - 13	4346	1158
Several		8064	
Toledo 2.3i V5	99 - 04	1678	1158

Sin Cars

R1	15 -	1903	1903
R1 GT4	15 -	1903	1903
R1 RS	15 -	1903	1903

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Skoda			
Fabia R5	14 - 17	1896	
Fabia R5 [Tarmac & Gravel]	17 - 19	1616	1616
Fabia R5 Evo [Tarmac & Gravel]	19 -	1595	1595
Fabia RS Rallye S2000	15 -	1616	1616
Octavia 1.8i 20V Turbo	97 - 04	1678	1158
Several		8064	
Subaru			
Impreza 2.5 WRX (System Tokico)	11 -	8174	
STI 3rd & 4th generation	03 - 16	2487	1587
STI 5th generation [6 piston Brembo caliper]	17 -	8005	
WRX Japan + EU	98 - 03	1406	
WRX STI TCR	16 -	1539	1363
Sunbeam			
Alpine	64 - 67	4905	
Tiger	64 - 67	4905	
Talbot			
Simca 1000 Rallye I	69 - 81	4122	
Simca 1000 Rallye II+III	72 - 81	4304	
Tatuus			
F3 [Brembo Caliper]	18 -	1283	1283
Tony Kart			
DD2	04-	5102	5103
KZ Shifter	04-	5102	5103
Mini	04-		5102
Toyota			
GR Supra	19 -	8275	8276
GR Supra GT4 [race car] (Brembo calipers)	20 -	8100	2704
GT86 2.0 GT (system Tokico)	12 -	8174	8175
GT86 2.0 GT R3 Rally	15 -	1595	3102
Supra A90	2019	8275	8276
Yaris 1.3	06 - 13	4913	
Yaris Cup & MR2 Spyder		8029	
Yaris GR	2020	8299	8300

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
TVR			
Griffith	64 -	4508	1192
Volvo			
Amazona P121S	61 - 69	8042	
P1800	61 - 69	8042	
S60 Turbo R Brembo brakes	03 - 07	2487	1408
V70 R 2.5T Brembo brakes	03 - 07	2487	1408
VW			
Golf 1.1/1.3/1.6 GTI	75 - 83	4304	
Golf 1.5/1.6/Polo	74 - 78	2723	
Golf 2 GTI G60	90 - 91	1743	
Golf GTI TCR [race car]	15 -	1539	1363
Golf III 2.0i GTI 16V & VR6	96 - 97	1678	1158
Golf IV 1.8 Turbo & 2.3i V5	97 - 04	1678	1158
Golf IV 2.8i V6	99 - 04	1678	1158
Golf IV 3.2 R32	02 - 05	2830	1158
Golf Mk1 GTI	74 - 85	4011	
Golf Mk2	83 - 92	4011	
Golf V 3.2 R32	05 - 08	8064	8046
Golf V GTI (disc Ø 288 mm)	04 - 08	8001	8046
Golf V GTI (disc Ø 345 mm)	04 - 08	8064	8046
Golf VI 2.0R 4motion (disc Ø 345 mm)	09 - 12	8064	8046
Golf VI GTI (disc Ø 312 mm)	09 - 12	8001	4936
Golf VII 2.0 GTI (disc Ø 340 mm) performance brake	13 -	8201	
Golf VII 2.0 GTI Clubsport	16 -	8201	
Golf VII 2.0 R 4motion (disc Ø 340 mm) performance brake	13 -	8201	
Lupo 1.6 GTI	00 - 05	1743	1158
New Beetle 1.8 Turbo 20V	99 - 10	1678	1158
New Beetle 2.3 & 3.2 V6	00 - 03	1678	1158
Polo (6N) 1.3i & 1.4i	94 - 99	4011	
Polo (6N) 1.4i 100 16V	99 - 01	1743	1158
Polo (6N) 1.6 GTI	98 - 01	1743	1158
Polo [MK5] 2.0R WRC [street car]	13 - 14	8001	1158
Polo Coupe (86C, 80) G40	81 - 94	4011	
Polo N5	18 -	1616	1616
Polo R5	18 -	1595	1595
Polo R5 [Tarmac & Gravel]	18 -	1595	1595

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Application Race Cars	Model	Year	PAGID Racing Pad Shape No.	
			Front	Rear
	Scirocco	73 - 80	2723	
	Scirocco (53, 53B)	74 - 92	4011	
	Touareg [ceramic brakes]	08 -	4917	4918
	Wartburg			
	1.0/1.3	66 - 91	8067	
	Yamaha			
	YZZ1000R	2017 -	6003	6004

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 1141

Thickness: 17 mm

Information: BMW rear

Compounds: **RSL 19**

Technical drawing of a brake pad (Shape No. 1141). The drawing shows the pad's profile with dimensions: a total width of 125 mm, a central U-shaped cutout, and a pad depth of 33 mm. The overall height of the pad is 38 mm.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1144

Thickness: 19.5 mm


Information:

BMW M3 E30 front

Compounds:

RS 42

RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1146

Thickness: 15.5 mm

Information:

Compounds: **On Inquiry**

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1151

Thickness: 13.5 mm

Information:

Compounds: RSH 42

Related Shape No. :	1177	-	-	-	-	-
Thickness (mm) :	15.5	-	-	-	-	-

Shape No.: 1158

Thickness: 15 mm

Information: Audi / VW rear

Compounds:


RS 42

RS 44

RSL 19

RSL 29


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1163				Thickness: 13.7 mm			
Information: Caterham							
Compounds: RS 14 RS 42							
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST


Shape No.: 1177		Thickness: 15.5 mm				
Information:		Opel				
Compounds:		RSH 42				
						
Related Shape No. :	1151	-	-	-	-	-
Thickness (mm) :	13.5	-	-	-	-	-

Shape No.: 1190


Thickness: 19 mm

Information:

Compounds: RSH 29E



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1191		Thickness: 18.5 mm				
Information:						
Compounds:	RSH 29E	RSH 3	RSH 42			
						
Related Shape No. :	1195	-	-	-	-	-
Thickness (mm) :	24	-	-	-	-	-

Shape No.: 1192

Thickness: 17 mm

Information:

Compounds:

RSH 29E

RSH 3

RSH 42

Related Shape No. :	1193	-	-	-	-	-
Thickness (mm) :	20	-	-	-	-	-

Shape No.: 1193

Thickness: 20 mm

Information:

Compounds: **RSH 29E**

Related Shape No. :	1192	-	-	-	-	-
---------------------	------	---	---	---	---	---

Thickness (mm) :	17	-	-	-	-	-
------------------	----	---	---	---	---	---

Shape No.: 1195

Thickness: 24 mm

Information:

Compounds: **RSH 29E** **RSH 3**

Related Shape No. :	1191	-	-	-	-	-
Thickness (mm) :	18,5	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 1196

Thickness: 23 mm

Information: BMW M1 Procar

Compounds:

RST 2

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1203

Thickness: 17.5 mm

Information:

Alcon / Ferrari / Lucas / Girling / Maserati / Porsche

Compounds:

RS 14

RS 42

RS 44

RSL 29

RST 3

Related Shape No. :	1916	8009	-	-	-	-
Thickness (mm) :	24	15.5	-	-	-	-

Shape No.: 1204

Thickness: 18 mm

Information:

Porsche / StopTech

Compounds:

RS 14

RS 42

RS 44

RSL 29

RST 3

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1265

Thickness: 16 mm

Information:

Alcon / AP Racing / Caterham

Compounds:

RSH 3


RSH 42

RSL 29

RST 1

Technical drawing of a brake pad. The drawing shows a cross-section of the pad with a central friction surface. Dimensions are indicated: a total width of 113,5 mm, a central width of 52 mm, and a pad depth of 48 mm.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1267				Thickness: 20 mm			
Information: AP Racing / Lucas / Girling							
Compounds: On Inquiry							
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 1269

Thickness: 17 mm

Information:

AP Racing

Compounds:

RSH 3

RSH 42

RSL 29

RST 1

RST 2

RST 4

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 1270

Thickness: 20 mm

Information:

AP Racing / BMW / Chevrolet

Compounds:

RS 42

RSL 1


RSL 29

RST 1

RST 3

RST 5 E

Related Shape No. :	1361	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

Shape No.: 1276				Thickness: 19.5 mm			
Information: Audi							
Compounds: RSL 29							
							
Related Shape No. :				-	-	-	-
Thickness (mm) :				-	-	-	-

Shape No.: 1283

Thickness: 20 mm

Information:

Alcon / AP Racing / Brembo

Compounds:

RS 34

RS 42

RST 3

RST 4

RST 5 E

Related Shape No. :	1705	8193	-	-	-	-
Thickness (mm) :	16	22	-	-	-	-

Shape No.: 1285

Thickness: 16.8 mm

Information:

BMW rear

Compounds:

RS 42

RSL 1

RSL 29

123 mm

44 mm

Pad Depth: 40 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1287

Thickness: 18 mm

Information: Brembo

Compounds:

RS 42

RSC 1

RSC 3

RSL 1

RSL 29

RST 1

RST 3


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1288

Thickness: 17.5 mm

Information: Opel

Compounds: RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 1291

Thickness: 17.8 mm

Information: BMW front

Compounds: RSH 29E

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1295

Thickness: 19.5 mm

Information:

Alfa Romeo / BMW

Compounds:

RS 14

RS 44

RSL 1

RSL 29

RST 1

RST 3

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1323

Thickness: 14.5 mm

Information: Compounds on inquiry

Compounds: On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1361

Thickness: 17 mm

Information:

AP Racing / Lucas / Girling

Compounds:

RSH 42

RSL 1

RSL 29

RST 1

RST 3

RST 5 E

Related Shape No. :	1270	-	-	-	-	-
Thickness (mm) :	20	-	-	-	-	-


Shape No.: 1362

Thickness: 10.5 mm

Information: AP Racing / Formula Ford

Compounds: RSH 42


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 1363		Thickness: 15 mm				
Information: AP Racing / Formula Ford						
Compounds:	RS 14	RS 44	RSH 42	RSL 2	RSL 29	
	RST 2	RST 4				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


More applications and compounds on inquiry


SHAPE LIST


Shape No.: 1406		Thickness: 14.5 mm				
Information:		Mitsubishi / Nissan / Subaru				
Compounds:		RSL 1 RSL 29				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1408		Thickness: 15 mm				
Information:		Brembo / Ferrari				
Compounds:		RS 14 RS 42 RSL 1 RSL 29 RST 3				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1427		Thickness: 17.2 mm				
Information:		BMW / Nissan				
Compounds:		RS 42 RSL 1 RSL 29				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1538		Thickness: 25 mm				
Information:		Alcon / AP Racing / StopTech				
Compounds:		RSL 29 RST 3				
						
Related Shape No. :	1903	8018	8192	-	-	-
Thickness (mm) :	18	17	28.5	-	-	-


Shape No.: 1539		Thickness: 25 mm				
Information:		Alcon / AP Racing				
Compounds:		RSL 1 RSL 1E RSL 2 RSL 29 RSL 2E RST 1 RST 2 RST 2E RST 3 RST 5 E RSX				
						
Related Shape No. :	1904	8250	-	-	-	-
Thickness (mm) :	18	28.5	-	-	-	-


Shape No.: 1544		Thickness: 17.5 mm				
Information:		BMW / Citroen				
Compounds:		RSL 29				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 1580		Thickness: 14.5 mm				
Information:		Porsche				
Compounds:		On Inquiry				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1587			Thickness: 15 mm			
Information: AP Racing / Brembo / StopTech						
Compounds: RS 14 RS 42 RSL 29 RST 3 RST 4						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 1591


Thickness: 15.6 mm


Information: Mitsubishi

Compounds: On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1594USA		Thickness: 15 mm				
Information: GM Intermediate						
Compounds: On Inquiry						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1595			Thickness: 16 mm			
Information: Alcon / Brembo / AP Racing						
Compounds: RS 42 RSL 1E RSL 29 RST 1 RST 2E RST 3 RST 5 E						
						
Related Shape No. :	1607	1674	2704	8037	8191	8267
Thickness (mm) :	20	25	26.5	22	29	18

Shape No.: 1595USA				Thickness: 15 mm		
Information: GM Metric						
Compounds: On Inquiry						
						
Related Shape No. : - - - - - -						
Thickness (mm) : - - - - - -						

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 1607

Thickness: 20 mm

Information:


Alcon / Brembo / Wilwood

Compounds:


RS 42

RSL 29

RST 5 E



Related Shape No. :	1595	1674	2704	8037	8191	8267
Thickness (mm) :	16	25	26.5	22	29	18

Shape No.: 1610		Thickness: 12 mm				
Information: Citroen / Peugeot / Renault rear						
Compounds:		RS 42				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1616

Thickness: 16 mm


Information: Brembo / Ford / Skoda

Compounds:

RST 2E

RST 3

RST 5 E



Related Shape No. :	1618	1619	1896	8030	-	-
Thickness (mm) :	28	26	20	17	-	-

Shape No.: 1617

Thickness: 16 mm

Information: AP Racing / Ford

Compounds: RST 3 RST 5 E

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1618

Thickness: 28 mm

Information: Alcon / Brembo

Compounds: RSL 29

Related Shape No. :	1616	1619	1896	8030	-	-
Thickness (mm) :	16	26	20	17	-	-

Shape No.: 1619

Thickness: 26 mm

Information: Alcon / Brembo / Wilwood


Compounds: **RSL 1** **RST 1**

Related Shape No. :	1616	1618	1896	8030	-	-
Thickness (mm) :	16	28	20	17	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 1620		Thickness: 16.5 mm				
Information: Opel						
Compounds:		RS 42		RST 3		
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1674

Thickness: 25 mm

Information:

Alcon / AP Racing / Brembo

Compounds:

RS 44

RSL 1

RSL 19

RSL 2

RSL 29


RSL D1


RST 1

RST 3

RST D1

Related Shape No. :	1595	1607	2704	8037	8191	8267
Thickness (mm) :	16	20	26.5	22	29	18

Shape No.: 1678		Thickness: 19.5 mm				
Information: Audi / Seat / Skoda / VW						
Compounds: On Inquiry						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1682		Thickness: 13 mm				
Information: Dodge / Lotus / Opel						
Compounds:		RS 14		RS 42		
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1702

Thickness: 19 mm

Information: Renault

Compounds: RS 42 RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1703

Thickness: 12 mm

Information:

Compounds: RSH 42

Technical drawing of a brake pad (Shape No. 1703). The drawing shows a symmetrical, elongated shape with rounded ends and two circular mounting holes on the sides. Dimension lines indicate a total width of 109 mm and a total height of 47 mm.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 1705

Thickness: 16 mm

Information: Alcon / AP Racing / Brembo


Compounds:

RS 42

RSL 29

RST 3

Related Shape No. :	1283	8193	-	-	-	-
Thickness (mm) :	20	22	-	-	-	-

Shape No.: 1712USA				Thickness: 16 mm		
Information: Wilwood						
Compounds: On Inquiry						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1743

Thickness: 16 mm

Information: Seat / VW

Compounds: **RS 14**


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1744

Thickness: 19.5 mm

Information:

Compounds: RSH 29E



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1749

Thickness: 16 mm

Information:

Alcon / AP Racing

Compounds:

RSH 3

RSH 42

RSL 29

RST 2

RST 4

RST 5 E

Technical drawing of a brake pad. The drawing shows a cross-section of the pad with a central raised area and two side sections. Dimensions are indicated: a total width of 113,5 mm, a central width of 46 mm, and a central depth of 40 mm.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1756

Thickness: 20 mm

Information: Alcon

Compounds: On Inquiry

Related Shape No. :	2743	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry


Shape No.: 1796


Thickness: 13 mm

Information: Outlaw / Wilwood

Compounds: RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1798USA				Thickness: 20 mm			
Information:		Wilwood					
Compounds:		On Inquiry					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 1809USA				Thickness: 12 mm			
Information:		Wilwood					
Compounds:		On Inquiry					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 1813

Thickness: 25 mm

Information: AP Racing

Compounds: **On Inquiry**

Related Shape No. :	1852	-	-	-	-	-
---------------------	------	---	---	---	---	---

Thickness (mm) :	18	-	-	-	-	-
------------------	----	---	---	---	---	---

Shape No.: 1842

Thickness: 18 mm

Information: Alcon / AP Racing / Audi / Brembo / Porsche

Compounds: **RS 14** **RSL 1** **RSL 29**

Related Shape No. :	1908	8090	-	-	-	-
Thickness (mm) :	24	22	-	-	-	-

Shape No.: 1852

Thickness: 18 mm

Information: AP Racing

Compounds: **RSL 29** **RST 3**

152 mm

Pad Depth: 46 mm

58 mm

Related Shape No. :	1813	-	-	-	-	-
---------------------	------	---	---	---	---	---

Thickness (mm) :	25	-	-	-	-	-
------------------	----	---	---	---	---	---

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 1896

Thickness: 20 mm

Information:

Alcon / AP Racing / Brembo / Ferrari


Compounds:

RSL 1

RSL 29

RST 5 E

Related Shape No. :	1616	1618	1619	8030	-	-
Thickness (mm) :	16	28	26	17	-	-

Shape No.: 1897				Thickness: 14.5 mm		
Information:		Mitsubishi				
Compounds:		On Inquiry				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1903

Thickness: 18 mm

Information:

Alcon / AP Racing / Coleman / StopTech

Compounds:

RS 42

RSC 1

RSL 1

RSL 29

RST 1

RST 3

Related Shape No. :	1538	8018	8192	-	-	-
Thickness (mm) :	25	17	28.5	-	-	-

Shape No.: 1904

Thickness: 18 mm

Information:

Alcon / AP Racing / Honda (Acura) / Mitsubishi

Compounds:

RSL 1

RSL 1E

RSL 29

RST 1

RST 2E

RST 3

Related Shape No. :	1539	8250	-	-	-	-
Thickness (mm) :	25	28.5	-	-	-	-

Shape No.: 1908

Thickness: 24 mm

Information:

Alcon / Brembo / Porsche

Compounds:

RSL 1

RST 3

Related Shape No. :	1842	8090	-	-	-	-
Thickness (mm) :	18	22	-	-	-	-

Shape No.: 1916

Thickness: 24 mm

Information: Alcon / Porsche

Compounds: RSH 29E RSH 42

Related Shape No. :	1203	8009	-	-	-	-
Thickness (mm) :	17.5	15.5	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 2016

Thickness: 30 mm

Information:

Alcon / AP Racing / Brembo

Compounds:

On Inquiry

RSL 1E

RSL 2E

RST 2E

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2017

Thickness: 30 mm

Information:

AP Racing / Bentley / Brembo / Chevrolet

Compounds:

RSL 1

RSL 1E

RSL 2E

RST 1

RST 2E

RSX

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2019

Thickness: 30 mm

Information:

AP Racing / BMW

Compounds:

RSL 1

RSL 1E

RSL 2E


RST 1


RST 2E

RST 5 E

RSX

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2053				Thickness: 20 mm			
Information:		Brembo					
Compounds:		On Inquiry					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 2105				Thickness: 22 mm			
Information: Brembo							
Compounds: On Inquiry							
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 2126

Thickness: 17 mm

Information: AP Racing

Compounds:

RS 42

RSL 1

RST 3

RST 5 E

Related Shape No. :	8216	-	-	-	-	-
Thickness (mm) :	18	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 2127

Thickness: 16 mm

Information:

Alcon / AP Racing

Compounds:

RS 14


RS 42

RSL 1

RSL 29

RST 3

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2180		Thickness: 17.2 mm				
Information: BMW						
Compounds:		RSL 29		RST 3		
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 2205USA

Thickness: 20 mm

Information: AP / Wilwood

Compounds: RST 1 RST 3

Related Shape No. :	8195	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

Shape No.: 2206USA				Thickness: 20 mm		
Information: AP Racing / StopTech / Wilwood						
Compounds: RSL 29 RST 1						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2213USA

Thickness: 15 mm

Information: Corvette C5 / C6 base

Compounds: **On Inquiry**

183 mm

63 mm

Pad Depth: 50 mm

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-


-

-

-

-


-


Shape No.: 2275				Thickness: 19.5 mm		
Information: Opel						
Compounds: On Inquiry						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


SHAPE LIST

More applications and compounds on inquiry

Shape No.: 2388		Thickness: 18.5 mm				
Information:		Citroen / Peugeot				
Compounds:		On Inquiry				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2405				Thickness: 18.5 mm		
Information:		Porsche				
Compounds:		RS 14	RS 42	RS 44	RSC 1	RSL 1
		RSL 19	RSL 29	RST 3		
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2406		Thickness: 15.5 mm				
Information: Porsche						
Compounds:		RS 14	RS 42	RS 44	RSL 1	RSL 19
		RSL 29	RST 3			
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2407		Thickness: 15.5 mm				
Information:		Porsche				
Compounds:		RS 14	RS 44	RSL 29	RST 3	
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 2445

Thickness: 15.5 mm

Information: Mitsubishi

Compounds: RS 42


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2474		Thickness: 18.5 mm				
Information:		Porsche				
Compounds:		RS 14	RS 42	RSL 19	RSL 29	RST 3
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 2475USA				Thickness: 20 mm		
Information: Alcon						
Compounds: On Inquiry						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2487

Thickness: 16 mm

Information:

Brembo

Compounds:

RS 42


RSL 1

RSL 29

RST 1

RST 3

RST 5 E



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2488

Thickness: 29 mm

Information:

Alcon / Brembo

Compounds:

RSL 1

RSL 29

RSL 2E

RST 1

RST 2E

RSX

Related Shape No. :	2687	8038	8087	8173	-	-
Thickness (mm) :	20	22	25	31	-	-


Shape No.: 2555

Thickness: 20 mm

Information: Brakeman / Coleman / Opel / Outlaw / Wilwood

Compounds: **RS 14** **RSL 29** **RST 3**

Related Shape No. :	8195	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

Shape No.: 2557			Thickness: 29 mm			
Information: Alcon / AP Racing / McLaren						
Compounds: RSL 1E RSL 29 RST 1 RST 2E						
						
Related Shape No. :	2558	2559	2688	8222	-	-
Thickness (mm) :	31	32	26,5	25	-	-

Shape No.: 2558

Thickness: 31 mm

Information: AP Racing

Compounds: On Inquiry

Related Shape No. :	2557	2559	2688	8222	-	-
Thickness (mm) :	29	32	26.5	25	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry


Shape No.: 2559

Thickness: 32 mm

Information: AP Racing

Compounds: On Inquiry

Related Shape No. :	2557	2558	2688	8222	-	-
Thickness (mm) :	29	31	26.5	25	-	-

Shape No.: 2560		Thickness: 30 mm				
Information: AP Racing / Nissan						
Compounds:		RSL 1	RSL 1E	RSL 2E	RST 1	RST 2E
		RST 5 E				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2564

Thickness: 30 mm

Information:

AP Racing / AMG GT3 / GT4 / Porsche GT3 R

Compounds:

RSL 1

RSL 1E

RSL 2

RSL 2E

RST 1

RST 2

RST 2E

RST 3

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2565

Thickness: 25 mm

Information:

Compounds: **RSL 29**

Related Shape No. :	2560	-	-	-	-	-
Thickness (mm) :	30	-	-	-	-	-

Shape No.: 2566

Thickness: 30 mm

Information: Porsche 992 GT3 R Front (6 mm backplate)

Compounds: RSX

Technical drawing of a brake pad. The drawing shows a top-down view of the pad. It has a central rectangular area with rounded corners and a slightly wider, flared top edge. Two mounting holes are located on the upper left and upper right corners. Dimension lines indicate the following measurements: a width of 162,9 mm across the top, a height of 74,35 mm on the right side, and a pad depth of 64 mm indicated by a horizontal line across the middle of the pad's body.

Related Shape No. :	2560	-	-	-	-	-
Thickness (mm) :	30	-	-	-	-	-

Shape No.: 2567

Thickness: 28 mm

Information: Mercedes AMG GT2 Front (6 mm backplate)

Compounds: RSX


Technical drawing of a brake pad. The drawing shows a top-down view of the pad. It has a central rectangular area with rounded corners. The overall width is 162,9 mm, and the overall height is 74,35 mm. The pad depth is 64 mm. There are two mounting holes on the left side and two on the right side. The text 'Pad Depth: 64 mm' is written inside the central area.

Related Shape No. :	2560	2566	-	-	-	-
Thickness (mm) :	30	30	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 2581USA				Thickness: 16 mm			
Information:		Wilwood					
Compounds:		On Inquiry					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 2593

Thickness: 14.6 mm

Information:

Lotus / Opel

Compounds:

RS 14

76,8 mm

66 mm

Pad Depth:
51 mm


Related Shape No. :	4507	-	-	-	-	-
Thickness (mm) :	16,5	-	-	-	-	-

Shape No.: 2623

Thickness: 17.3 mm

Information: Honda (Acura)

Compounds: RSL 29



Technical drawing of a brake pad. The drawing shows the pad's profile with dimensions: a width of 148,6 mm, a height of 58 mm, and a pad depth of 50 mm. The pad has a complex shape with rounded corners and a central recessed area.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2683

Thickness: 19 mm

Information: BMW / Maserati

Compounds: On Inquiry


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2685

Thickness: 17 mm

Information: BMW / Maserati

Compounds: RSL 1 RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2687

Thickness: 20 mm

Information: Brembo

Compounds: On Inquiry

Related Shape No. :	2488	8038	8087	8173	-	-
Thickness (mm) :	29	22	25	31	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry


Shape No.: 2688

Thickness: 26.5 mm

Information: Alcon / AP Racing

Compounds: On Inquiry

Related Shape No. :	2557	2558	2559	8222	-	-
Thickness (mm) :	29	31	32	25	-	-

Shape No.: 2704				Thickness: 26.5 mm			
Information: Audi / Brembo							
Compounds:		RSL 1	RSL 19	RSL D1	RST D1		
							
Related Shape No. :	1595	1607	1674	8037	8191	8267	
Thickness (mm) :	16	20	25	22	29	18	

Shape No.: 2707

Thickness: 18 mm

Information: Porsche

Compounds:

RS 14

RSC 1

RSC 3

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2723

Thickness: 18 mm

Information:

Compounds: On Inquiry

Related Shape No. :	4304	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-


Shape No.: 2743

Thickness: 15 mm

Information: Alcon

Compounds: On Inquiry

Related Shape No. :	1756	-	-	-	-	-
Thickness (mm) :	20	-	-	-	-	-

Shape No.: 2830				Thickness: 20 mm			
Information: Audi / Mercedes / VW							
Compounds: RSL 29							
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry


SHAPE LIST

Shape No.: 2845


Thickness: 16 mm

Information: Porsche / VW

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2905USA				Thickness: 12.5 mm		
Information: Wilwood						
Compounds: On Inquiry						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2931

Thickness: 16.5 mm

Information:

Audi / Brembo / Lamborghini / Mitsubishi


Compounds:

RSL 1

RSL 29

RST 1

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2959				Thickness: 17.3 mm		
Information: BMW						
Compounds: RSL 29						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 3102

Thickness: 14.4 mm

Information:

Alcon / Caterham / Citroen / Lucas / Girling / Toyota

Compounds:

RS 42

RS 44


RSH 3

RSL 29

RST 4

RST 5 E

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 3190			Thickness: 14.4 mm			
Information:						
Compounds:		RSH 29E	RSH 42			
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 3242

Thickness: 15.5 mm

Information:

Compounds: RSH 42

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 3276

Thickness: 18 mm

Information: Peugeot / Renault

Compounds: On Inquiry

100 mm

63 mm

Pad Depth: 43 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 3277

Thickness: 24 mm

Information: Alcon / AP Racing / Brembo / StopTech / Wilwood

Compounds: On Inquiry

Related Shape No. :	3278	3279	8033	-	-	-
Thickness (mm) :	30	28	17.5	-	-	-

Shape No.: 3278

Thickness: 30 mm

Information:

Alcon / AP Racing / Brembo / StopTech

Compounds:

On Inquiry

Related Shape No. :	3277	3279	8033	-	-	-
Thickness (mm) :	24	28	17.5	-	-	-


Shape No.: 3279

Thickness: 28 mm

Information: Alcon / AP Racing / Brembo / StopTech

Compounds: On Inquiry

Related Shape No. :	3277	3278	8033	-	-	-
Thickness (mm) :	24	30	17.5	-	-	-

Shape No.: 3830USA				Thickness: 14.5 mm		
Information: Mazda / Fiat						
Compounds: On Inquiry						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 4501

Thickness: 15 mm

Information:

Compounds:

RS 44

RSH 29E

RSH 3

RSH 42

RSL 29

Related Shape No. :	4503	-	-	-	-	-
Thickness (mm) :	19	-	-	-	-	-

Shape No.: 4503

Thickness: 19 mm

Information:


Compounds:


RSH 29E

RSH 42

Technical drawing of Shape No. 4503. The drawing shows a rectangular pad with a central vertical groove. The overall width is 76.7 mm, and the overall height is 70 mm. The pad depth is 55 mm. There are two small circular features on the top edge, one on each side of the central groove.

Related Shape No. :	4501	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-

Shape No.: 4507		Thickness: 16.5 mm				
Information:						
Compounds:		RSH 42				
						
Related Shape No. :	2593	-	-	-	-	-
Thickness (mm) :	14.6	-	-	-	-	-

Shape No.: 4508		Thickness: 16 mm				
Information:						
Compounds:		RSH 29E				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4509

Thickness: 15.6 mm

Information:

Compounds: **On Inquiry**

Technical drawing of Shape No. 4509, a curved pad with a central vertical groove. The drawing shows the top and side profiles. Dimensions are indicated: a total width of 126.8 mm, a height of 56.7 mm, and a central pad depth of 43 mm.

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-


-

-

-

-

-

Shape No.: 4580		Thickness: 15.25 mm				
Information: Ferrari						
Compounds: RSC 1 RSL 1						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 4581

Thickness: 15 mm

Information: Ferrari

Compounds: RSC 1 RSL 1

Technical drawing of a racing pad. The drawing shows a symmetrical, elongated shape with a central vertical slot and two circular mounting holes on the sides. The overall width is 193 mm, the overall height is 77 mm, and the pad depth is 60 mm.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4623

Thickness: 18.5 mm

Information:

Compounds: RSH 42

Technical drawing of a racing pad (Shape No. 4623). The drawing shows a rectangular pad with a central vertical slot. The overall width is 76.8 mm and the overall height is 59 mm. The pad features two side tabs, each with a rounded rectangular cutout. The central slot is labeled 'Pad Depth: 46 mm'.

Related Shape No. :	4634	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-

Shape No.: 4634

Thickness: 15 mm

Information:

Compounds: On Inquiry

Related Shape No. :	4623	-	-	-	-	-
Thickness (mm) :	18.5	-	-	-	-	-

Shape No.: 4702

Thickness: 19 mm

Information:

Compounds:

RSH 29E

RSH 42

Technical drawing of Shape No. 4702, a racing pad. The drawing shows a symmetrical shape with a central vertical slot. The overall width is 90 mm and the overall height is 70 mm. There are two small rectangular tabs on the top edge, one on each side of the central slot. The bottom edge is slightly curved. The central slot is defined by two dashed lines.

Related Shape No. :	4703	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-

Shape No.: 4703

Thickness: 15 mm


Information:

Compounds:

RSH 29E

RSH 42

Related Shape No. :	4702	-	-	-	-	-
Thickness (mm) :	19	-	-	-	-	-

Shape No.: 4823				Thickness: 18 mm		
Information: Ford						
Compounds: On Inquiry						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 4905

Thickness: 15.5 mm

Information:

Compounds:

RSH 29E

RSH 42

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4906


Thickness: 16.3 mm

Information:

Chevrolet / Ferrari / Lamborghini

Compounds:

RSC 1RSC 2



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4907

Thickness: 16 mm

Information: Audi / Lamborghini

Compounds:

RSC 1

RSC 2

RSC 3

RSL 29

Technical drawing of a racing pad. The drawing shows a symmetrical, wide, and shallow pad with a central rectangular cutout. The overall width is 176 mm, and the overall height is 110 mm. The central cutout has a depth of 80 mm. There are four circular holes, one in each corner, and a central rectangular hole. The pad is shown in a perspective view, with the central cutout being the deepest part.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4908

Thickness: 17.5 mm

Information: Porsche

Compounds: RSC 1 RSL 1 RSL 29

Technical drawing of a racing pad (Shape No. 4908). The drawing shows a wide, curved pad with a central slot and two side slots. Dimensions are indicated: a total width of 193,6 mm, a height of 78 mm, and a central pad depth of 65 mm.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4909

Thickness: 16 mm

Information: Porsche


Compounds:

RSC 1

RSL 1

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4910		Thickness: 20 mm				
Information: Audi / Bentley						
Compounds:		RSC 1				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 4912

Thickness: 16 mm

Information: Alcon

Compounds:

RST 2E

RST 5 E

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4913

Thickness: 17.9 mm

Information: Toyota

Compounds: On Inquiry

Technical drawing of a racing pad. The drawing shows a symmetrical, elongated shape with a central raised area. Dimensions are indicated: a total width of 151,3 mm, a total height of 58 mm, and a central pad depth of 47 mm. The drawing is a line art representation with no shading.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4916

Thickness: 15 mm

Information: Alcon

Compounds: **RST 1** **RST 5 E**

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-

-

-

-

-

-

Shape No.: 4917

Thickness: 16 mm

Information:

Porsche / VW

Compounds:

RSC 1

RSC 3

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4918

Thickness: 16.3 mm

Information: Porsche / VW

Compounds: RSC 1 RSC 3 RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4920

Thickness: 22 mm

Information: Porsche

Compounds:

RSL 1

RSL 1E

RST 1


RST 2E


Related Shape No. :	4928	-	-	-	-	-
Thickness (mm) :	28	-	-	-	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


SHAPE LIST


More applications and compounds on inquiry


Shape No.: 4921		Thickness: 20 mm					
Information:		Porsche					
Compounds:		RSL 1 RST 1					
							
Related Shape No. :		4929	-	-	-	-	-
Thickness (mm) :		26	-	-	-	-	-

Shape No.: 4922		Thickness: 17.3 mm					
Information:		Porsche					
Compounds:		RSL 29					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Shape No.: 4923		Thickness: 29 mm					
Information:		Ginetta / PFC					
Compounds:		RSL 1 RST 1					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Shape No.: 4924		Thickness: 16.6 mm					
Information:		Porsche					
Compounds:		RSL 1 RSL 29 RST 1 RST 3					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Shape No.: 4925		Thickness: 18 mm					
Information:		Porsche					
Compounds:		RSC 1 RSC 2 RSC 3 RSL 1 RSL 29 RST 3					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Shape No.: 4927		Thickness: 18.5 mm					
Information:		Porsche					
Compounds:		RSC 1 RSC 2 RSC 3 RSL 1 RSL 29					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 4928


Thickness: 28 mm


Information: Porsche


Compounds: **RSL 1** **RSL 1E** **RSL 2** **RSL 29** **RSL 2E**
RST 2E **RST 3** **RSX**


Technical drawing of Shape No. 4928, a rectangular pad with rounded corners. The drawing shows the top and side profiles. The top profile is a smooth curve. The side profile shows a flat top surface and a curved bottom surface. The dimensions are: 155 mm width, 65 mm height, and Pad Depth: 56 mm.


Related Shape No. :	4920	-	-	-	-	-
Thickness (mm) :	22	-	-	-	-	-

Shape No.: 4929		Thickness: 26 mm					
Information: Porsche							
Compounds:		RSL 1	RSL 29	RSL D1	RST 3	RST D1	
							
Related Shape No. :	4921	-	-	-	-	-	-
Thickness (mm) :	20	-	-	-	-	-	-

Shape No.: 4930		Thickness: 19 mm					
Information: Alpina							
Compounds: On Inquiry							
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 4931		Thickness: 17.5 mm					
Information:		Alpina / BMW					
Compounds:		RSL 1 RSL 29					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 4932		Thickness: 18 mm					
Information:		Alpina / BMW					
Compounds:		RSC 1 RSL 29					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 4933		Thickness: 16.5 mm					
Information:		Alpina / BMW					
Compounds:		RSL 1		RSL 29			
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 4934

Thickness: 19.5 mm

Information:


BMW

Compounds:


RSC 1


RSC 2

RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4935				Thickness: 19.4 mm		
Information: BMW						
Compounds: RSC 1						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4936		Thickness: 16.7 mm				
Information: Audi / VW						
Compounds:		RS 44				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4937


Thickness: 17.6 mm

Information:

Audi / Bentley / Lamborghini

Compounds:

RSC 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4938

Thickness: 17 mm

Information: Audi / Bentley

Compounds: RSC 1

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4939

Thickness: 16.2 mm

Information: Opel

Compounds: RS 44

Technical drawing of a brake pad. The drawing shows a cross-section of a brake pad with a central friction surface. Dimensions are indicated: a total width of 116,5 mm, a central friction surface width of 43 mm, and a pad depth of 38 mm.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 4940

Thickness: 17.5 mm

Information: Fiat / Opel

Compounds: On Inquiry

Technical drawing of a rectangular pad with a central recessed area. The overall width is 101,7 mm and the overall height is 47 mm. The central recessed area is labeled "Pad Depth: 41 mm".

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4941

Thickness: 16.2 mm

Information: Aston Martin

Compounds: RSC 1

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4943

Thickness: 16 mm

Information: Aston Martin

Compounds: RSC 1

Technical drawing of a rectangular pad with a central recessed area and two side tabs. The overall width is 132 mm and the overall height is 77 mm. The pad has a central recessed area with a depth of 60 mm. The drawing shows the top and side profiles of the pad.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4945

Thickness: 18.9 mm

Information: Nissan

Compounds: RSC 1


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4946


Thickness: 17.9 mm

Information: Nissan

Compounds: RSC 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 5100				Thickness: 12 mm			
Information: CRG/ Maranello KZ Shifter / DD2 rear axle							
Compounds: K1 K2							
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 5101

Thickness: 8.6 mm

Information:

CRG KZ Shifter / DD2 front and Minikart rear

Compounds:

K1

K2

37,5 mm

48,2 mm

Pad Depth: 26 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 5102

Thickness: 8.8 mm

Information:

Tony Kart KZ Shifter / DD2 front and Minikart rear

Compounds:

K1K2

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 5103

Thickness: 8.8 mm


Information: Tony Kart KZ Shifter / DD2 rear axle

Compounds: K1 K2

Technical drawing of a rectangular pad with a central circular hole. The drawing includes the following dimensions:

- Overall Width: 49.5 mm
- Overall Height: 54.2 mm
- Pad Depth: 32.5 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 5104				Thickness: 9.9 mm			
Information:		Kart Republic/Parolin KZ Shifter / DD2 / OK rear axle					
Compounds:		K1 K2					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Shape No.: 5105

Thickness: 15.2 mm

Information: Kart Republic/Parolin KZ Shifter / DD2 rear

Compounds:

K1


K2

61.75 mm

51.22 mm

Pad Depth: 27.9 mm


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 5106				Thickness: 10 mm			
Information:		Kart Republic/Parolin KZ Shifter / DD2 front and Minikart rear					
Compounds:		K1 K2					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 6000		Thickness: 7.6 mm					
Information:		Polaris UTV					
Compounds:		UTV 1 UTV 2					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-


Shape No.: 6001

Thickness: 7.6 mm

Information: Polaris UTV

Compounds: UTV 1 UTV 2

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 6002				Thickness: 11.1 mm			
Information: Polaris UTV							
Compounds: UTV 1 UTV 2							
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 6003

Thickness: 8.9 mm

Information: Yamaha UTV Front

Compounds: UTV 1 UTV 2

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 6004

Thickness: 8.8 mm

Information: Yamaha UTV Rear

Compounds: UTV 1 UTV 2

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 6005

Thickness: 7.8 mm

Information:

BRP Can Am Maverick X3 race pad

Compounds:

UTV 1

UTV 2

95.15 mm

60.38 mm

Pad Depth: 26 mm

117.88 mm

60.38 mm

Pad Depth: 26 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 6008

Thickness: 11.1 mm

Information: UTV Upgrade Kit


Compounds: UTV 1 UTV 2


69.64 mm


50.85 mm

Pad Depth: 36.26 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 6812USA				Thickness: 12.7 mm		
Information: Wilwood						
Compounds: On Inquiry						
						
Related Shape No. : - - - - - -						
Thickness (mm) : - - - - - -						

Shape No.: 7034		Thickness: 19 mm				
Information:		Hyundai				
Compounds:		RSL 2				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 7035			Thickness: 16 mm			
Information:			Hyundai			
Compounds:			RSL 2			
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 7036

Thickness: 17.7 mm

Information:

Compounds:

RSL 29

RST 1

Technical drawing of Shape No. 7036, a rectangular pad with rounded corners and a central notch. The drawing shows the overall dimensions and the pad depth.

- Overall width: 137,7
- Overall height: 60,9
- Pad Depth: 54,6 mm

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-


-

-

-

-

-

Shape No.: 8000		Thickness: 16 mm				
Information:		Alcon / Brembo				
Compounds:		RS 42		RSL 29		
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8001

Thickness: 20 mm

Information: Audi / VW

Compounds: RSL 29

Technical drawing of a racing pad. The drawing shows a symmetrical, elongated shape with a central rectangular area and rounded corners. The overall width is 156,3 mm, and the overall height is 71 mm. The central rectangular area has a depth of 61 mm. The drawing is a line art representation with dimension lines and arrows indicating the measurements.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8003

Thickness: 17.5 mm

Information: Porsche

Compounds: RSL 1 RSL 1E RSL 29

190 mm

101 mm

Pad Depth: 62 mm
(with or without grooves)

Related Shape No. :	8004	-	-	-	-	-
Thickness (mm) :	19.5	-	-	-	-	-

Shape No.: 8004

Thickness: 19.5 mm

Information: Porsche

Compounds: **RS 14** **RSL 1** **RSL 1E** **RSL 29** **RST 3**

190 mm

101 mm

Pad Depth: 62 mm
(with or without grooves)

Related Shape No. :	8003	-	-	-	-	-
Thickness (mm) :	17.5	-	-	-	-	-

Shape No.: 8005

Thickness: 16.4 mm

Information:

Brembo / Ford / Lexus / Maserati / Mercedes

Compounds:

RSL 1

RSL 19

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8006

Thickness: 19 mm

Information:

Porsche

Compounds:

RS 14

RSC 1


RSC 3

RSL 1

RSL 29

RST 3

Related Shape No. :	8008	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

Shape No.: 8007		Thickness: 16 mm					
Information: Alcon							
Compounds: RSL 29							
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8008

Thickness: 17 mm

Information: Porsche

Compounds:

RSC 1

RSL 1

RSL 29

Related Shape No. :	8006	-	-	-	-	-
Thickness (mm) :	19	-	-	-	-	-

Shape No.: 8009

Thickness: 15.5 mm


Information:


Alcon / Porsche

Compounds:

On Inquiry

Related Shape No. :	1203	1916	-	-	-	-
Thickness (mm) :	17,5	24	-	-	-	-

Shape No.: 8010		Thickness: 17 mm				
Information: Honda (Acura)						
Compounds:		RSL 29				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8011		Thickness: 16 mm				
Information: Alcon						
Compounds:		RSC 1	RSL 29			
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8018

Thickness: 17 mm

Information: Alcon / AP Racing


Compounds:

RSL 29

RST 3

RST 4

Related Shape No. :	1538	1903	8192	-	-	-
Thickness (mm) :	25	18	28.5	-	-	-

Shape No.: 8019				Thickness: 20 mm		
Information: BMW / Jaguar						
Compounds: On Inquiry						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8021

Thickness: 16.2 mm

Information: BMW

Compounds: RSL 1 RSL 19 RSL 29

Technical drawing of a brake pad (Shape No. 8021). The drawing shows a cross-section of the pad with dimensions: 139,5 mm (width), 68 mm (height), and Pad Depth: 64 mm. A note indicates "with or without top hammer-head".

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-


-


-


-

-

-

Shape No.: 8023				Thickness: 15.5 mm		
Information:		Alfa Romeo / Brembo / Chevrolet / Mazda / Opel / Renault				
Compounds:		RSL 1 RSL 29 RST 3				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8027		Thickness: 17.4 mm				
Information:		Mercedes				
Compounds:		On Inquiry				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8028				Thickness: 16 mm		
Information: Alcon						
Compounds: RSL 29 RST 3						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8029

Thickness: 16.5 mm

Information: Toyota

Compounds: On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8030

Thickness: 17 mm

Information:

Brembo / Mitsubishi

Compounds:

RST 3


RST 5 E


Related Shape No. :	1616	1618	1619	1896	-	-
Thickness (mm) :	16	28	26	20	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8031			Thickness: 16 mm			
Information:			Mercedes			
Compounds:			On Inquiry			
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8032				Thickness: 17.5 mm			
Information:							
Compounds:		RSH 29E	RSH 3	RSH 42			
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8033

Thickness: 17.5 mm

Information: Alcon / AP Racing / Brembo / Mitsubishi / StopTech

Compounds: RST 1 RST 5 E

Related Shape No. :	3277	3278	3279	-	-	-
Thickness (mm) :	24	30	28	-	-	-

Shape No.: 8034

Thickness: 15.5 mm

Information: PFC Formula 3

Compounds: On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8035

Thickness: 16.5 mm

Information:


BMW


Compounds:

RS 44


RSL 1

RSL 29






Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 8037				Thickness: 22 mm			
Information: Alcon / Brembo / Porsche							
Compounds: On Inquiry							
							
Related Shape No. :	1595	1607	1674	2704	8191	8267	
Thickness (mm) :	16	20	25	26.5	29	18	

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8038			Thickness: 22 mm			
Information: Brembo / Porsche						
Compounds: RST 2E						
						
Related Shape No. :	2488	2687	8087	8173	-	-
Thickness (mm) :	29	20	25	31	-	-

Shape No.: 8039				Thickness: 16.8 mm			
Information: Audi / Bentley							
Compounds: RSC 1 RSL 19							
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8040

Thickness: 16 mm


Information:

Compounds:

RSH 3

RSH 42

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8041				Thickness: 15.5 mm			
Information:							
Compounds:		RSH 29E		RSH 42			
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8042

Thickness: 16 mm

Information:

Compounds: **RSH 29E** **RSH 42**

96,3 mm

66 mm

Pad Depth: 50 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8043

Thickness: 18 mm

Information: Alcon

Compounds: On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry


Shape No.: 8044


Thickness: 18 mm

Information: AP Racing / Brembo

Compounds: On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8045				Thickness: 25 mm			
Information:		Alcon					
Compounds:		On Inquiry					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8046				Thickness: 17.2 mm			
Information: Audi / VW							
Compounds: RSL 19							
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8049

Thickness: 16 mm

Information: Brembo

Compounds:

RS 34

RS 36

RS 42

RSL 1

RSL 19

RSL 29

RST 1

RST 2

RST 3

RST 4

Related Shape No. :	8217	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

Shape No.: 8049U

Thickness: 16 mm


Information:

8049 with leight weight back plate / direction bounded

Compounds:

RS 34


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 8050				Thickness: 15 mm			
Information: Alcon							
Compounds: RSL 29							
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8051		Thickness: 17.3 mm				
Information:		BMW				
Compounds:		RSL 19				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8053		Thickness: 20.3 mm				
Information: BMW						
Compounds:		RSL 1	RSL 19			
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8055

Thickness: 17.5 mm

Information:

Compounds: RSH 42


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8056

Thickness: 17 mm

Information:

Compounds: RSH 29E



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8057

Thickness: 14 mm

Information:

Compounds: **RSH 3**

Technical drawing of a racing pad (Shape No. 8057). The drawing shows a rectangular pad with a central raised area and two small circular features on the sides. Dimensions are provided: overall width is 157,8 mm, overall height is 77 mm, and the central raised area has a depth of 49 mm.

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-


-

-

-

-


-


Shape No.: 8058				Thickness: 22 mm		
Information: Set of 8 pcs						
Compounds: RSH 3						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8059		Thickness: 25 mm				
Information:						
Compounds:		RSH 3				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8060		Thickness: 16 mm				
Information: AP Racing						
Compounds:		RS 34	RS 36	RS 42	RSL 19	RSL 29
		RST 2	RST 4			
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8060U

Thickness: 16 mm

Information: 8060 with leight weight back plate / direction bounded

Compounds: **RS 34**

Technical drawing of a brake pad (Shape No. 8060U). The top view shows a curved rectangular shape with a width of 99.7 mm and a height of 39.6 mm. The pad depth is indicated as 32 mm. The bottom view shows the back plate with four mounting holes and a central rectangular cutout.

Related Shape No. :	-	-	-	-	-	-
---------------------	---	---	---	---	---	---

Thickness (mm) :	-	-	-	-	-	-
------------------	---	---	---	---	---	---

Shape No.: 8061

Thickness: 16.8 mm

Information: Brembo

Compounds: RSC 1 RSL 29


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8062

Thickness: 16.8 mm

Information: Brembo

Compounds: RSL 1 RSL 29



Technical drawing of a brake pad. The drawing shows a curved, asymmetrical shape with two mounting tabs on the left side. Dimensions are indicated: a width of 189,6 mm at the top, a height of 87 mm on the right side, and a pad depth of 57,5 mm in the center.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8064


Thickness: 19.5 mm

Information:

Audi / Mazda / Seat / Skoda / VW

Compounds:

On Inquiry



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8067


Thickness: 15 mm

Information:

Compounds: On Inquiry

Technical drawing of Shape No. 8067, a rectangular pad with a central vertical slot. The overall width is 85,2 mm and the overall height is 57 mm. The central slot has a depth of 43 mm. The drawing shows a top-down view with rounded corners and a central vertical line indicating the slot.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8068		Thickness: 15 mm				
Information:						
Compounds:		On Inquiry				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 8069

Thickness: 17 mm

Information: Brembo / Mitsubishi / VW

Compounds: On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8070				Thickness: 17 mm		
Information: Comes w.o. back plate slot						
Compounds: RSH 29E						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8071

Thickness: 17 mm

Information:

Comes w.o. back plate slot

Compounds:

RSH 29E

Technical drawing of a rectangular component. The width is indicated as 58,8 mm and the height as 60,5 mm. The drawing shows a double-line border, suggesting a specific thickness or a double-layered structure.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8074

Thickness: 18.5 mm

Information: Porsche


Compounds: RSL 1 RSL 29


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


SHAPE LIST


More applications and compounds on inquiry


Shape No.: 8076		Thickness: 14.4 mm					
Information:		AP Racing					
Compounds:		RS 14					
							
Related Shape No. :		4349	-	-	-	-	-
Thickness (mm) :		16	-	-	-	-	-

Shape No.: 8077		Thickness: 13.1 mm					
Information:		Mazda					
Compounds:		RS 44 RSL 29					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Shape No.: 8078		Thickness: 16 mm					
Information:		Caparo AP					
Compounds:		RS 42					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Shape No.: 8081		Thickness: 17 mm					
Information:		Aston Martin / Audi / Brembo / Cadillac / Chevrolet / Mercedes / Nissan					
Compounds:		RSC 1 RSL 1 RSL 29					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Shape No.: 8082		Thickness: 15 mm					
Information:		Mazda					
Compounds:		RSL 29 RST 3					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Shape No.: 8083		Thickness: 17 mm					
Information:		Brembo / Ferrari					
Compounds:		RSC 1 RSL 1 RSL 29					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8084

Thickness: 16.7 mm

Information: BMW


Compounds: RSL 1 RSL 29

164,7 mm

74 mm

Pad Depth: 61 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8085		Thickness: 17 mm				
Information: BMW						
Compounds: RSL 29						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8086


Thickness: 18 mm

Information:

Compounds: RSH 29E

Technical drawing of a brake pad. The drawing shows a cross-section of a brake pad with a curved friction surface. The width is dimensioned as 131 mm and the height is dimensioned as 57,5 mm.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8087			Thickness: 25 mm			
Information:			Aston Martin / Audi / Brembo / Chevrolet / Lamborghini / Ligier			
Compounds:	RSL 1	RSL 29	RST 1	RST 2E	RST 3	
	RST 5 E	RSX				
						
Related Shape No. :	2488	2687	8038	8173	-	-
Thickness (mm) :	29	20	22	31	-	-


Shape No.: 8088

Thickness: 18 mm

Information: Mercedes

Compounds: RSC 1 RSC 3

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8089				Thickness: 15.7 mm		
Information: Mercedes						
Compounds: RSC 1						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8090

Thickness: 22 mm

Information: Alcon / AP Racing / Brembo

Compounds: On Inquiry

Related Shape No. :	1842	1908	-	-	-	-
Thickness (mm) :	18	24	-	-	-	-

Shape No.: 8091

Thickness: 16 mm

Information:

Brembo / Chevrolet / Ferrari / McLaren

Compounds:


RSC 1


RSC 2


RSC 3


RSL 19

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8092		Thickness: 29 mm				
Information: Alpina / PFC						
Compounds:		RSL 1				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8093			Thickness: 28.5 mm			
Information:			Alpina / Ginetta / PFC			
Compounds:			On Inquiry			
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 8094		Thickness: 19 mm				
Information:		Mercedes				
Compounds:		On Inquiry				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 8096				Thickness: 18.5 mm		
Information:		Audi / Ford				
Compounds:		RSL 19				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8100		Thickness: 29 mm				
Information:		Alcon / Audi / Brembo / Ferrari				
Compounds:		RSL 1	RSL 1E	RSL 2	RSL 29	RSL 2E
		RST 1	RST 2	RST 2E	RSX	
						
Related Shape No. :	8101	8102	8103	8194	-	-
Thickness (mm) :	25	21	31	26	-	-

Shape No.: 8101		Thickness: 25 mm				
Information:		Brembo / Ferrari / Lamborghini / Mercedes				
Compounds:		RSL 1	RSL 1E	RSL 2E	RST 1	RST 2E
		RST 5 E	RSX			
						
Related Shape No. :	8100	8102	8103	8194	-	-
Thickness (mm) :	29	21	31	26	-	-

Shape No.: 8102


Thickness: 21 mm


Information: Brembo


Compounds: On Inquiry

Technical drawing of a brake pad. The drawing shows the top view of the pad with its dimensions. The width is 163,6 mm, the height is 77 mm, and the pad depth is 64 mm. The pad has a curved shape with two vertical lines indicating the mounting points.

Related Shape No. :	8100	8101	8103	8194	-	-
Thickness (mm) :	29	25	31	26	-	-

Shape No.: 8103		Thickness: 31 mm				
Information:		Brembo				
Compounds:		RSL 2E	RST 2E			
						
Related Shape No. :	8100	8101	8102	8194	-	-
Thickness (mm) :	29	25	21	26	-	-

Shape No.: 8113USA		Thickness: 17 mm				
Information:		Ford Mustang rear				
Compounds:		RSL 29	RST 4			
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8127USA		Thickness: 14 mm				
Information:		Mazda Miata front				
Compounds:		RSL 29	RST 3			
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8129USA

Thickness: 12.5 mm

Information: Mazda Miata rear

Compounds: RSL 29 RST 4

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8173

Thickness: 31 mm

Information: Brembo

Compounds: On Inquiry

Related Shape No. :	2488	2687	8038	8087	-	-
Thickness (mm) :	29	20	22	25	-	-


Shape No.: 8174

Thickness: 17 mm

Information: Subaru / Toyota

Compounds: On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8175				Thickness: 16 mm			
Information: Toyota							
Compounds: On Inquiry							
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8185

Thickness: 15.2 mm

Information: Opel

Compounds: On Inquiry


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8187

Thickness: 16.8 mm

Information: McLaren

Compounds: RSC 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST


Shape No.: 8188

Thickness: 16.5 mm

Information: Mercedes

Compounds: RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8189				Thickness: 18.8 mm			
Information:		Mercedes					
Compounds:		RSL 29					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8191

Thickness: 29 mm

Information: Brembo

Compounds: On Inquiry

Related Shape No. :	1595	1607	1674	2704	8037	-
Thickness (mm) :	16	20	25	26.5	22	-

Shape No.: 8192

Thickness: 28.5 mm

Information: AP Racing

Compounds: **On Inquiry**

Related Shape No. :	1538	1903	8018	-	-	-
---------------------	------	------	------	---	---	---

Thickness (mm) :	25	18	17	-	-	-
------------------	----	----	----	---	---	---


Shape No.: 8193

Thickness: 22 mm

Information: AP Racing / Brembo

Compounds: On Inquiry


Related Shape No. :	1283	1705	-	-	-	-
Thickness (mm) :	20	16	-	-	-	-


Shape No.: 8194				Thickness: 26 mm			
Information: Brembo							
Compounds: On Inquiry							
							
Related Shape No. :	8100	8101	8102	8103	-	-	
Thickness (mm) :	29	25	21	31	-	-	


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8195		Thickness: 17 mm					
Information:		Wilwood					
Compounds:		On Inquiry					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8197				Thickness: 27 mm			
Information:				BMW / PFC			
Compounds:				RSL 29			
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8200				Thickness: 18.2 mm			
Information: Alpina							
Compounds: On Inquiry							
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8201				Thickness: 19.5 mm			
Information:		Audi / VW					
Compounds:		RSL 29					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-


Shape No.: 8203

Thickness: 15.5 mm

Information: 2015 Mustang Performance Package

Compounds: On Inquiry


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 8204				Thickness: 17.5 mm			
Information: 2015 Mustang rear							
Compounds: RSL 29							
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


More applications and compounds on inquiry


SHAPE LIST


Shape No.: 8208		Thickness: 16 mm					
Information:		Corvette & Mustang rear					
Compounds:		RSL 29					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Shape No.: 8212		Thickness: 19 mm					
Information:		Citroen					
Compounds:		On Inquiry					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Shape No.: 8214		Thickness: 16.7 mm					
Information:		AP Racing / Lotus					
Compounds:		RSL 29					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Shape No.: 8216		Thickness: 18 mm					
Information:		AP Racing					
Compounds:		RSL 2					
							
Related Shape No. :		2126	-	-	-	-	-
Thickness (mm) :		17	-	-	-	-	-

Shape No.: 8217		Thickness: 17 mm					
Information:		Brembo					
Compounds:		On Inquiry					
							
Related Shape No. :		8049	-	-	-	-	-
Thickness (mm) :		16	-	-	-	-	-

Shape No.: 8222		Thickness: 25 mm					
Information:		AP Racing / KTM					
Compounds:		RSL 1 RSL 1E RSL 2 RSL 29 RSL 2E RST 1 RST 2E					
							
Related Shape No. :		2557	-	-	-	-	-
Thickness (mm) :		29	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8233

Thickness: 25 mm

Information:

AP / Norma LMP3


Compounds:

RSL 2

RST 1

RST 3

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 8234			Thickness: 15 mm			
Information:			Mitsubishi			
Compounds:			On Inquiry			
						
Related Shape No. :	1538	1903	8018	8192	-	-
Thickness (mm) :	25	18	17	28.5	-	-

Shape No.: 8235


Thickness: 16.6 mm

Information: Porsche

Compounds: RSL 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8236			Thickness: 18.5 mm			
Information:			Porsche			
Compounds:			On Inquiry			
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8237

Thickness: 17 mm

Information: AP Racing

Compounds: RSL 1 RSL 2 RST 3

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8238

Thickness: 16.9 mm

Information: Front axle AMG GT / GTS

Compounds: **RSL 29**


Related Shape No. :	-	-	-	-	-	-
---------------------	---	---	---	---	---	---


Thickness (mm) :	-	-	-	-	-	-
------------------	---	---	---	---	---	---


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8239		Thickness: 17 mm				
Information:	Ford Front					
Compounds:	RSL 29					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8240USA rear				Thickness: 14.5 mm		
Information:	Corvette C6 Z06 / Corvette C6 Grand Sport / rear multi pad system 8 pcs					
Compounds:	RSL 29					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8240USA front			Thickness: 14.5 mm			
Information:	Corvette C6 Z06 / Corvette C6 Grand Sport / front multi pad system 12pcs					
Compounds:	RSL 29					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8241		Thickness: 30 mm				
Information:	Porsche					
Compounds:	On Inquiry					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8242

Thickness: 31.2 mm

Information: Porsche

Compounds: On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8245

Thickness: 25 mm

Information: Alcon / AP Racing

Compounds: On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8246

Thickness: 18.8 mm

Information:

Rear axle AMG GT / GTS / GTR


Compounds:

RSC 1

RSL 29

Technical drawing of two brake pads. The top pad is labeled 'Shape: 8246' and has a width of 146.4 mm and a height of 67.8 mm. The bottom pad is labeled 'Shape: 8247' and has a width of 146.4 mm and a height of 67.9 mm. Both pads have a similar curved shape with mounting tabs on the sides.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8250		Thickness: 28.5 mm				
Information: Alcon / AP Racing						
Compounds: RSL 1 RSL 1E RST 2E RSX						
						
Related Shape No. :	1539	1904	-	-	-	-
Thickness (mm) :	25	18	-	-	-	-

Shape No.: 8251

Thickness: 18 mm


Information: PFC

Compounds:

RSL 1

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8253			Thickness: 16 mm		
Information:			Dodge Viper / Camaro ZL1		
Compounds:			On Inquiry		
					
Related Shape No. :	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-

Shape No.: 8257

Thickness: 16 mm

Information:

AMG GTS (disc 360mm) Akebono caliper

Compounds:

RSL 29


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8258

Thickness: 16 mm

Information: AP Racing

Compounds: RSL 1 RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8261

Thickness: 25 mm

Information:

AP Racing / McLaren

Compounds:

RSL 2

Related Shape No. :	4346	-	-	-	-	-
Thickness (mm) :	16.7	-	-	-	-	-

Shape No.: 8262


Thickness: 15.5 mm

Information:

Fiesta VII ST

Compounds:

On Inquiry



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8264

Thickness: 14.5 mm

Information: Ford Fiesta VII ST

Compounds: On Inquiry


Technical drawing of two views of a racing pad (Shape No. 8264). The top view shows a width of 123 mm and a height of 42.44 mm. The bottom view shows a width of 123 mm and a height of 46.23 mm. The pad depth is 35.1 mm.

Related Shape No. :

- - - - -

Thickness (mm) :

- - - - -

Shape No.: 8267			Thickness: 18 mm			
Information:			Alcon			
Compounds:			RST 1 RST 3			
						
Related Shape No. :	1595	1607	1674	2704	8037	8191
Thickness (mm) :	16	20	25	26.5	22	29


Shape No.: 8268USA

Thickness: 25 mm

Information: Alcon

Compounds: On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8269		Thickness: 15.6 mm				
Information:	McLaren 720S					
Compounds:	RSC 1					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8270

Thickness: 15.8 mm

Information: McLaren 720S

Compounds: **RSC 1**

124.7 mm

105.6 mm

Pad Depth: 75 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8275

Thickness: 20 mm

Information:

Front axle for: BMW 3 series [G20 / G21]: M340i / M340d / 320i - 330i M-Technik / 330e M-Technik / 316d - 330d M-Technik BMW 4 series Coupe [G22 / G23 / G82]: M440i / M440d / 420i - 430i M-Technik / 420d - 430d M-Technik BMW Z4 Roadster [G29]: M40i / sDrive 20i - sDrive 30i M-Technik Toyota GR Supra

Compounds:

RSC 1

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8276

Thickness: 16 mm

Information:

Rear axle for: BMW 3 series [G20 / G21]: M340i / M340d / 320i - 330i M-Technik / 330e M-Technik / 316d - 330d M-Technik BMW 4 series Coupe [G22 / G23 / G82]: M440i / M440d / 420i - 430i M-Technik / 420d - 430d M-Technik BMW Z4 Roadster [G29]: M40i / sDrive 20i - sDrive 30i M-Technik Toyota GR Supra

Compounds:

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8278

Thickness: 15.5 mm

Information:

Application: Corvette C8 Z51 / Front Axle

Compounds:

On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8279

Thickness: 15.3 mm

Information:

Application: Corvette C8 Z51 / Rear Axle

Compounds:

On Inquiry

126.1 mm

78.8 mm

Pad Depth: 58.5 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8283

Thickness: 15.6 mm

Information:

Scalloped Version of 8269

Compounds:

On Inquiry

170.45 mm

91.2 mm


Pad Depth: 72 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8284		Thickness: 15.8 mm				
Information:	McLaren 720S / 600LT PAGID RBD2.0 Upgrade Kit / Rear Axle					
Compounds:	On Inquiry					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8286

Thickness: 18 mm

Information:

992 Turbo Front PCCB

Compounds:

RSC 1

195 mm

101.16 mm

Pad Depth: 95 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8287

Thickness: 22 mm

Information: Porsche


Compounds: **RSL 19** **RST D1**


131.6 mm


62 mm

Pad Depth: 52.5 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8288		Thickness: 20.4 mm				
Information:						
Compounds:		RSL 29				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8292		Thickness: 18.4 mm				
Information:						
Compounds:		RSC 1				
						
Related Shape No. :	8288	-	-	-	-	-
Thickness (mm) :	20.4	-	-	-	-	-

Shape No.: 8295				Thickness: 16.9 mm		
Information:		Akebono 10 Piston Caliper				
Compounds:		RSC 1				
						
Related Shape No. :		-	-	-	-	-
Thickness (mm) :		-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST


More applications and compounds on inquiry

Shape No.: 8299


Thickness: 16 mm


Information: Toyota


Compounds: RSL 29 RST 3 RST 5E



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8300				Thickness: 16 mm			
Information: Toyota							
Compounds:		RSL 29		RST 3		RST 5E	
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8302		Thickness: 20.15 mm					
Information: BMW M Front							
Compounds:		RSL 29					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8306				Thickness: 18 mm			
Information:							
Compounds:							
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8312

Thickness: 25 mm

Information:


Porsche 992 Cup rear axle pad in 25mm

Compounds:

RSL 19

RSL D1

Related Shape No. :	8287	-	-	-	-	-
Thickness (mm) :	22	-	-	-	-	-

Shape No.: 8314				Thickness: 32.3 mm			
Information: TM brake system							
Compounds: RSX							
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry


SHAPE LIST

Shape No.: 9521

Thickness: 15.4 mm

Information:

Compounds: RSH 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

**ENGINEERED
FOR RACE
DRIVERS.
MADE FOR
CHAMPIONS.**





Get in touch with us

📷 [instagram.com/pagidracing](https://www.instagram.com/pagidracing)

📘 [facebook.com/PagidRacing](https://www.facebook.com/PagidRacing)

🌐 [pagidracing.com](https://www.pagidracing.com)

Europe

TMD Friction Group GmbH

Lueschershofstrasse 80

45356 Essen

Germany

USA

TMD Friction Inc.

1035 Crooks Road

Troy, MI 48084

United States