

schaummaXX®

PRODUCT

CATALOG 2026



OVERVIEW

1.0	FILL REPAIR PUMP	4	6.0	CONVEYOR HOSES AND ACCESSORIES	10
1.1	FILL REPAIR PUMP (042)		6.1	Conveyor hose 25 m (038–038f)	
1.2	Schaummaxx 2.0 pro-series (070)		6.2	Hose connector 2-way flexible (035)	
2.0	FILL REPAIR SYSTEM RESINS AND ACCESSORIES	5	6.3	Mixer (033–034)	
2.1	Foam normal (031)		6.4	Cable puller (041)	
2.2	Foam for pipe bends etc. (032)		6.5	Pliers for cable ties (046)	
2.3	T90 Fire-resistant foam (071)		6.6	Cable ties (036)	
2.4	Hose connector 2-way (020)		6.7	Hose pliers (047)	
2.5	Screw connection (021)		6.8	Conveyor hose bracket for camera small (017)	
2.6	Spray head (001)		6.9	Conveyor hose bracket for camera big (018)	
2.7	Drip tray for resin (037)		6.10	Conveyor hose bracket for camera big (019)	
2.8	Hand cleaning wipes (039)				
2.9	Lubricant (040)		7.0	SPRAY HEAD CENTRALIZER	14
2.10	Resin cleaner (069)		7.1	Spray head centralizer DN 70–100 (022)	
3.0	BODY CAPS	7	7.2	Spray head centralizer DN 50 (023)	
3.1	DN 32–50 (002)		7.3	Spray head centralizer DN 70–80 (024)	
3.2	DN 70–125 (003)		7.4	Spray head centralizer DN 125 (025)	
3.3	DN 150–300 (004)		7.5	Spray head centralizer DN 150 (026)	
3.4	DN 125–300: Branch lines and major damage (006)		7.6	Spray head centralizer flexible (027)	
3.5	DN 125–300: Main and floating lines (005)		7.7	Spray head centralizer flexible small (028)	
3.6	Special Body Cap DN 100: HT/KG damage (007)		7.8	Spray head centralizer flexible big (029)	
4.0	CAPS FOR HOSE AND FILL BODY	7	7.9	Spray head centralizer flexible XL (030)	
4.1	DN 32–50 (064)		8.0	SETS AND BOXES	16
4.2	DN 70–125 (065)		8.1	Starter set complete (043)	
4.3	DN 150–300 (066)		8.2	Starter box (057)	
5.0	FILL BODYS	8	8.3	Box medium (058)	
5.1	DN 32–50 (008)		8.4	Box big (059)	
5.2	DN 70–125 (009)		8.5	Accessory box (056)	
5.3	DN 150–300 (010)		8.6	Spray head and centralizer box/set (067)	
5.4	DN 125–300: Main and floating lines (012)		8.7	Drilling head set (048)	
5.5	DN 125–300: Main and floating lines (013)		9.0	ADDITIONAL ARTICLES	21
5.6	Special Fill Body DN 100: HT/KG damage (011)		9.1	Cooler/warmer box (044)	
5.7	Filling overcut DN100–150 (014)		9.2	Compressor (045)	
5.8	Filling overcut big DN 150–300 (015)		9.3	Foot pedal (050)	
5.9	Special bubble: Break points (016)		9.4	Press stamp (068)	
5.10	Pro-series Fill Body (072)				

1.0 FILL REPAIR PUMP

1.1 FILL REPAIR PUMP

ART.-NR. 042



! Delivered in its own transport box

schaummaXX System 2.0 – Thanks to new technology, always the right pressure, whether for fill bodies or for spraying or pressing.

In addition, thanks to accessories, our system is compatible with various resins for coating, so that once the damage has been filled and pressed with the correct fill body, it can be coated immediately – up to a length of 25 meters.

1.2 SCHAUUMMAXX 2.0 PRO-SERIES DUAL-CARTRIDGE SYSTEM

ART.-NR. 070

HINWEIS

Each cartridge can be controlled separately.



2.0 FILL REPAIR SYSTEM RESINS AND ACCESSORIES

FOAM CARTRIDGES

2.1 FOAM NORMAL

ART.-NR. 031

Downpipes and main lines



CONTENTS

2 x 750 ml

2.2 FOAM FOR PIPE BENDS ETC.

ART.-NR. 032

Downpipes, small pipes, bends and suspended pipes



CONTENTS

2 x 750 ml

2.3 T90 FIRE-RESISTANT FOAM

ART.-NR. 071

Indoor applications
Available on request!



! The schaummaXX filler resin has a limited maximum processing temperature. The filler resin must be at a temperature of approximately 25° C to 29° C (77° F to 84.2° F) to operate properly. If the filler resin temperature rises above 29° C / 84.2° F during installation, we recommend cooling down the cartridge. If it is too cold, the filler resin will flow slowly through the hose.

2.4 HOSE CONNECTOR 2-WAY

ART.-NR. 020





2.5 SCREW CONNECTION

ART.-NR. 021

2.6 SPRAY HEAD

ART.-NR. 001



FUNCTION

Spray head for Fill Repair System

! Suitable for single use (special application)

2.7 DRIP TRAY

ART.-NR. 037



FUNCTION

Drip tray for pump

2.8 HAND CLEANING WIPES

ART.-NR. 039



CONTENTS

100 pieces

FUNCTION

Removes resin and PU foam residues

2.9 LUBRICANT

ART.-NR. 040



COMPATIBILITY

Body Caps and Fill Bodies



2.10 RESIN CLEANER

ART.-NR. 069

CONTENTS

5 liters

FUNCTION

Removes resin and PU foam residues

3.0 BODY CAPS

3.1	ART.-NR. 002	3.2	ART.-NR. 003	3.3	ART.-NR. 004	3.4	ART.-NR. 006	3.5	ART.-NR. 005	3.6	ART.-NR. 007
DN 32-50		DN 70-125		DN 150-300		DN 125-300 Branch lines and major damage		DN 125-300 Main and floating lines		Special Body Cap DN 100 HT/KG damage	

4.0 CAPS FOR HOSE AND FILL BODY

4.1	ART.-NR. 064	4.2	ART.-NR. 065	4.3	ART.-NR. 066
DN 32-50		DN 70-125		DN 150-300	

5.0 FILL BODY

All Fill Bodys are now supplied with matching caps.

5.1	ART.-NR. 008	5.1	ART.-NR. 009	5.1	ART.-NR. 010	ART.-NR. 012	ART.-NR. 013	ART.-NR. 011
DN 32–50		DN 70–125		DN 125–300		DN 125–300 Main and floating lines	DN 125–300 Main and floating lines	Fill Body Special DN 100 HT/KG damage
								

5.7	ART.-NR. 014	5.7	ART.-NR. 015	5	ART.-NR. 016
Filling overcut DN 100–150		Filling overcut big DN 150–300		Specialbubble Break points	
					

WORLD FIRST

5.10 PRO-SERIES
FILL KÖRPER

ART.-NR. 072



SIZE	COMPATIBILITY
DN 60–DN 300 Available on request in lengths from 0.5 m to 5 m.	Ideally suited for: - Underground pipelines in which large voids have formed - Collapsed pipelines - Dragging pipes with severe cracking - Fragmentation damage for initial stabilization

6.1 CONVEYOR HOSE 25 m



FUNCTION

Conveyor hose for fill bodies and resin

CONVEYOR HOSE *STANDARD*

	6.1.1	ART.-NR. 38a	6.1.2	ART.-NR. 38b	6.1.3	ART.-NR. 38c
Diame- ter		10 mm		8 mm		6 mm

CONVEYOR HOSE *EXTRA FLEXIBLE*

Small pipes
and many
bends

	6.1.4	ART.-NR. 38d	6.1.5	ART.-NR. 38e	6.1.6	ART.-NR. 38f
Diame- ter		10 mm		8 mm		6 mm

6.2 HOSE CONNECTOR 2-WAY FLEXIBLE

ART.-NR. **035**



FUNCTION

Connecting the
conveyor hose to
the cartridge

SIZE

10 mm / 20 cm

6.3 MIXER



MIXER *FLEXIBLE*

	6.3.1	ART.-NR. 033	6.3.2	ART.-NR. 033a	6.3.3	ART.-NR. 034
Bezeich- nung		Mixer		Mixer		Mixer
Größe		8 mm		6 mm		10 mm

MIXER *EXTRA FLEXIBLE*

	6.3.4	ART.-NR. 033b	6.3.5	ART.-NR. 034b	6.3.6	ART.-NR. 034a
Bezeich- nung		Mixer <i>extra flexible</i>		Mixer <i>extra flexible</i>		Mixer <i>extra flexible</i>
Größe		6 mm		8 mm		10 mm

Thanks to the included spray heads for the mixer, even multiple bends are no problem. Individual deliveries are also possible upon request.

6.4 CABLE PULLER

ART.-NR. 041



FUNCTION	SIZE
Positioning of the conveyor hoses	6 mm x 130 mm

6.5 PLIERS FOR CABLE TIES

ART.-NR. 046



FUNKTION
Cutting cable ties and pressing hose clamps

6.6 CABLE TIES

ART.-NR. 036



FUNCTION	SIZE
Attaching the fill bodys to the conveyor hose	6 mm x 130 mm

6.7 HOSE PLIERS

ART.-NR. 047



FUNCTION
Cutting the conveyor hose

CONVEYOR HOSE BRACKET

	6.8 ART.-NR. 017	6.9 ART.-NR. 018	6.10 ART.-NR. 019
Designation	Conveyor hose bracket for camera small 	Conveyor hose bracket for camera big 	Conveyor hose bracket for camera big 
Size	8 mm	10 mm	groß, 10 mm

7.0 SPRAY HEAD CENTRALIZER

	7.1 ART.-NR. 022	7.2 ART.-NR. 023	7.3 ART.-NR. 024	7.4 ART.-NR. 025	7.5 ART.-NR. 026	7.6 ART.-NR. 027	7.7 ART.-NR. 028	7.8 ART.-NR. 029	7.9 ART.-NR. 030
Designation	Spray head centralizer	Spray head centralizer	Spray head centralizer	Spray head centralizer	Spray head centralizer	Spray head centralizer flexible	Spray head centralizer flexible small	Spray head centralizer flexible big	Spray head centralizer flexible XL
									
Compatibility/ Size	DN 70–100	DN 50	DN 70–80	DN 125	DN 150	DN 40–50	DN 70–100	DN 125–150	DN 200–300
Special feature	Suitable for curved hose routing	Downpipes, including screw							

Our spray head adapters have a push rod connection – flexible or rigid.

They are ideal for pushing from bottom to top and are compatible with other spray nozzles.

More information at: www.schaummaXX.com

8.1 STARTER SET COMPLETE

ART.-NR. 043


schaummaXX.
STARTERPAKET



! Delivered in its own transport box



The starter pack is also available as a solo starter pack without a pump – but with all the other components.



Included in the starter pack:

PRODUCT NAME	ITEM NO.
Fill repair pump	042
2 x Foam cartridge normal	031
2 x Foam cartridge pipe bends etc.	032
Hand cleaning wipes	039
Lubricant	040
Conveyor hose 25 m	038
Mixer flexible DN 70–300	034
Spray head centralizer DN 50	023

PRODUKTNAME	ART.-NR.
Conveyor hose bracket for camera 8 mm	017
Conveyor hose bracket for camera 10 mm	018
Hose connector 2-way	020
Body caps	002, 003, 004, 005, 006
spray head	001
Fill bodys	008, 009, 010
Cable ties	036
Hose pliers	047
Hose connector 2-way flexible	035

TRANSPORT CASES



8.2 STARTER BOX

ART.-NR. 057

8.3 BOX MEDIUM

ART.-NR. 058

8.4 BOX BIG

ART.-NR. 059

8.5 ACCESSORY BOX

ART.-NR. 056

Included in the accessory box:



4 x Sleeve 8 mm

4 x Sleeve 6 mm

4 x Y-piece 10 mm

4 x Y-piece 8 mm

4 x Y-piece 6 mm

4 x Y-piece 10 mm

4 x Plug 10 mm

4 x Plug 6 mm

4 x Plug 8 mm

10 x Hose clamps

SLEEVE



	1	ART.-NR. 053a	2	ART.-NR. 053	3	ART.-NR. 054
Size		6 mm		8 mm		10 mm

Y-PIECE



	1	ART.-NR. 051a	2	ART.-NR. 051	3	ART.-NR. 052
Size		6 mm		8 mm		10 mm

PLUG



	1	ART.-NR. 055a	2	ART.-NR. 055b	3	ART.-NR. 055
Size		6 mm		8 mm		10 mm



HOSE CLAMPS

ART.-NR. 060

8.6 SPRAY HEAD AND CENTRALIZER BOX/SET

ART.-NR. **067**



! Available as a set or as a single item

8.7 DRILLING HEAD SET

ART.-NR. **048**



! Special attachments for milling foam.
Set in case

9.1 COOLER/WARMER BOX

ART.-NR. **044**



! when stored above 25° C / 77° F
in the vehicle

9.2 COMPRESSOR

ART.-NR. **045**



! 230V, working pressure 8 bar, 105 l/min

9.3 FOOT PEDAL

ART.-NR. **050**



Controlling the fill body



9.4 PRESS STAMP

ART.-NR. **068**

FUNCTION

Converting from a 2:1 to a 1:1
mixture

Further accessories available on request!

Additional items will follow shortly.
Coating resins can also be requested if required.

More products for sewer rehabilitation are available in our online shop.

shop@schaummaXX.com

Showroom

Camp-Spich-Straße 2b, 53842 Troisdorf

Get in touch!

Discover the benefits of the schaummaXX Fill Repair System and how it makes your pipe repairs more efficient and sustainable. Contact us today and find out how we can help you complete your projects successfully.

schaummaXX Fill Repair System **World first**

schaummaXX
Gneisenaustraße 25
53721 Siegburg
Germany
+49 173 2760 035
www.schaummaXX.com
info@schaummaXX.com

www.schaummaXX.com

