

My child's baby tooth fell out and it is still bleeding. What should I do?

Learn what to expect when your child loses a tooth—minimal bleeding is normal if the tooth was ready to come out. If bleeding is significant, have your child bite down on clean gauze for 15 minutes. For sore gums, Tylenol and ice can ease discomfort.

[Dental Emergency](#)

Updated On: November 27, 2024



Have your child bite down on clean, folded gauze or cloth over the bleeding area for 15 minutes. Repeat once if necessary. If bleeding continues, give us a call.

Should My Child's Be Bleeding This Much After Losing a Tooth?

If the tooth was already loose and it's time to lose the tooth, it shouldn't bleed a whole lot after. If the tooth wasn't ready to fall out, there might be significantly more blood. Here's a great article on when children are supposed to lose their teeth according to age.

What Should I Expect When My Child Loses a Tooth?

There will be a little amount of blood, but it's just from the tooth leaving the body. It should clot and heal quickly. Your child may have sore gums over the next few days, whether it's from cutting their adult tooth in or from the baby tooth falling out. This discomfort shouldn't last forever. Tylenol and ice work great to help them through this discomfort.

Continue Reading

[View All](#)



[Does My Child Need Fluoride Treatments at the Dentist?](#)

Updated On: December 10, 2025






How Does Diet Affect Children's Dental Development?

Updated On: November 18, 2025



When Should My Child Have Their Wisdom Teeth Evaluated?

Updated On: November 4, 2025



Does Your Child Have Gum Disease? Warning Signs to Watch For

Updated On: September 12, 2025



Idaho Falls Location

929 S Utah Ave
Idaho Falls, ID 83402

(208) 529-2199

Hours

Mon 8AM-5PM
Tues 8AM-5PM
Wed 8AM-5PM
Thurs 7AM-4PM
Fri 8AM-2PM

Pocatello Location

732 W Quinn Rd #100
Pocatello, ID 83202

(208) 237-1883



Emergency Contact



Specials & Coupons



Office Tour

